

HEALTH MART ALLERGY COMPLETE D- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release
Strategic Sourcing Services LLC

McKesson Allergy Complete-D Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland

- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

| | |
|----------------------------------------|----------------------------------------------------------------------------|
| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
| adults 65 years and over | ask a doctor |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**

- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Zyrtec-D® active ingredients

ORIGINAL PRESCRIPTION STRENGTH

12 Hour

Allergy Complete-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets, 5 mg/120 mg

Antihistamine/Nasal Decongestant

ALLERGY & CONGESTION

Actual Size

Indoor & Outdoor Allergies

12 Hour Relief of: Sneezing; Itchy, Watery Eyes; Runny Nose; Itchy Throat or Nose; Sinus Pressure; Nasal Congestion

24 Extended Release Tablets

Gluten Free

 HealthMart.

ORIGINAL PRESCRIPTION STRENGTH

12 Hour Allergy Complete-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended Release Tablets, 5 mg/120 mg
Antihistamine/Nasal Decongestant


Actual Size

NDC 62011-0411-1

Compare to Zyrtec-D®
active ingredients*

 HealthMart.

ORIGINAL PRESCRIPTION STRENGTH

12 Hour Allergy Complete-D

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended Release Tablets, 5 mg/120 mg
Antihistamine/Nasal Decongestant



Actual Size

ALLERGY & CONGESTION

Indoor & Outdoor Allergies

12 Hour Relief of: Sneezing; Itchy, Watery Eyes;
Runny Nose; Itchy Throat or Nose;
Sinus Pressure; Nasal Congestion

Gluten Free

24 Extended Release Tablets

14762 W6 C2

CODE AREA

| | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------------------------------------|--------------------------|--------------|--------------------------------|--------------|----------------------------------------|--------------|
| <p>Drug Facts</p> <p>Active ingredients (in each extended release tablet)</p> <p>Cetirizine HCl 5 mg.....Antihistamine Pseudoephedrine HCl 120 mg.....Nasal decongestant</p> <p>Purpose</p> <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ nasal congestion ■ reduces swelling of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily restores free breathing through the nose <p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland ■ liver or kidney disease. Your doctor should determine if you need a different dose. | <p>Drug Facts (continued)</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ do not use more than directed ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ an allergic reaction to this product occurs. Seek medical help right away. ■ you get nervous, dizzy, or sleepless ■ symptoms do not improve within 7 days or are accompanied by fever <p>If pregnant or breast-feeding:</p> <ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)</p> <p>Directions</p> <ul style="list-style-type: none"> ■ do not break or chew tablets; swallow tablet whole <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td>take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.</td> </tr> <tr> <td>adults 65 years and over</td> <td>ask a doctor</td> </tr> <tr> <td>children under 12 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table> | adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. | adults 65 years and over | ask a doctor | children under 12 years of age | ask a doctor | consumers with liver or kidney disease | ask a doctor |
| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. | | | | | | | | |
| adults 65 years and over | ask a doctor | | | | | | | | |
| children under 12 years of age | ask a doctor | | | | | | | | |
| consumers with liver or kidney disease | ask a doctor | | | | | | | | |


Drug Facts (continued)

Other information

- store between 20° to 25° C (68° to 77° F)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? 1-800-7-19-9260



0 52569 14274 5

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.

MCKESSON

Another Quality Product
Distributed by McKesson
6555 State Highway 161, Irving, TX 75039
Money Back Guarantee
healthmart.com

HEALTH MART ALLERGY COMPLETE D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:620 11-0411 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---------------------------------------------------------------------------------------------|-------------------------------|----------|
| CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24) | CETIRIZINE HYDROCHLORIDE | 5 mg |
| PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DD19F) | PSEUDOEPHEDRINE HYDROCHLORIDE | 120 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------------------------------------------------|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q815X) | |
| LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14) | |
| MAGNESIUM STEARATE (UNII: 70097M6130) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |

| | |
|------------------------------------------------------------|--|
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | WHITE | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | L147 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:62011-0411-1 | 24 in 1 CARTON | 03/04/2020 | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| ANDA | ANDA210719 | 03/04/2020 | |

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 9/2020

Strategic Sourcing Services LLC