

GOOD NEIGHBOR ROLL-ON PAIN RELIEF- lidocaine hcl liquid
Amerisource Bergen

Good Neighbor Roll-on Lidocaine Pain Relief Liquid

Active Ingredient

Lidocaine HCL 4%

Purpose

Topical anesthetic

Uses

Temporarily relieves minor pain

Warnings

For external use only

Do not use

On large areas of the body or on cut, irritated or swollen skin

■ on puncture wounds

■ for more than one week without consulting a doctor

When using this product

■ use only as directed. Read and follow all directions and warnings on this carton

■ do not allow contact with the eyes and mucous membranes

■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use

■ do not use at the same time as other topical analgesics

Stop use and ask a doctor if

■ condition worsens ■ redness is present

■ irritation develops

■ symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breastfeeding

ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact Poison Control Center (1-800-222-1222) right away.

Directions

adults and children over 12 years:■ apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.

children 12 years or younger:■ ask a doctor

Other information

Store at room temperature

Inactive Ingredients

acrylates/C10-30 alkyl acrylate crosspolymer (60000 MPA.S), aloe barbadensis leaf juice, am nomethylpropanol, ceteth-10 phosphate, cetostearyl alcohol, cyclomethicone 5, dicetyl phosphate, dimethicone 350, dimethicone/vinyl dimethicone crosspolymer (soft particle), disodium EDTA, ethylhexylglycerin, glyceryl 1 stearate, hydroxyethyl acrylate/sodium acryloyld methyl taurate copolymer (100000 MPA.S at 1.5%), sohexadecane, phenoxyethanol, SD alcohol, steareth-21, water

Questions or Comments

Call 1-866-326-1313

Label

Model 90-933

Drug Facts	
Active ingredient	Purpose
Lidocaine HCl 4%	Topical analgesic
Use: Temporarily relieves minor pain	
Warnings: For external use only.	
Do not use on large areas of the body or on out, irritated or swollen skin	
on puncture wounds for more than one week, without consulting a doctor	
When using this product use only as directed. Read and follow all directions and warnings on this carton. Do not allow contact with the eyes and mucous membranes. Do not massage or apply local heat (such as heating pads) or a medicated patch to area of use. Do not use at the same time as other topical analgesics.	
Stop use and ask a doctor if the condition worsens, redness is present, irritation develops, symptoms persist for more than 7 days or clear up and occur again within a few days.	
Flammable. Keep away from fire or flame.	
If pregnant or breast feeding, ask a health professional before use.	
Keep out of reach of children and pets. If swallowed, get medical help or contact Poison Control Center 1-800-222-1222 right away.	
Directions	
Adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.	
Children 12 years or younger: ask a doctor.	
Other information	
Store at room temperature.	
Inactive ingredients: acrylates C10-30 alkyl acrylate copolymer (60000 MPAS), aloe barbadensis leaf juice, aminomethylpropanol, caffeine-10 phosphate, cetostearyl alcohol, cyclomethicone 5, diethyl phosphate, dimethicone 350, dimethicone/vinyl dimethicone copolymer (soft paraffin), disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer (100000 MPAS at 1.5%), isohexadecane, phenoxethanol, SD alcohol, steareth-21, water.	
Questions or comments? Call 1-866-326-1313	

*This product is not manufactured or distributed by Chatten Inc., owner of the registered trademark Aspercreme®.

Do not use if tamper seal is broken or missing.
Child-resistant packaging.
Close cap tightly between uses.
Keep this outer carton as it contains important information.




Distributed By
Amerisource Bergen
1 West First Ave. Suite
Conshohocken, PA 19428
Questions or Comments?
www.mygnp.com

Made in China
92-90041 04/25 UC510047



Good NEIGHBOR PHARMACY
Roll-on Lidocaine Pain Relief Liquid



Good NEIGHBOR PHARMACY
Roll-on Lidocaine Pain Relief Liquid



LOT 510047MMYY
EXP YYYY-MM-DD

GOOD NEIGHBOR ROLL-ON PAIN RELIEF

lidocaine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-802
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
STEARETH-21 (UNII: 53J3F32P58)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5VN99N)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-802-29	1 in 1 PACKAGE	08/01/2025	
1		74 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/01/2025	

Labeler - Amerisource Bergen (007914906)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(46122-802)