

OXYGEN- oxygen gas
Middlesex Gases and Technologies, Inc.

oxygen

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2

USP WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical application, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. PRODUCED BY AIR LIQUIFACTION DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL. CONTENTS: LTRS: CU.FT. MIDDLESEX GASES & TECHNOLOGIES, INC. 292 2ND STREET . EVERETT, MA 02149



617-387-5050

REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 CAS: 7782-44-7 Produced by Air Liquefaction.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and

store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CONTENTS: LOT NO. DO NOT REMOVE THIS PRODUCT LABEL. TO BE REFILLED ONLY BY MIDDLESEX GASES & TECHNOLOGIES, INC. . 1-800-649-6704
MIDDLESEX GASES & TECHNOLOGIES, INC. 292 2ND STREET . EVERETT, MA 02149
617-387-5050

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID
USP
UN1073**
CAS: 7782-44-7
PRODUCED BY AIR LIQUEFACTION



MIDDLESEX GASES & TECHNOLOGIES, INC.
292 2ND STREET • EVERETT, MA 02149
617-387-5050

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

CONTENTS: _____

LOT NO. _____

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER; CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY; COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.



DO NOT REMOVE THIS PRODUCT LABEL

TO BE REFILLED ONLY BY MIDDLESEX GASES & TECHNOLOGIES, INC. • 1-800-649-6704

48101 (05/17)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:63961-100
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63961-100-16	144302 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
2	NDC:63961-100-18	176810 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	

3	NDC:63961-100-17	1282753 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
4	NDC:63961-100-11	424 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
5	NDC:63961-100-12	707 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
6	NDC:63961-100-13	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
7	NDC:63961-100-14	7107 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
8	NDC:63961-100-19	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	
9	NDC:63961-100-15	167918 L in 1 CYLINDER; Type 0: Not a Combination Product	07/28/1997	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	07/28/1997	

Labeler - Middlesex Gases and Technologies, Inc. (001426311)

Establishment

Name	Address	ID/FEI	Business Operations
Middlesex Gases and Technologies, Inc.		001426311	manufacture(63961-100)

Establishment

Name	Address	ID/FEI	Business Operations
Middlesex Gases and Technologies, Inc.		073767126	manufacture(63961-100)

Establishment

Name	Address	ID/FEI	Business Operations
Middlesex Gases & Technologies, Inc.		080082538	manufacture(63961-100)

Revised: 11/2024

Middlesex Gases and Technologies, Inc.