

TACROLIMUS- tacrolimus powder

AX Pharmaceutical Corp

Tacrolimus

Tacrolimus

Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription.
Keep tightly closed at controlled room temperature, away from strong heat and light.



AX Pharmaceutical Corp

Tacrolimus, USP

Retest date: Jun 23, 2021

Original Reference: HNTN1906503U

NDC Number: 73377-009-01

Relabelled by: AX Pharmaceutical Corp

Original manufacturer: North China Pharmaceutical Huasheng Co., Ltd.
No. 8 Yangzi Road, Shijiazhuang Economic & Technological Development Zone, Shijiazhuang, Hebei 052160, China

100 TesmaWay, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

50g

CAS: 109581-93-3

Lot: F024-19F23SH

Toll free: 1 866 305 0566

Toxic if swallowed. Causes eye irritation. Suspected of damaging fertility or the unborn child. Causes respiratory irritation. Causes skin irritation. Causes allergic reaction. Causes drowsiness or dizziness. Causes respiratory depression. Causes hypotension. Causes hypothermia. Causes bradycardia. Causes hypotension. Causes hypothermia. Causes bradycardia. Causes hypotension. Causes hypothermia. Causes bradycardia.

Obtain special instructions before use. Do not handle until all safety procedures have been read and understood. Do not breathe dust/fume/gas/mist/vapor/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Immediately call a poison center/doctor or hospital. Do not induce vomiting. Do not take oral medicine for several days after the incident. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.



Danger



AX Pharmaceutical Corp

Tacrolimus Monohydrate, USP

Retest Date: Mar 23, 2022

Original Reference: HNTN2003103U

NDC: 73377-009-02

Relabelled by: AX Pharmaceutical Corp

Original Manufacturer: North China Pharmaceutical Huasheng Co., Ltd.
No. 8 Yangzi Road, Shijiazhuang Economic & Technological Development Zone, Shijiazhuang, Hebei 052160, China

100 TesmaWay, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

10g

CAS: 109581-93-3

Lot: F282-20C23SH

Toxic if swallowed. Causes eye irritation. Suspected of damaging fertility or the unborn child. Causes respiratory irritation. Causes skin irritation. Causes allergic reaction. Causes drowsiness or dizziness. Causes respiratory depression. Causes hypotension. Causes hypothermia. Causes bradycardia. Causes hypotension. Causes hypothermia. Causes bradycardia.

Toll free: 1 866 305 0566



Danger



AX Pharmaceutical Corp

Tacrolimus Monohydrate, USP

Retest Date: Dec 01, 2023

Original Reference: HNTN2112501U

NDC: 73377-009-03

Relabelled by: AX Pharmaceutical Corp

Original Manufacturer: North China Pharmaceutical Huasheng Co., Ltd.
No. 8 Yangzi Road, Economic and Technological Development Zone, Shijiazhuang, Hebei Province, China, 052160

100 TesmaWay, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

1g

CAS: 109581-93-3

Lot: H128-21L02SH

Toxic if swallowed. Causes eye irritation. Suspected of damaging fertility or the unborn child. Causes respiratory irritation. Causes skin irritation. Causes allergic reaction. Causes drowsiness or dizziness. Causes respiratory depression. Causes hypotension. Causes hypothermia. Causes bradycardia. Causes hypotension. Causes hypothermia. Causes bradycardia.

Toll free: 1 866 305 0566



Danger



AX Pharmaceutical Corp

Tacrolimus Monohydrate, USP

Retest Date: Nov 19, 2025

Original Reference: HNTN2211501U

NDC: 73377-009-04

Repackaged by: AX Pharmaceutical Corp

Original Manufacturer: North China Pharmaceutical Huasheng Co., Ltd.
No. 8 Yangzi Road, Economic and Technological Development Zone, Shijiazhuang, Hebei Province, China, 052160

100 TesmaWay, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

3.5g

CAS: 109581-93-3

Lot: H538-22K20P1O

Toxic if swallowed. Causes eye irritation. Suspected of damaging fertility or the unborn child. Causes respiratory irritation. Causes skin irritation. Causes allergic reaction. Causes drowsiness or dizziness. Causes respiratory depression. Causes hypotension. Causes hypothermia. Causes bradycardia. Causes hypotension. Causes hypothermia. Causes bradycardia.

Toll free: 1 866 305 0566



Danger

Contains with USP Organic Inertness Procedure 2.

Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription. Preserve in light containers. Store at controlled room temperature.

Contains with USP Organic Inertness Procedure 2.

Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription. Preserve in light containers. Store at controlled room temperature.

Contains with USP Organic Inertness Procedure 2.

Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription. Preserve in light containers. Store at controlled room temperature.

It complies to procedure 2 for Organic Impurities.
 Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription.
 Preserve in tight containers. Store at controlled room temperature.

AX Pharmaceutical Corp
Tacrolimus Monohydrate, USP

Retest Date: Aug 12, 2026
 Original Reference: HNTN2308501U
 NDC: 73377-009-05
 Repackaged by: AX Pharmaceutical Corp

6.7g
 CAS: 109581-93-3
 Lot: J052-23H13P10

Original Manufacturer: North China Pharmaceutical Huasheng Co., Ltd.
 No. 8 Yangzi Road, Shijiazhuang Economic and Technological Development Zone, Shijiazhuang, Hebei 052160, China

100 Tesma Way, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

Toxic if swallowed. Causes eye irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs (immune system) through prolonged or repeated exposure.



Toll free: 1 866 3050566

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/vapor/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Immediately call a poison center/doctor. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.

Danger

AX Pharmaceutical Corp
Tacrolimus Monohydrate, USP

Expiry Date: Jun 22, 2028
 Original Reference: 250605FK
 NDC: 73377-009-06
 Repackaged by: AX Pharmaceutical Corp

100g
 CAS: 109581-93-3
 Lot: K336-25F23P10

Original Manufacturer: Joyang Laboratories
 Haidu North Road, Sheyang Economic Development Zone, Yancheng, Jiangsu 224300, China

100 Tesma Way, Unit 8, Concord, ON Canada L4K 0J9 Fax: 416 352 1618

Toll free: 1 866 305 0566

Toxic if swallowed.



Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

Danger

It complies with procedure 2 for organic Impurities.
 Caution: For pharmacy compounding only. For veterinary use only. Use according to practitioner's prescription. Federal law prohibits dispensing without prescription.
 Preserve in tight containers. Store at a temperature less than 25°C.

TACROLIMUS

tacrolimus powder

Product Information

Product Type		Item Code (Source)	NDC:73377-009
Route of Administration	NOT APPLICABLE		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TACROLIMUS (UNII: WM0HAQ4WNM) (TACROLIMUS - UNII:WM0HAQ4WNM)	TACROLIMUS	1 g in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73377-009-01	50 g in 1 JAR		

2	NDC:73377-009-02	10 g in 1 JAR		
3	NDC:73377-009-03	1 g in 1 JAR		
4	NDC:73377-009-04	3.5 g in 1 JAR		
5	NDC:73377-009-05	6.7 g in 1 JAR		
6	NDC:73377-009-06	100 g in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
bulk ingredient for animal drug compounding		01/31/2020	

Labeler - AX Pharmaceutical Corp (204011316)

Establishment

Name	Address	ID/FEI	Business Operations
AX Pharmaceutical Corp		204011316	repack, relabel

Revised: 1/2026

AX Pharmaceutical Corp