

MULTI-SYMPTOM RELIEF COLD AND FLU MULTI-SYMPTOM RELIEF- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled
Productos Zapotol Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

VICKS®
DayQuil®
COLD & FLU
Multi-Symptom Relief

Drug Facts

<i>Active ingredients (in each LiquiCap)</i>	<i>Purpose</i>
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Sore throat warning

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

- **when using other DayQuil or NyQuil products, carefully read each label to insure correct dosing**

Other information

- store at room temperature

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, titanium dioxide

Made in Canada

Dist. by Procter & Gamble,

Cincinnati OH 45202.

PRINCIPAL DISPLAY PANEL - 16 LiquiCap Carton

VICKS®

DayQuil®

COLD & FLU

Multi-Symptom Relief

Acetaminophen, Phenylephrine, Dextromethorphan

- **Aches, Fever & Sore Throat**
- **Nasal Congestion**
- **Cough**

Non-Drowsy

16 LiquiCaps®



New-Melubryna[®]
Cold & Flu / Para Resfriado y Gripe



New-Melubryna[®]
Cold & Flu / Para Resfriado y Gripe



zapotel

NDC No. 67510-0523-1

Alivio para múltiples síntomas
Multi-Symptom Relief


New-Melubryna[®]
Cold & Flu / Para Resfriado y Gripe

Acetaminofén, Fenilefrina, Destromtorfano
Acetaminophen, Phenylephrine, Dextromethorphan

- Para Dolores, Fibre y Dolor de Garganta
- Congestión Nasal
- Tos
- Aches, Fever & Sore Throat
- Nasal Congestion
- Cough

 **10** Gelcaps

No Causa Sueño
Non-Drowsy



New-Melubryna[®]
Cold & Flu / Para Resfriado y Gripe



Drug Facts
FAILURE TO FOLLOW THESE WARNINGS COULD RESULT IN SERIOUS CONSEQUENCES. USE ONLY IF BLISTERS ARE INTACT. IF DIFFICULT TO OPEN, USE SCISSORS.
Drug Facts (continued)
Stop use and ask a doctor if: ■ your get nervous, dizzy or sleepless ■ symptoms get worse or last more than 5 days (children) or 7 days (adults) ■ fever gets worse or lasts more than 3 days ■ Redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition. ■ pregnant or breast-feeding, ask a health professional before use. ■ keep out of reach of children. **Overdose warning:** Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. **Caution:** medical attention is critical for adults & for children even if you do not notice any signs or symptoms.
Directions
■ Take only as directed – see Overdose warning
■ Do not exceed 4 doses per 24 hrs.
■ Adults & children 12 yrs & over: 2 Gelcaps with water every 4 hrs
■ Children 4 to under 12 yrs: Ask a doctor
■ Children under 4 yrs: Do not use
Other information ■ store at room temperature
Inactive ingredients FD&C red no. 40, gelatin, glycerin, polyethylene glycol, polyurethane, polyurethane, purified water, and sorbitol
Made in Korea
Van Nuys, CA 91402 888-927-6865
Producers Zapotel Corp.
Distributed by / Distribuido por

Drug Facts
Active ingredients (in each Gelcap) Purpose
Acetaminophen 325 mg Pain Reliever / fever reducer
Dextromethorphan HBr 10 mg Cough suppressant
Phenylephrine HCl 5 mg Nasal decongestant
Uses temporarily relieves common cold/flu symptoms:
■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever.
Warnings Liver Warning
This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24hrs, which is the maximum daily amount for this product. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.
Sore throat warning If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.
Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have ■ liver disease ■ heart disease ■ thyroid disease diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or emphysema.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
When using this product, do not use more than directed.

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59428-720
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	325 mg
Dextromethorphan Hydrobromide (UNII: 9D2RT9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	10 mg
Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C Red No. 40 (UNII: WZB9127XOA)	
gelatin (UNII: 2G86QN327L)	
glycerin (UNII: PDC6A3C0OX)	
polyethylene glycols (UNII: 3WJQ0SDW1A)	
povidones (UNII: FZ989GH94E)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sorbitol (UNII: 506T60A25R)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	DQUIL
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59428-720-10	10 in 1 CARTON		
1		2 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/31/2014	

Labeler - Productos Zapotol Corp. (186063850)