

THE PHARMA-C COMPANY 70 ISOPROPYL ALCOHOL WIPES- isopropyl alcohol cloth

Kleen Test Products Corporation

The Pharma-C Company 70% Isopropyl Alcohol Wipes

Drug Facts

Active ingredient

Isopropyl alcohol 70%

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in:

- minor cuts • scrapes • burns

Warnings

For external use only.

Flammable keep away from fire or flame, heat, spark, electrical

Ask a doctor before use if you have

- deep or puncture wounds • animal bites • serious burns

When using this product

• do not get in eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask doctor

if condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area • apply product on the affected area of the body 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

Other information

- do not apply internally • keep canister tightly closed and stored at room temperature • hold away from face when opening

Inactive ingredients

purified water

Questions or comments?

1-844-308-8600

Package Labeling: (40 Count)

Do not use if clear, tamper-evident seal around the lid is missing or broken.

The Pharma-C Company®

70% Isopropyl Alcohol Wipes

First Aid Antiseptic
Helps prevent the risk of infection in minor cuts and abrasions

feel protected

40 WIPES
5.6 IN x 7 IN (14.2 cm x 17.7 cm) **DO NOT FLUSH**

Learn more about The Pharma-C Company® products
Scan Here

WARNING: FLAMMABLE
Keep away from heat, spark, electrical, fire or flame

CAUTION
KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautionary statements

Drug Facts	
Active ingredient	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic
Uses first aid to help prevent the risk of infection in: ▪ minor cuts ▪ scrapes ▪ burns	
Warnings For external use only.	
Flammable keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have ▪ deep or puncture wounds ▪ animal bites ▪ serious burns	
When using this product ▪ do not get in eyes ▪ do not apply over large areas of the body ▪ do not use longer than 1 week unless directed by a doctor	
Stop use and ask doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ▪ clean the affected area ▪ apply product on the affected area of the body 1 to 3 times a day ▪ may be covered with a sterile bandage ▪ if bandaged, let dry first	
Other information ▪ do not apply internally ▪ keep canister tightly closed and stored at room temperature ▪ hold away from face when opening	
Inactive ingredient purified water	
Questions or comments? 1-844-308-8600	

CLEANFINITY BRANDS
Distributed by Cleanfinity Brands®
1611 Sunset Rd, Port Washington, WI 53074
www.Pharma-C.com ©2025

15-100271F
6 44098 03033 6

Package Labeling: (175 Count)



70% Isopropyl Alcohol Wipes

Helps prevent the risk of infection in minor cuts and abrasions

Strong, low lint sheets resist leaving behind particles

NDC 55239-362-01 FIRST AID ANTISEPTIC



175 PRE-MOISTENED WIPES
7 IN x 5.6 IN (17.7 cm x 14.2 cm)

DO NOT FLUSH

Do not use if tamper-evident seal is missing or broken.



Drug Facts

Active ingredient Isopropyl alcohol 70%	Purpose First aid antiseptic
Uses first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns	
Warnings For external use only.	
Flammable keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
When using this product • do not get in eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor	
Stop use and ask doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area • apply product on the affected area of the body 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first	
Other information • do not apply internally • keep canister tightly closed and stored at room temperature • hold away from face when opening	
Inactive ingredient purified water	
Questions or comments? 1-844-308-8600	

Learn more about The Pharma-C Company products



CLEANFINITY
Distributed by Cleanfinity Brands®
1611 Sunset Rd, Port Washington, WI 53074
www.Pharma-C.com ©2025

THE PHARMA-C COMPANY 70 ISOPROPYL ALCOHOL WIPES

isopropyl alcohol cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55239-362
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55239-362-00	40 in 1 CANISTER	03/01/2019	
1		4.5 mL in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:55239-362-01	175 in 1 CANISTER	10/01/2022	
2		5.2 mL in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/01/2019	

Labeler - Kleen Test Products Corporation (168165814)

Registrant - Kleen Test Products Corporation (168165814)

Revised: 6/2025

Kleen Test Products Corporation