

THE PHARMA-C COMPANY 70 ISOPROPYL ALCOHOL WIPES- isopropyl alcohol cloth

Kleen Test Products Corporation

The Pharma-C Company 70% Isopropyl Alcohol Wipes

Drug Facts

Active ingredient

Isopropyl alcohol 70%

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in:

- minor cuts • scrapes • burns

Warnings

For external use only.

keep away from fire or flame, heat, spark, electrical **Flammable**

Ask a doctor before use if you have

- deep or puncture wounds • animal bites • serious burns

When using this product

• do not get in eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask doctor

if condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area • apply product on the affected area of the body 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

Other information

- do not apply internally • keep canister tightly closed and stored at room temperature • hold away from face when opening

Inactive ingredients

purified water

Questions or comments?

1-844-308-8600

Package Labeling:

The Pharma-C Company™

Do not use if clear, tamper-evident seal around the lid is missing or broken.

70% Isopropyl Alcohol Wipes

First Aid Antiseptic

Helps prevent the risk of infection in minor cuts and abrasions

feel protected

40 WIPES
5.6 IN x 7 IN (14.2 cm x 17.7 cm)

DO NOT FLUSH

Learn more about The Pharma-C Company™ products
Scan Here

CAUTION
KEEP OUT OF REACH OF CHILDREN
See side panel for additional precautionary statements.

WARNING: FLAMMABLE
Keep away from heat, spark, electrical, fire flame


Drug Facts	
Active ingredient Isopropyl alcohol 70%	Purpose First aid antiseptic
Uses first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns	
Warnings For external use only. Flammable: keep away from fire or flame, heat, spark, electrical	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
When using this product • do not get in eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor	
Stop use and ask doctor if condition persists or gets worse.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area • apply product on the affected area of the body 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first	
Other information • do not apply internally • keep canister tightly closed and stored at room temperature • hold away from face when opening	
Inactive ingredient purified water	
Questions or comments? 1-844-308-8600	

15-100271C

CLEANFINITY. Made in the U.S.A.
Manufactured by The Pharma-C Company™
Port Washington, WI 53074
www.Pharma-C.com ©2022

6 44098 03033 6

Package Labeling:



NDC 55239-362-01


70% Isopropyl Alcohol Wipes

Helps prevent the risk of infection in minor cuts and abrasions

- Pre-moistened wipes
- Strong, low lint sheets resist leaving behind particles


ANTISEPTIC

175 WIPES
7 IN x 5.6 IN (17.7 cm x 14.2 cm)




DO NOT FLUSH

Do not use if tamper-evident seal is missing or broken.




Pull wipe at 45° angle



Tuck next wipe into cavity and close tightly

Learn more about The Pharma-C Company™ products



WARNING: FLAMMABLE
Keep away from heat, spark, electrical, fire or flame

Drug Facts

Active ingredient Isopropyl alcohol 70% **Purpose** First aid antiseptic

Uses first aid to help prevent the risk of infection in:
• minor cuts • scrapes • burns

Warnings
For external use only.

Flammable keep away from fire or flame, heat, spark, electrical

Ask a doctor before use if you have
• deep or puncture wounds • animal bites • serious burns

When using this product
• do not get in eyes • do not apply over large areas of the body
• do not use longer than 1 week unless directed by a doctor

Stop use and ask doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions
• clean the affected area • apply product on the affected area of the body 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

Other information • do not apply internally • keep canister tightly closed and stored at room temperature • hold away from face when opening


Inactive ingredient purified water

Questions or comments? 1-844-308-8600

15-10898C



0 13099 03800 7



Made in the U.S.A.
 Manufactured by The Pharma-C Company™
 Port Washington, WI 53074
www.Pharma-C.com ©2022

THE PHARMA-C COMPANY 70 ISOPROPYL ALCOHOL WIPES				
isopropyl alcohol cloth				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55239-362	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)		ISOPROPYL ALCOHOL	70 mL in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55239-362-00	40 in 1 CANISTER	03/01/2019	
1		4.5 mL in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:55239-362-01	175 in 1 CANISTER	10/01/2022	
2		5.2 mL in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/01/2019	

Labeler - Kleen Test Products Corporation (168165814)

Revised: 11/2023

Kleen Test Products Corporation