

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release  
RETAIL BUSINESS SERVICES,LLC.**

-----  
**ARTHRITIS PAIN RELIEF**

**Acetaminophen Extended-release Tablets USP, 650 mg**

**Pain Reliever/Fever Reducer**

**For the temporary relief of minor arthritis pain**

**ArthritisPain**

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
  
- temporarily reduces fever

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

### **Ask a doctor before use if you have**

liver disease

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **If pregnant or breast-feeding**

ask a health professional before use.

### **Keep out of reach of children**

Keep out of reach of children

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

adults

- take 2 caplets every 8 hours with water

- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor under 18 years of age
- ask a doctor

### **Other information**

- store between 20-25°C (68-77°F)
- **do not use if foil inner seal is broken or missing**

### **Inactive ingredients**

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

### **Questions or comments?**

Contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST.

### **Principal Display Panel**

code #	:		Guaij
size	:	1+3/4 X 1+3/4 X 3+3/8	
ref #	:	PP180604B	trie
material	:	.016 SBS	dat

COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



**Drug Facts (continued)**

acetaminophen, ask a doctor or pharmacist.

- If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

■ If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see overdose warning)

**adults**

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

**under 18 years of age**

- ask a doctor

**Other information**

- store between 20-25°C (68-77°F)
- do not use if foil inner seal is broken or missing

**Drug Facts (continued)**

**Inactive ingredients**

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

**Questions or comments?**

contact 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

Contains No Aspirin

\*\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® & HR Arthritis Pain.

**DISTRIBUTED BY: FOODHOLD U.S.A., LLC**  
LANDOVER, MD 20785  
MADE IN INDIA  
1-477-446-9648  
© 2022 S&B Brands, LLC  
Quality guaranteed or your money back.

This product has been tested by an independent laboratory to ensure its quality and effectiveness.

COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547



COATING FREE AREA

R-00  
551000015  
300000547

end user : GRAMULES	Anusha
item : C99-ARTR 8H 100CT	Gudipudi
code # :	
size : 2+3/32 X 2+3/32 X 4+3/16	
ref # : P9180604A	view
material : .016 SBE	date



Principal Display Panel

NDC 72476-185-21  
EASY-OPEN  
READ THE LABEL →  
See New Warning  
Compare to the Active  
Ingredient of Tylenol  
8 Hr Arthritis Pain\*\*

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

## ARTHRITIS PAIN RELIEF

Acetaminophen Extended-release Tablets USP,  
650 mg

Pain Reliever/Fever Reducer  
For the Temporary Relief of  
Minor Arthritis Pain

Actual Size  


**225 CAPLETS\***  
650 mg each  
(\*Caplet-Shaped Bi-Layer Tablets)

NOT FOR HOUSEHOLDS  
WITH YOUNG CHILDREN

DO NOT TAKE WITH ALCOHOL

Important: Read all product information before using.  
Do not use if foil liner seal is broken or missing.

**Drug Facts**

**Active ingredient (in each caplet)** Acetaminophen USP 650 mg. Pain reliever/fever reducer.

**Uses**

- Temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - pruritus and menstrual cramps
  - flu common cold
  - headache
  - toothache
  - temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Other information**

Ask a doctor or pharmacist before use if you have liver disease

Do not use if a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Stop use and ask a doctor if

- you get worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new rashes occur
- itchiness or swelling is present

These could be signs of a serious condition.

DISTRIBUTED BY: FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785  
MADE IN INDIA  
© 2008 F&B Brands, LLC  
Daily purchased at your nearest bank.

LOT 150611  
EXP 15-06

(CONTINUED ON BACK OF LABEL)  
3 4 15 20 00 1671 3

simulate a printed label, fold along dotted line.

Inside (adhesive side)

Important: Read all product information before using.  
Do not use if foil liner seal is broken or missing.

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away: (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults
  - take 2 caplets every 8 hours with water
  - swallow whole; do not crush, chew, split or dissolve
  - do not take more than 6 caplets in 24 hours
  - do not use for more than 10 days unless directed by a doctor
- under 18 years of age
  - ask a doctor
  - store between 20°-25° C (68°-77° F)
  - do not use if foil liner seal is broken or missing

**Other information**

do not use if a skin reaction occurs, stop use and seek medical help right away.

do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Stop use and ask a doctor if

- you get worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new rashes occur
- itchiness or swelling is present

These could be signs of a serious condition.

**Inactive ingredients**

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

**Questions or comments?**

contact 1-877-770-5183 Mon-Fri 8:00 AM EST to 5:00 PM PST.

**Contains the Aspirin**

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® 8 Hr Arthritis Pain.

This product has been tested by an independent laboratory to ensure its quality and effectiveness.

## ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72476-185
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

### Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE (140 MPAS AT 5%) (UNII: 8136Y38GY5)	

<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	

### Product Characteristics

<b>Color</b>	white (White to off white colored)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Capsule shaped, biconvex intact film coated tablets)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	G;650
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-185-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2020	
2	NDC:72476-185-21	225 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2020	
3	NDC:72476-185-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	08/19/2020	

**Labeler -** RETAIL BUSINESS SERVICES,LLC. (967989935)

Revised: 12/2025

RETAIL BUSINESS SERVICES,LLC.