

# **HOT AND COLD CREAM WITH LIDOCAINE PAIN RELIEVING- lidocaine hcl and menthol cream**

**Velocity Pharma LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Hot and Cold Pain Relieving Cream with Lidocaine: Family Wellness**

### **Drug Facts**

***HOT AND COLD CREAM with LIDOCAINE- Family Wellness***

***PAIN RELIEVING CREAM***

### ***Drug Facts***

#### ***Active Ingredients***

Lidocaine HCl 4%

Menthol 1%

#### ***Purposes***

Lidocaine- Topical anesthetic,

Menthol- Topical Analgesic

#### **Uses**

Temporarily relieves minor pain

#### ***Warnings***

**For external use only**

#### **Do not use**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

#### **When using this product**

- Use only as directed. Read and follow all directions and warnings on this label
- rare cases of serious burns have been reported with products of this type
- do not bandage tightly or apply local heat (such as heating pads) to the area of use or use with a medicated patch
- avoid contact with eyes and mucous membranes
- a transient burning sensation may occur upon application but generally disappears in several days

#### **Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children over 12 years :**

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

**children 12 years or younger: ask a doctor**

***Inactive ingredients***

Butylated hydroxyl toluene, cetostearyl alcohol, cetomacrogol 1000, cetyl alcohol, disodium EDTA, disodium hydrogen phosphate, light liquid paraffin, propylene glycol, sorbic acid, transquitol P, white petroleum jelly

**Keep Carton As It Contains Important Information**

**Close cap tightly between uses.**

**PRINCIPAL DISPLAY PANEL**

Hot and cold Cream -DG Health

Lidocaine Plus Menthol

Pain Relieving Cream

Net Wt 1.75 OZ (49.6 g)

COMPARE TO ICYHOT®  
LIDOCAINE PLUS MENTHOL®

**Pain Relieving Cream**

- Desensitizes aggravated nerves
- Fast acting and long lasting
- Numbs away pain
- Non-greasy



**Hand & Wrist**



**Foot, Ankle & Leg**



**Knee & Elbow**



**Back, Neck & Shoulder**

**FAMILY**  
**wellness™**

**Hot & Cold**

**Lidocaine**

Plus Menthol

1.75 OZ (49.6 g)



**Hot & Cold**  
**Lidocaine**  
Plus Menthol

DISTRIBUTED BY:  
**MIDWOOD BRANDS, LLC,**  
500 VOLVO PARKWAY, CHESAPEAKE, VA 23320, USA.  
MADE IN INDIA

**NOT 100% SATISFIED?**

Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

SKU# 999825



Neutral Code: HP/Drugs/MNB/76/931

Exp.:  
Lot No.:

**Drug Facts**

**Active ingredients**  
Lidocaine HCl 45%  
Menthol 1%

**Purposes**  
Topical anesthetic  
Topical analgesic

**Uses**  
Temporarily relieves minor pain

**Warnings**  
For external use only.  
Do not use:  
• on large areas of the body or on cut, irritated or swollen skin  
• on puncture wounds  
• for more than one week without consulting a doctor

**When using this product**  
• use only as directed. Read and follow all directions and warnings on this carton.  
• rare cases of serious burns have been reported with products of this type  
• do not bandage or apply local heat (such as heating pads) to the area of use or use with a medicated patch  
• avoid contact with eyes and mucous membranes  
• transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if**  
• condition worsens  
• worsens or persists  
• irritation develops  
• symptoms persist for more than 7 days or clear up and occur again within a few days  
• you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding, ask a health professional before use**  
• Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-2222).

**Directions**  
• adults and children over 12 years: apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period. AFTER APPLYING, WASH HANDS WITH SOAP AND WATER.  
• children 12 years or younger: ask a doctor

**Inactive ingredients**  
butylated hydroxytoluene, cetostearyl alcohol, cetyl alcohol, diethylene glycol monoethyl ether, disodium EDTA, disodium hydrogen phosphate anhydrous, light liquid paraffin, propylene glycol, purified water, sorbic acid, white petrolatum jelly.

**Questions or comments? Call 1-855-314-1850**

This product is not distributed or manufactured by Children, Inc., owner of the registered trademark 'Ice' with Lidocaine. Keep out of reach of children. Information. Use as directed. © 2014 Midwood Brands, LLC.

**HOT AND COLD CREAM WITH LIDOCAINE PAIN RELIEVING**

lidocaine hcl and menthol cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76 168-605
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 1 g
MENTHOL (UNII: L7T10EP3A) (MENTHOL - UNII:L7T10EP3A)	MENTHOL	0.1 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-2 (UNII: 7H8VAM7778)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBIC ACID (UNII: X045WJ989B)	
PETROLATUM (UNII: 4T6H12BN9U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76168-605-50	1 in 1 CARTON	03/16/2020	
1		49.6 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/16/2020	

**Labeler** - Velocity Pharma LLC (962198409)

Revised: 3/2020

Velocity Pharma LLC