

**DIABETIC TUSSIN DM MAXIMUM STRENGTH- dextromethorphan hydrobromide
and guaifenesin liquid
MEDTECH PRODUCTS INC**

DiabeticTussin DM Max Strength 61787-515

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan hydrobromide 20 mg

Guaifenesin 400 mg

Purposes

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough caused by the common cold or inhaled irritants.
- helps loosen phlegm (mucus) and thin bronchial secretions to rid bronchial passageways of bothersome mucus.

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not exceed 6 doses in 24 hours

Adults	10 mL (2 teaspoons)
Children under 12 years	ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)
- keep tightly closed

Inactive ingredients

Acesulfame K, artificial raspberry flavors, hypromellose, menthol, methylparaben, polyethylene glycol, potassium sorbate, purified water and sucralose. Citric acid may be used to adjust pH.

Questions or comments?

Call **1-800-579-8327**, serious side effects associated with use of this product may be reported to this number.

Package Principal Display Panel

Diabetic Tussin®

MAXIMUM STRENGTH

COUGH & CHEST CONGESTION

DM

Dextromethorphan HBr (Cough Suppressant)

Guaifenesin (Expectorant)

4 FL OZ (118 mL)



Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan hydrobromide 30 mg Cough Suppressant

Guaifenesin 400 mg Expectorant

Uses

- temporarily relieves cough caused by the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to rid bronchial passageways of bothersome mucus

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a chronic cough that lasts or re-occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts as these could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not exceed 8 doses in 24 hours
- Adults 10 mL (2 teaspoons)
- Children under 12 years ask a doctor

Other information

- store at room temperature 20° to 25°C (68° to 77° F)
- keep tightly closed

Drug Facts (continued)

Inactive ingredients

acetate potassium, artificial raspberry flavor, hydrocodone, menthol, methylparaben, polyethylene glycol, potassium sorbate, purified water, and saccharin. Citric acid may be used to adjust pH.

Questions or comments?

Call 1-800-575-8327. Serious side effects associated with use of this product may be reported to this number.

PERSONS WITH DIABETES - CONSULT YOUR DOCTOR OR PHARMACIST BEFORE USING ANY MEDICATION OR DIETARY SUPPLEMENT.

THIS PRODUCT DOES NOT CONTAIN ANY MEDICATION TO IMPROVE OR RELIEVE DIABETES.

SAVE CARTON FOR COMPLETE DRUG FACTS.

TAMPER EVIDENT FOR YOUR PROTECTION THIS BOTTLE HAS A SAFETY SEAL AROUND THE CAP OF THE BOTTLE NECK AND UNDER THE CAP.

Dist. by Mediatech Products Inc.
Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2022 Trade dress is owned by Mediatech Products Inc.
All rights reserved.
Made in USA.
D1US0012101

* U.S. News & World Report & Pharmacy Times, 2021-2022

SUGAR FREE!
FOR PEOPLE WITH DIABETES

Diabetic Tussin

THE Diabetic Tussin DIFFERENCE

Specifically Formulated
FOR PEOPLE WITH DIABETES

EVERYTHING YOU WANT AND NOTHING YOU DON'T

MAXIMUM STRENGTH

Cough & Chest Congestion DM

Dextromethorphan HBr (Cough Suppressant) | Guaifenesin (Expectorant)

RELIEVES

- cough
- chest congestion
- mucus
- sore throat

MADE WITHOUT:

- SUGAR - ALCOHOL
- SODIUM - SORBITOL
- FRUCTOSE - GLUTEN
- DYES OR ASPARTAME

BERRY
4 FL. OZ (118 mL)

#1 BRAND RECOMMENDATION



DIABETIC TUSSIN DM MAXIMUM STRENGTH

dextromethorphan hydrobromide and guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61787-515
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH)	DEXTROMETHORPHAN	20 mg

(DEXTROMETHORPHAN - UNII:7355X3ROTS)	HYDROBROMIDE	in 10 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 10 mL		
Inactive Ingredients				
Ingredient Name		Strength		
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
RASPBERRY (UNII: 4N14V5R27W)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	RASPBERRY (artificial raspberry flavor)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61787-515-04	1 in 1 BOX	02/01/2020	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:61787-515-08	1 in 1 BOX	02/01/2020	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	02/01/2020		

Labeler - MEDTECH PRODUCTS INC (114707784)