LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each tablet)

Sennosides 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement un 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

• noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

• are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

• do not use for a period longer than 1 week

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movemenr occur after use of a laxative. These may be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: calcium 50 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate dihydrate*, calcium sulfate anhydrous*, carnauba wax, corn starch*, croscarmellose sodium, dicalcium phosphate*, FD&C blue #1, hypromellose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil*, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac*, silicon dioxide, sodium lauryl sulfate*, stearic acid, sucrose, talc, titanium dioxide, white wax*

Questions or Comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO EX-LAX®MAXIMUM STRENGTH ACTIVE INGREDIENT†

laxative

Maximum Strength

Sennosides 25 mg

for gentle, dependable overnight relief

STIMULANT LAXATIVE

TABLETS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

†This product is not manufactured or distributed by Novartis, owner of the registered trademark Ex-Lax®

Another Quality Product Distributed by McKesson

One Post Street, San Francisco, CA 94104

Please visit us at www.sunmarkbrand.com

Product Label

^{*}contains one or more of these ingredients

years of age and older or twice daily take 2 tablets once adults and children 12

- swallow tablet(s) whole, do not crush, break, or chew swallow tablet(s) with a glass of water
 - Directions

medical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

Senous condition.

- occur after use of a laxative. These may be signs of a ■ rectal bleeding or failure to have a bowel movement Stop use and ask a doctor if
 - do not use for a period longer than 1 week When using this product

before or after other drugs.

- other drugs work. Take this product 2 or more hours sie taking a prescription drug. Laxatives may affect how
 - Ask a doctor or pharmacist before use if you

Drug Facts (continued)

contains one or more of these ingredients scid, sucrose, talc, titanium dioxide, white wax shellac*, silicon dioxide, sodium lauryl sulfate*, stearic alycol, polyvinyl alcohol*, povidone*, propylene glycol*, cellulose, mineral oil*, n-butyl alcohol*, polyethylene magnesium stearate, maltodextrin, microcrystalline oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, phosphate*, FD&C blue #1, hypromellose*, iron oxide*, iron com starch*, croscarmellose sodium, dicalcium dihydrate*, calcium sulfate anhydrous*, carnauba wax, hydroxide*, calcium carbonate*, calcium phosphate Inactive ingredients acacia, ammonium

- store between 20-25°C (68-77°F)
 - very low sodium
- each tablet contains: calcium 50 mg

Other information

900 3 500 3 500 900	years of age
ask a doctor	children under 6
or twice daily	years of age
take 1 tablet once	children 6 to under 12
,	\ 0

Drug Facts (continued)

■ generally produces bowel movement in 6 to 12 hours ■ Lelieves occasional constipation (irregularity)

รอรก

Stimulant laxative


Purpose

over a period of 2 weeks ■ noticed a sudden change in bowel habits that persists Ask a doctor before use if you have

nausea, or vomiting are present unless directed by a doctor. Do not use laxative products when abdominal pain, Marnings

Drug Facts (continued)

Sennosides 25 mg. (in each tablet) Active ingredient Drug Facts



For gentle, dependable overnight relief

STIMULANT LAXATIVE

24 TABLETS



This product is not manufactured or distributed by Novartis, owner of the

egistered trademark Ex-Lax®

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Irug Facts (continued)

Another Quality Product Distributed by McKesson One Post Street, San Francisco, CA 94104 **Money Back Guarantee** Please visit us at www.sunmarkbrand.com

PLD-C16G FC003214



KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION. TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Exp. Date:

Sunmark Laxative Maximum Strength

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49348-193

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SENNO SIDES (UNII: 3FYP5M0 IJX) (SENNO SIDES - UNII: 3FYP5M0 IJX)	SENNOSIDES	25 mg	

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	ou engen
AMMO NIA (UNII: 5138 Q 19 F1X)	
CALCIUM CARBONATE (UNII: H0 G9379 FGK)	
DIBASIC CALCIUM PHO SPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
ANHYDRO US DIBASIC CALCIUM PHO SPHATE (UNII: L11K75P92J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSOFERRIC OXIDE (UNII: XM0 M8 7F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
PO VIDO NE (UNII: FZ989 GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46 N107B710)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8 M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics			
Color	BLUE	Score	no score
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	TCL083;S25
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:49348-193-04	24 in 1 CARTON	0 1/3 1/20 16	12/30/2021	
1	$1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	0 1/3 1/2 0 16	12/30/2021

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 10/2019 Strategic Sourcing Services LLC