K-MART SMARTSENSE FIRST AID CONTAINS 101 PIECES - benzalkonium chloride, lidocaine, water, isopropyl alcohol, aspirin K Mart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

K-Mart SmartSense First Aid Contains 101 Pieces

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

Genuine **First Aid Burn Cream**

Antiseptic Pain Relief With Aloe

ACTIVE INGREDIENTS: Benzalkonium Chloride 0.13% Lidocaine HCL 0.5%

Net Wt 0.9g · (1/32 oz)



Drug Facts

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with: • minor cuts

scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large quantities · over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week Keep out of reach of children. If ingested, contact a Poison Control Center right away. Directions: • clean affected area apply small amount not more than 3 times daily • may be covered with a sterile bandage Other information: Store at room temperature



LOT 600609



2015/01

Active Ingredient: **Purpose**

Benzalkonium Chloride 0.40%...... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID

Made in CHINA Inactive ingredient: Purified water. towelette appropriately after single use. and use to cleanse desired skin area. Discard Directions: Tear open packet, unfold towelette EAR HERE poqà. Do not use: In the eyes, or over large areas of the occnr, consult a physician immediately. It unusual redness, swelling or other symptoms or contact a Poison Control Center right away. reach of children. It swallowed, get medical help Warnings: For external use only. Keep out of hands and body without soap and water. prevent infection. Antiseptic cleansing of face, Use: For Professional and Hospital use. Helps Benzalkonium Chloride 0.40%...First Aid Antiseptic Purpose: Active Ingredient:

DRUG FACTS - Antiseptic Towelette



Active Ingredient:

Purified Water USP...q.s.

Inactive Ingredients:

Sodium Chloride USP	44mg	
Monobasic Sodium Phosphate USP Sodium Phosphate Dibasic USP	18 mg 111 mg	
Edetate Disodium USP	10 mg	
Benzalkonium Chloride	0.5mg	

NF (as preservative)
Store in a cool place. For irrigation only.
Discard unused portion of the solution.
Not for injection. Warning:
If you experience eye pain, changes in vision, continued redness or irritation of the eye,
or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.
Do not use if solution changes color or becomes cloudy. Directions
Remove contacts before using.
Twist top to remove.
Flush the affected area as needed. Control
Rate of flow by pressure on the bottle. Do not touch
tip of the container to any surface. Do not reuse.
If necessary continue flushing with emergency eyewash or shower.
Discard bottle after use. Uses:
For flushing or irrigating the eyes to
remove loose foreign material, air pollutants,
or chlorinated wate Code No.: GUJ/DRUG/G/1080
Batch No.:
Mfg Date:
Exp: Date:
10ml
Sterile Isotonic Buffered Genuine
Eyewash
For single use only



Directions: Remove contact lens before using. Twist top to remove. Flush the affected area as needed. Control rate of flow by pressure on the bottle. Do not touch tip of the container to any surface. Do not reuse. If necessary, continue flushing with emergency eyewash or shower. Discard bottle after use.

Uses: For flushing or irrigating the eyes to remove loose foreign material, air pollutants, or chlorinated water.

Each 10 ml contains:

Active Ingredient: Purified Water ...q.s.

Inactive Ingredients:

Sodium Chloride Monobasic Sodium Phosphate Dibasic Sodium Phosphate Edetate Disodium Benzalkonium Chloride NF (as preservativa)

Store in a cool place. For irrigation only Discard unused portion of the solution.

Mfg.Lic.No.: KTK/28/332/200 Batch No.: Mfg. date:

Purpose



Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor. Do not use if solution changes color or becomes cloudy





Active Ingredient:

Isopropyl Alcohol, 70% v/v..... Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Enter section text here

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v . . . Use: For preparation of the skin before injection. Warnings: For external use only. Flammable - keep away from fire or flame. Do not use: with electrocautery, in the eyes Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away Directions: Wipe injection site vigorously and Other information: Store at room temperature 15°-30° C (59°-86° F) Inactive ingredient: Purified water. LOT/EXP: Made in CHINA

Enter section text here

20140301

Enter section text here

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Enter section text here

Enter section text here

Enter section text here

Enter section text here

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg



Chewable Aspirin 81mg

Uses

■ temporary relief of minor aches, pains and headaches

to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

Do not use ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

Smartsense

Clean Treat Protect

FIRST AID KIT

HOME PLAY AUTO OFFICE WORK

All Purpose Kit with 6 First Aid Pockets for Cleaning and Treating:

Small or Medium Cuts and Scratches

Severe Bleeding and Burns

Including a CPR Breathing Barrier

101 PIECES

CARRYING CASE

1 Soft-side Bag

1 Easy Access Pocket System

POCKET 1:

Small Cuts and Burns

25 Adhesive Plastic Bandages 3/4"x3"

25 Junior Plastic Bandages 3/8"x1-1/2"

1 Adhesive Plastic Bandages 1"x3"

1 Adhesive Spot Bandage 7/8"x7/8"

1 Elbow/Knee Adhesive Bandage

1 Burn Cream

1 Antiseptic Towelette

Warnings (continued)

Ask a doctor before use if you have asthma stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, uclers or bleeding problems a child experiencing arthritis pain

if you are ■allergic to aspirin ■ taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

Stop use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 Years: Consult a doctor.

Other information

■ store at room temperature
 ■ tamper evident sealed packets
 ■ do not use any opened or torn packets

Inactive ingredients flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by **GENUINE FIRST AID** 600 Cleveland Str Suite 400, Clearwater, FL 33755 1 Sterile Gauze Pad 2"x2" 20 Cotton Tipped Applicators

POCKET 2:

Medium Cuts and Scratches

- 1 Antiseptic Towelette
- 1 Pressure Bandage 2"x2"
- 1 Pressure Bandage 3"x3"
- 1 Sterile Eye Pad
- 1 Sterile Eye Wash 10ml
- 1 Butterfly Wounded Closure

POCKET 3:

SEVERE BLEEDING AND BURNS

1 First Aid Tape Roll 1/2"x2.5 yds

1 Bloodstopper Dressing

POCKET 4:

CPR

1 CPR Breathing Barrier

POCKET 5:

PROTECTION

- 2 Medical Grade Gloves
- 1 Alcohol Cleaning Pad
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"

POCKET 6:

INSTRUMENTS

- 1 Emergency First Aid Guide
- 1 Plastic Tweezers
- 6 Assorted Safety Pins

KM-R101

Made in China

Distributed by: Kmart Corporation

Hoffman Estates, IL 60179

Shop kmart.com

PLEASE RECYCLE

SATISFACTION GUARANTEE

Thank you for purchasing this quality product. If you are unsatisfied for any reason, return the unused portion to the store for a full refund or call 1-800-842-7886.



K-MART SMARTSENSE FIRST AID CONTAINS 101 PIECES

benzalkonium chloride, lidocaine, water, isopropyl alcohol, aspirin kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49738-801

Packaging

:	# Item Code	Package Description	Marketing Start Date	Marketing End Date
П	1 NDC:49738-801-01	1 in 1 KIT		

Quantity of Parts

Quain	edunity of Furts		
Part #	Package Quantity	Total Product Quantity	
Part 1	1 PACKAGE	0.9 g	
Part 2	2 PACKAGE	1.6 mL	
Part 3	1 BOTTLE	10 mL	

Part 4	1 PACKAGE	0.5 mL
Part 5	1 PACKAGE	2

Part 1 of 5

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information

Item Code (Source)	NDC:52124-0004

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g	
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE	0.5 g in 100 g	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52124-0004-1	0.9 g in 1 PACKAGE			

Marketing Info	rmation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	05/11/2010	

Part 2 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information		
Item Code (Source)	NDC:52124-0001	
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM -	BENZALKONIUM	0.40 mL

UNII:7N6JUD5X6Y) CHLORIDE in 100 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

	Marketing Information			
ı	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
l	OTC monograph final	part333	05/11/2010	

Part 3 of 5

STERILE ISOTONIC BUFFERED GENUINE EYEWASH

water liquid

Product Information	
Item Code (Source)	NDC:52124-0005
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.16 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		

I	Packaging			
# Item Code Package Des		Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0005-1	10 mL in 1 BOTTLE		

Marketing Info	rmation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Da
OTC monograph final	part349	05/11/2010	

Part 4 of 5

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information Item Code (Source) NDC:52124-0002 Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:52124-0002-1	0.5 mL in 1 PACKAGE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/11/2010	

Part 5 of 5

CHEWABLE ASPIRIN

aspirin tablet, chewable

Product Information Item Code (Source) NDC:52124-0012 Route of Administration ORAL

Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength
l	ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

nactive Ingredients		
Ingredient Name	Strength	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
SACCHARIN (UNII: FST467XS7D)		
SODIUM CATION (UNII: LYR4M0NH37)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
STARCH, CORN (UNII: O8232NY3SJ)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
SUCROSE (UNII: C151H8 M554)		

Product Characteristics				
Color	orange (ORANGE)	Score	no score	
Shape	ROUND	Size	11mm	
Flavor		Imprint Code	ASPIRIN	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0012-1	2 in 1 PACKAGE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part345	05/11/2010		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333	05/11/2010		

Labeler - K Mart (008965873)

Establishment

Name	Address	ID/FEI	Business Operations
GFA Production (Xiamen) Co., Ltd		421256261	manufacture

Revised: 6/2010 K Mart