

LORATADINE ANTIHISTAMINE- loratadine tablet
Unit Dose Services

Perrigo Loratadine Tablets, 10 mg Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or	ask a doctor

kidney disease

Other information

- do not use if printed foil under cap is broken or missing
- store at 20°-25°C (68°-77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

LORATADINE ANTIHISTAMINE (LORATADINE) TABLET

NDC: 50436-3501-2
LORATADINE

10 MG
30 TAB

WARNING:
KEEP OUT OF REACH OF CHILDREN
STORE AT 20-25°C (68-77°F)
CONTROLLED ROOM TEMPERATURE

 MFG BY: PERRIGO
XXXXXX
MFG NDC: 45802-0650-87
MFG LOT: XXXXXXXX

LOT:XXXXXXXX EXP:XXXXXXXX
LOT:XXXXXXXX EXP:XXXXXXXX
LOT:XXXXXXXX EXP:XXXXXXXX
LOT:XXXXXXXX EXP:XXXXXXXX

NDC: 50436-3501-2 30 TAB
DRUG: LORATADINE

NDC: 50436-3501-2 30 TAB
DRUG: LORATADINE

NDC: 50436-3501-2 30 TAB
DRUG: LORATADINE

NDC: 50436-3501-2 30 TAB
DRUG: LORATADINE

Miami, FL 33179

LORATADINE ANTIHISTAMINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50436-3501(NDC:45802-650)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONES (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L612
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50436-3501-2	30 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	10/15/2008	

Labeler - Unit Dose Services (831995316)**Registrant** - Unit Dose Services (831995316)**Establishment**

Name	Address	ID/FEI	Business Operations
Unit Dose Services		831995316	REPACK(50436-3501)