

**GINSENGGO - camphor, menthol, methyl salicylate patch**  
**Sinsin Pharmaceutical Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

***Active ingredients***

**DL-Camphor 0.70%**

**L-Menthol 1.40%**

**Methyl Salicylate 2.80%**

***Purpose***

**Topical Analgesic**

***Uses***

for temporary relief of minor pain associated with:

- Arthritis
- Simple backache
- Tendonitis
- Muscle strains
- Muscle sprains
- Bruises

***Warnings***

**For external use only.**

- **If pregnant or breast feeding**, consult a healthcare professional.
- **Allergy Alert:** If you are allergic to any ingredients of this product, ask a doctor before use.

***Do not use***

- on wounds or damaged skin
- with, or at the same time as, other external analgesic products.

***When using this product***

- use only as directed
- do not bandage tightly or use with heating pad.
- avoid contact with the eyes and mucous membranes.

***Stop use and ask a doctor if***

- conditions worsens.
- symptoms persist more than 7 days or clear up and occur again within a few days.
- rash, itching, or excessive irritation develops.

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Adults and children 12 years of age and older

- clean and dry affected area
- remove patch from film.
- apply to affected area not more than 3 to 4 times daily for 7 days.

***Children under 12 years of age consult a doctor***  
***Reseal pouch containing used portion patched***

***Other information***

- avoid storing product in direct sunlight
- protect product from excessive moisture

***Inactive ingredients***

Butylated Hydroxy Toluene, Butyl Paraben, Carboxymethylcellulose sodium, Castor Oil, Concentrated Glycerin, D-Sorbitol Solution, Disodium Edetate, Gelatin, Kaolin, Magnesium Aluminometasilicate, Methyl paraben, Phellodendron Bark Extract, Polyethylene glycol Monostearate, Polyvinyl Alcohol, Purified Water, Sodium Polyacrylate, Tartaric acid

**How To Apply**

1. Pull off printed paper
2. Peel off protective film
3. Gently apply medicated pad in the affected area
4. Pull off the remaining paper

**Manufactured by:**

**SINSIN PHARM. CO., LTD.**

<http://www.sinsin.com> tel: 82-31-776-1140~3

776-6, Wonsi-Dong, Danwon-Gu, Ansan City, Kyunggi-Do, Korea

Made in Korea

**Principal Display Panel**

**6** Sheets  
4" x 5 1/2"  
(10 x 14cm)

한방습포제

GIN

眞

Lot No :  
Exp Date :

SENG

生

For temporary relief of  
minor aches & pains of  
muscles & joints  
associated with

GO

膏

Arthritis

Backache

Strains

Sprains

Bruises

***Pain Relief Patch***

근육통 · 관절통 · 어깨결림

◀▶ SINSIN PHARM.CO.,LTD.



8 806037 002930

Ginseng go Front Display

## Drug Facts

### Active Ingredients

Active Ingredients	Purpose
DL – Camphor 0.70%	Topical Analgesic
L – Menthol 1.40%	Topical Analgesic
Methyl Salicylate 2.80%	Topical Analgesic

**Uses** for temporary relief of minor pain associates with:

•Arthritis •Simple backache •Tendonitis •Muscle strains •Muscle sprains •Bruises

### Warnings For external uses only

• **If pregnant or breast feeding**, consult a healthcare professional. • **Allergy Alert** : If you are allergic to any ingredients of this product, ask a doctor before use.

### Do not use

• on wounds or damaged skin. • with, or at the same time as, other external analgesic products.

### When using this product

• use only as directed • do not bandage tightly or use with heating pad  
• avoid contact with eyes and mucous membranes

### Stop use and ask a doctor if

• condition worsens • symptoms persist more than 7 days or clear up and occur again within a few days • rash, itching, or excessive skin irritation develops.

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control right away

### Directions Adults and children 12 years of age and older

• clean and dry affected area • remove patch from film  
• apply to affected area not more than 3 to 4 times daily for 7 days

**Children under 12 years of age consult a doctors**  
**Reseal pouch containing used portion patched**


### Other Information

• avoid storing product in direct sunlight • protect product from excessive moisture


### Inactive Ingredients

Butylated Hydroxy Toluene, Butyl Paraben, Carboxymethylcellulose Sodium, Castor Oil, Concentrated Glycerin, D-Sorbitol Solution, Disodium Edetate, Gelatin, Kaolin, Magnesium Aluminometasilicate, Methyl Paraben, Phellodendron Bark Extract, Polyethylene glycol Monostearate, Polyvinyl Alcohol, Purified Water, Sodium Polyacrylate, Tartaric Acid


### How To Apply




Pull off printed paper



Peel off protective film



Gently apply medicated pad in the affected area



Pull off the remaining paper

Manufactured by:

**SINSIN PHARM.CO.LTD.**

<http://www.sinsin.com>

82-31-776-1140 ~ 3

776-6, Wonsi-Dong, Danwon-Gu, Ansan-City, Kyunggi-Do, Korea

Made in Korea



## Ginsenggo Back Display

## GINSENGGO

camphor, menthol, methyl salicylate patch

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55264-005

**Route of Administration**

TOPICAL, CUTANEOUS, TRANSDERMAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.70 mg
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	1.40 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	2.80 mg

**Inactive Ingredients**

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BUTYLPARABEN (UNII: 3QPII03FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
CASTOR OIL (UNII: D5340Y2I9G)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GELATIN (UNII: 2G86QN327L)	
KAOLIN (UNII: 24H4NWX5CO)	
SILODRATE (UNII: 9T3UU8T0QK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PHELLODENDRON AMURENSE BARK (UNII: PBG27B754G)	
PEG-8 STEARATE (UNII: 2P9L47VI5E)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
WATER (UNII: 059QF0K00R)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-005-06	1 in 1 CARTON		
1		6 in 1 POUCH		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/22/2013	

**Labeler** - Sinsin Pharmaceutical Co., Ltd. (823149161)**Registrant** - Sinsin Pharmaceutical Co., Ltd. (823149161)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-005)

Revised: 8/2013

Sinsin Pharmaceutical Co., Ltd.