

MUELLER FIRST AID ANTISEPTIC- benzalkonium chloride, lidocaine hydrochloride spray
Mueller Sports Medicine, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts	
Active ingredient	Purpose
Benzalkonium chloride 0.13%	First aid antiseptic
Lidocaine hydrochloride 2.00%	External analgesic
Uses • First aid to help prevent infection in minor cuts, scrapes, and burns. • For the temporary relief of pain associated with minor burns	
Warnings <i>For external use only.</i>	
Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.	
Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.	
Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. • children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.	
Other information • store at room temperature • Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com	
Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine	
Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578 33014 LBL 33014 - 11.12	



Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

Germa[™]
Spray Plus
spray antiseptic
spray

MUELLER[®]
SPORT CARE[®]

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

Germa[™]
Spray Plus
spray antiseptic
spray

MUELLER[®]
SPORT CARE[®]

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

**Germa[™]
Spray Plus**
spray antiseptic
spray

**MUELLER[®]
SPORT CARE[®]**

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

**Germa[™]
Spray Plus**
spray antiseptic
spray

**MUELLER[®]
SPORT CARE[®]**

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

**Germa[™]
Spray Plus**
spray antiseptic
spray

**MUELLER[®]
SPORT CARE[®]**

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



 **Mueller**[®]

**Germa[™]
Spray Plus**
spray antiseptic
spray

**MUELLER[®]
SPORT CARE[®]**

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

Drug Facts

Active ingredient

Benzalkonium chloride 0.13% First aid antiseptic
Lidocaine hydrochloride 2.00% External analgesic

Purpose

Uses • First aid to help prevent infection in minor cuts, scrapes, and burns.
• For the temporary relief of pain associated with minor burns

Warnings For external use only.

Do not use • in the eyes or apply over large areas of the body, particularly over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if • the condition persists more than 7 days or gets worse. • the condition clears up and occurs again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean affected area. • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.
• children under 2 years of age: consult a doctor. • may be covered with a sterile bandage. • if bandaged, let dry first.

Other information • store at room temperature
• Questions or Comments? 1-800-356-9522 • www.muellersportsmed.com

Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, purified water, tea tree oil, trolamine

Mkt'd by Mueller Sports Medicine, Inc. One Quench Drive Prairie du Sac, WI 53578
33014 LBL 33014 - 11.12



Mueller

**Germa™
Spray Plus**
spray antiseptic
spray

**MUELLER®
SPORT CARE®**

Helps prevent
infection in minor cuts, scrapes & burns

CONTENTS 2 FL OZ (59 mL)

MUELLER FIRST AID ANTISEPTIC

benzalkonium chloride, lidocaine hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52564-330
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	2 g in 100 mL
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0K00R)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52564-330-17	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	08/16/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/16/2013	

Labeler - Mueller Sports Medicine, Inc. (006426316)

Revised: 3/2020

Mueller Sports Medicine, Inc.