

## **LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet**

**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient (in each tablet)**

Sennosides USP, 25 mg

#### **Purpose**

Stimulant laxative

#### **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### **Warnings**

##### **Do not use**

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

##### **Ask a doctor before use if you have**

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

##### **Ask a doctor or pharmacist before use if you**

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

##### **When using this product**

- do not use for a period longer than 1 week

##### **Stop use and ask a doctor if**

- rectal bleeding or failure to have a bowel movement occur after use of a laxative.

These may be signs of a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

### Other information

- each tablet contains: **calcium 40 mg**
- each tablet contains: **magnesium 10 mg**
- each tablet contains: **sodium 3 mg**
- very low sodium
- store between 20-25°C (68-77°F)

### Inactive ingredients

acacia, ammonium hydroxide\*, anhydrous lactose\*, calcium phosphate dihydrate\*, calcium sulfate anhydrous\*, carnauba wax, corn starch\*, croscarmellose sodium, dicalcium phosphate\*, FD&C blue #1 aluminum lake, hypromellose\*, iron oxide\*, iron oxide black, iron oxide yellow\*, isopropyl alcohol\*, kaolin\*, magnesium stearate, microcrystalline cellulose, n-butyl alcohol\*, polyethylene glycol, povidone\*, propylene glycol\*, shellac, silicon dioxide\*, sodium lauryl sulfate\*, stearic acid\*, sucrose, talc, tartaric acid\*, titanium dioxide, white wax\*

\*contains one or more of these ingredients

### Questions or comments?

Call **1-877-753-3935** **Monday-Friday 9AM-5PM EST**

### Principal Display Panel

Compare to the active ingredient in ex-lax® Maximum Strength†

LAXATIVE PILLS

MAXIMUM STRENGTH

SENNOSIDES, USP, 25 mg

- Stimulant laxative
- Gentle, dependable
- Overnight relief

Pills

†This product is not manufactured or distributed by Novartis, owner of the registered trademark Ex-Lax®.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

CVS.com®

### Product Label



Compare to the active ingredient in ex-lax<sup>®</sup> Maximum Strength<sup>†</sup>  
NDC 59779-245-90

MAXIMUM STRENGTH

# Laxative Pills

SENNOSIDES USP, 25 mg

- Stimulant laxative
- Gentle, dependable
- Overnight relief



Actual Size

90 PILLS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

#318266



PLD-B16F FC002566

Lot No.:

Exp. Date:

## Drug Facts

**Active ingredient (in each tablet)** Purpose  
Sennosides USP, 25 mg.....Stimulant laxative

**Uses**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
 Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

**Ask a doctor before use if you have**  
 ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you**  
 ■ are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product**  
 ■ do not use for a period longer than 1 week

**Stop use and ask a doctor if**  
 ■ rectal bleeding or failure to have a bowel movement occur after use of a laxative  
 These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

<sup>†</sup>This product is not manufactured or distributed by Novartis, owner of the registered trademark Ex-Lax<sup>®</sup>.

## Drug Facts (continued)

**Directions**  
 ■ swallow tablet(s) with a glass of water  
 ■ swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 40 mg  
 ■ each tablet contains: magnesium 10 mg  
 ■ each tablet contains: sodium 3 mg  
 ■ very low sodium  
 ■ store between 20-25°C (68-77°F)

**Inactive ingredients** acacia, ammonium hydroxide\*, anhydrous lactose\*, calcium phosphate dihydrate\*, calcium sulfate anhydrous\*, carnauba wax, corn starch\*, croscarmellose sodium, dicalcium phosphate\*, FD&C blue #1 aluminum lake, hypromellose\*, iron oxide\*, iron oxide black, iron oxide yellow\*, isopropyl alcohol\*, kaolin\*, magnesium stearate, microcrystalline cellulose, n-butyl alcohol\*, polyethylene glycol, povidone\*, propylene glycol\*, shellac, silicon dioxide\*, sodium lauryl sulfate\*, stearic acid\*, sucrose, talc, tartaric acid\*, titanium dioxide, white wax\*  
 \*contains one or more of these ingredients

**Questions or comments?** Call  
 1-877-753-3935 Monday-Friday 9AM-5PM EST

Distributed by: CVS Pharmacy, Inc.  
 One CVS Drive, Woonsocket, RI 02895  
 © 2015 CVS/pharmacy  
 CVS.com\* 1-800-SHOP CVS



100495Q1 1 6 8 6 4 3 6 0  
PRINTED ON THE INSIDE OF THE GLUE

## CVS Maximum Strength Laxative Pills

### LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-245
Route of Administration	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0 IJX) (SENNOSIDES - UNII:3FYP5M0 IJX)	SENNOSIDES	25 mg

## Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
AMMONIA (UNII: 5138Q19F1X)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALUMINUM OXIDE (UNII: LM26O6933)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WHITE WAX (UNII: 7G1J5DA97F)	

## Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083;S25
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-245-24	2 in 1 CARTON	10/30/2013	10/30/2020
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

2	NDC:59779-245-36	3 in 1 CARTON	10/30/2013	10/30/2020
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:59779-245-90	1 in 1 BOX	10/30/2013	10/30/2020
3		90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	10/30/2013	10/30/2020

**Labeler** - CVS Pharmacy (062312574)

Revised: 6/2019

CVS Pharmacy