

**HAND SANITIZER GEL BIOKAAB- ethyl alcohol, citrus extracts gel**  
**SANIDEP ADVANCED SANITIZER WITH ORGANIC EXTRACTS- organic citric filipherina**  
**extracts, benzalkonium chloride liquid**  
**HAND SANITIZER BIOKAAB- organic citric filipherina extracts, benzalkonium chloride liquid**  
**DEQGEL ADVANCED HAND SANITIZER- ethyl alcohol, citrus extracts gel**  
**Biokaab Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dossage and Administration**

Place enough product on hands to cover all surfaces. Rub hands to get her until dry.

<p><b>Drug Facts</b></p> <p><b>Active ingredient[s] Purpose</b></p> <p>Ethyl Alcohol 96° 60% .....Antiseptic</p> <p>Citric Oil Extracts 1% .....Antiseptic</p> <p>Chlorhexidine Gluconate 1%.....Antiseptic</p>
<p><b>Use[s]</b></p> <p>Health care personnel hand rub to help reduce bacteria that potentially can cause disease.</p>
<p><b>Warnings</b></p> <p><b>For external use only. Flammable. Keep away from heat or flame.</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>▪ in children less than 2 months of age</li> <li>▪ on open skin wounds</li> </ul> <p><b>When using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.</p> <p><b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>▪ Place enough product on hands to cover all surfaces. Rub hands to get her until dry.</li> <li>▪ Supervise children under 6years of age when using this product to avoid swallowing.</li> </ul>
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>•Store between 15-30C (59-86F)</li> <li>•Avoid freezing and excessive heat above 40C (104F)</li> </ul>
<p><b>Inactive ingredients</b> Poly acrylic acid, glycerin, purified water USP</p>

**Indications**

Place enough product on hands to cover all surfaces. Rub hands to get her until dry.

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

**Warnings**

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

For external use only. Flammable. Keep away from heat or flame.

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

**Inactive Ingredients**

**Inactive ingredients,** Poly acrylic acid, glycerin, purified water USP

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

**KEEP OUT OF REACH OF CHILDREN**

<b>Drug Facts</b>	
<b>Active ingredient[s] Purpose</b>	
Ethyl Alcohol 96° 60% .....	Antiseptic
Citric Oil Extracts 1% .....	Antiseptic
Chlorhexidine Gluconate 1%.....	Antiseptic
<b>Use[s]</b>	
Health care personnel hand rub to help reduce bacteria that potentially can cause disease.	
<b>Warnings</b>	
For external use only. Flammable. Keep away from heat or flame.	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>• in children less than 2 months of age</li> <li>• on open skin wounds</li> </ul>	
<b>When using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
<b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Place enough product on hands to cover all surfaces. Rub hands to get her until dry.</li> <li>• Supervise children under 6years of age when using this product to avoid swallowing.</li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>•Store between 15-30C (59-86F)</li> <li>•Avoid freezing and excessive heat above 40C (104F)</li> </ul>	
<b>Inactive ingredients</b> Poly acrylic acid, glycerin, purified water USP	

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Active Ingredients

#### Active ingredient[s] Purpose

- Ethyl Alcohol 96 °  
60% .....Antiseptic
- Citric Oil Extracts  
1% .....Antiseptic
- Chlorhexidine Gluconate  
1% .....Antiseptic

□

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

For external use only. Flammable. Keep away from heat or flame.

**Do not use**

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

**Purpose**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Active ingredient[s] Purpose**

Ethyl Alcohol 96o 60% .....Antiseptic  
.....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
.....Antiseptic  
Chlorhexidine Gluconate  
1%.....Antiseptic

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

**LABEL**

**SANIDEP ADVANCED SANITIZER LABEL**

SANIDEP

**Drug Facts**

**Active ingredient[s] Purpose**

Benzalkonium Choride 10% .....Antiseptic  
Citrus Extracts 15% .....Antiseptic  
Chlorhexidine Gluconate 5% .....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Non Flammable.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients**, purified water USP, emulsifiers

**HAND SANITIZER GEL LABEL**

<p><b>Drug Facts</b></p> <p><b>Active ingredient[s] Purpose</b></p> <p>Ethyl Alcohol 96° 60% .....Antiseptic</p> <p>Citric Oil Extracts 1% .....Antiseptic</p> <p>Chlorhexidine Gluconate 1%.....Antiseptic</p>
<p><b>Use[s]</b></p> <p>Health care personnel hand rub to help reduce bacteria that potentially can cause disease.</p>
<p><b>Warnings</b></p> <p><b>For external use only. Flammable. Keep away from heat or flame.</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>• in children less than 2 months of age</li> <li>• on open skin wounds</li> </ul> <p><b>When using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.</p> <p><b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Place enough product on hands to cover all surfaces. Rub hands to get her until dry.</li> <li>• Supervise children under 6years of age when using this product to avoid swallowing.</li> </ul>
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>•Store between 15-30C (59-86F)</li> <li>•Avoid freezing and excessive heat above 40C (104F)</li> </ul>
<p><b>Inactive ingredients</b> Poly acrylic acid, glycerin, purified water USP</p>

## SANIDEP LABEL

### SANIDEP

<p><b>Drug Facts</b></p> <p><b>Active ingredient[s] Purpose</b></p> <p>Benzalkonium Chloride 10% .....Antiseptic</p> <p>Citrus Extracts 15% .....Antiseptic</p> <p>Chlorhexidine Gluconate 5% .....Antiseptic</p>
<p><b>Use[s]</b></p> <p>Health care personnel hand rub to help reduce bacteria that potentially can cause disease.</p>
<p><b>Warnings</b></p> <p><b>For external use only. Non Flammable.</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>• in children less than 2 months of age</li> <li>• on open skin wounds</li> </ul> <p><b>When using this product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.</p> <p><b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Place enough product on hands to cover all surfaces. Rub hands to get her until dry.</li> <li>• Supervise children under 6years of age when using this product to avoid swallowing.</li> </ul>
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>•Store between 15-30C (59-86F)</li> <li>•Avoid freezing and excessive heat above 40C (104F)</li> </ul>
<p><b>Inactive ingredients</b>, purified water USP, emulsifiers</p>

## DEQ GEL ANTIBACTERIAL GEL



**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

SANIDEP

**Drug Facts**

**Active ingredient[s] Purpose**

Benzalkonium Chloride 10% .....Antiseptic  
Citrus Extracts 15% .....Antiseptic  
Chlorhexidine Gluconate 5% .....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Non Flammable.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients**, purified water USP, emulsifiers

**DEQ GEL Antibacterial Gel**

**Drug Facts**

**Active ingredient[s] Purpose**

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

**Use[s]**

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

**Warnings**

**For external use only. Flammable. Keep away from heat or flame.**

**Do not use**

- in children less than 2 months of age
- on open skin wounds

**When using this product** keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

**Stop use and ask a doctor** if irritation or rash occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

**Other information**

•Store between 15-30C (59-86F)

•Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

DEQ GEL

## Drug Facts

### Active ingredient[s] Purpose

Ethyl Alcohol 96° 60% .....Antiseptic  
Citric Oil Extracts 1% .....Antiseptic  
Chlorhexidine Gluconate 1%.....Antiseptic

### Use[s]

Health care personnel hand rub to help reduce bacteria that potentially can cause disease.

### Warnings

For external use only. Flammable. Keep away from heat or flame.

#### Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Place enough product on hands to cover all surfaces. Rub hands to get her until dry.
- Supervise children under 6years of age when using this product to avoid swallowing.

### Other information

•Store between 15-30C (59-86F)

•Avoid freezing and excessive heat above 40C (104F)

**Inactive ingredients** Poly acrylic acid, glycerin, purified water USP

## HAND SANITIZER GEL BIOKAAB

ethyl alcohol, citrus extracts gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74155-101
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	600 mg in 1 mL
GRAPEFRUIT OIL (UNII: YR377U58W9) (GRAPEFRUIT OIL - UNII:YR377U58W9)	GRAPEFRUIT OIL	10 mg in 1 mL
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	375 mg in 1 mL
GLYCERIN (UNII: PDC6A3C0OX)	5 mg in 1 mL
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	6 mg in 1 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74155-101-07	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
2	NDC:74155-101-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
3	NDC:74155-101-38	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
4	NDC:74155-101-20	200000 mL in 1 DRUM; Type 0: Not a Combination Product	04/01/2020	
5	NDC:74155-101-19	20000 mL in 1 DRUM; Type 0: Not a Combination Product	04/01/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/20/2020	

**SANIDEP ADVANCED SANITIZER WITH ORGANIC EXTRACTS**

organic citric filipherina extracts, benzalkonium chloride liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:74155-211
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	120 g in 1 L
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9) (GRAPEFRUIT OIL - UNII:YR377U58W9)	GRAPEFRUIT OIL	150 g in 1 L
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	50 g in 1 L

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	10 g in 1 L
<b>WATER</b> (UNII: 059QF0K00R)	690 g in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74155-211-08	0.24 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2020	
2	NDC:74155-211-07	0.6 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2020	
3	NDC:74155-211-38	3.785 L in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
4	NDC:74155-211-20	200 L in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	
5	NDC:74155-211-19	20 L in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	

6	NDC:74155-211-04	0.125 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2020
---	------------------	---	------------

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/20/2020	

## HAND SANITIZER BIOKAAB

organic citric filipherina extracts, benzalkonium chloride liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:74155-111
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	120 mg in 1 mL
<b>GRAPEFRUIT OIL</b> (UNII: YR377U58W9) (GRAPEFRUIT OIL - UNII:YR377U58W9)	GRAPEFRUIT OIL	150 mg in 1 mL
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	10 mg in 1 mL
<b>WATER</b> (UNII: 059QF0K00R)	690 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74155-111-08	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2020	
2	NDC:74155-111-07	50 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/30/2020	
3	NDC:74155-111-38	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
4	NDC:74155-111-20	200000 mL in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	
5	NDC:74155-111-19	20000 mL in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/20/2020	

# DEQGEL ADVANCED HAND SANITIZER

ethyl alcohol, citrus extracts gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:74155-201
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	600 mg in 1 mL
GRAPEFRUIT OIL (UNII: YR377U58W9) (GRAPEFRUIT OIL - UNII:YR377U58W9)	GRAPEFRUIT OIL	10 mg in 1 mL
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	10 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	375 mg in 1 mL
GLYCERIN (UNII: PDC6A3C0OX)	5 mg in 1 mL
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	6 mg in 1 mL

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74155-201-38	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
2	NDC:74155-201-20	200000 mL in 1 DRUM; Type 0: Not a Combination Product	04/01/2020	
3	NDC:74155-201-19	20000 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
4	NDC:74155-201-03	100 mL in 1 DRUM; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	03/20/2020	

**Labeler** - Biokaab Inc (117455364)