

SENNA-S- docusate sodium and sennosides tablet, coated
KROGER

KROGER 41226-192-06 (SENNA-S)

Active ingredients (in each tablet)

Docustate sodium 50 mg

Sennosides 8.6 mg

Purposes

Stool softner

Laxative

Uses

- Relieves occasional constipation (irregularity)
- generally causes bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	½ tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 6 mg (LOW SODIUM)
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

Questions or comments? Call **1-877-290-4008**



Drug Facts

Active ingredients (in each tablet)	Purposes
Docusate sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Stimulant laxative

Uses

- relieves occasional constipation (irregularly)
- generally causes bowel movement in 6-12 hours

Warnings

Do not use

- this product if you are presently taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These could be signs of a serious condition.

Drug Facts (continued)

Directions

- take preferably at bedtime or as directed by a doctor
- if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable

age	starting dosage	maximum dosage
adults and children 12 years and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Drug Facts (continued)

Other information

- each tablet contains: calcium 20 mg, sodium 6 mg (LOW SODIUM)
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?
1-800-632-6900

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Comfort Assured

VEGETABLE LAXATIVE + STOOL SOFTENER

60 TABLETS

actual size

OUR PHARMACEUTICAL

DUAL ACTION

Senna-S
Docusate Sodium 50 mg
Stool Softener
Sennosides 8.6 mg
Laxative
Gentle, Dependable Overnight Relief

E826R1

DISTRIBUTED BY
THE KROGER CO.
CINCINNATI, OHIO 45202
QUALITY GUARANTEE
800-632-6900
www.kroger.com

REV 0720 192R



Coating Omit

NDC 41226-192-06



DUAL ACTION
Senna-S
Docusate Sodium
50 mg
Stool Softener
Sennosides
8.6 mg
Laxative

VEGETABLE LAXATIVE + STOOL SOFTENER
60 TABLETS

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Uses ■ relieves occasional constipation (irregularity) ■ generally causes bowel movement in 6-12 hours

Warnings

Do not use ■ this product if you are presently taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take preferably at bedtime or as directed by a doctor ■ if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable

■ adults and children 12 years and over: ■ starting dosage 2 tablets once a day ■ maximum dosage 4 tablets twice a day

■ children 6 to under 12 years: ■ starting dosage 1 tablet once a day ■ maximum dosage 2 tablets twice a day

■ children 2 to under 6 years: ■ starting dosage 1/2 tablet once a day ■ maximum dosage 1 tablet twice a day

■ children under 2 years: ■ ask a doctor

Other information ■ TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING ■ each tablet contains: calcium 20 mg, sodium 6 mg (LOW SODIUM) ■ store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Questions or comments? 1-800-632-6900

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202
QUALITY GUARANTEE 800-632-6900 192R 1019
www.kroger.com

Lot No.:
Exp. Date:

SENNAS-S

docusate sodium and sennosides tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-192
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	10mm

Flavor		Imprint Code	TCL081	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-192-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	06/01/2020		

Labeler - KROGER (006999528)

Registrant - TIME CAP LABORATORIES, INC (037052099)

Establishment			
Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC		037052099	manufacture(41226-192)

Revised: 2/2025

KROGER