# SODIUM IODIDE 20%- sodium iodide injection, solution Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Sodium Iodide 20% Injection

## **INDICATIONS:**

For use as an aid in the treatment of actinomycosis (lumpy jaw), actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.

## **CONTRAINDICATIONS:**

The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.

## DOSAGE AND ADMINISTRATION:

Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition ouside of the vein. The usual dose is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if necessary.

### Distributed by:

Aspen Veterinary Resources, Ltd. Liberty, MO 64068 USA A247NT 05/15 www.aspenveterinaryresources.com

### Manufactrued by:

Nova-Tech, Inc. Grand Island, NE 68801 USA 18-819 RMS# 92-587

#### NET CONTENTS: 250 mL (8.45 fl oz)

Lot No. Exp. Date

## **CAUTION:**

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

## For Animal Use Only

Keep Out of Reach of Children

## **COMPOSITION:**

Each 100 mL of sterile aqueous solution

contains:	
Sodium Iodide	20 grams
Water for Injection	q.s.

## WARNING:

Not for use in lactating dairy cows.

## **CAUTION:**

Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.

## Store between 15 degrees C - 30 degrees C (59 degrees F - 86 degrees F).

## TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS: For use as an aid in the treatment of actinomycosis (lumpy jaw), actinobacillosis (wooden tongue) and necrotic stomatitis in cattle.	NDC # 46066-819-25 COMPOSITION: Each 100 mL of sterile aqueous solution contains: Sodium Iodide
CONTRAINDICATIONS:	Sodium Iodide Water for Injection
The use of sodium iodide is contraindicated in pregnancy and hyperthyroidism.	20% Injection Not for use in lactating dairy cows.
DOSAGE AND ADMINISTRATION: Using aseptic procedures, administer slowly by intravenous injection. Inject carefully to avoid deposition outside of the vein. The usual dose	Animals vary in their susceptibility of iodides. Administer with caution until the animal's tolerance is determined. Discontinue treatment if adverse reactions occur.
is 30 mg per pound of body weight (15 mL/100 lb). May be repeated at weekly intervals, if	CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian. Store between 15°C-30°C (59°F-86°F).
necessary.	For Animal Use Only
	Keep Out of Reach of Children
Distributed by: Aspen Veterinary Resources, Ltd. Liberty, MO 64068 USA A247NT 05/15 www.aspenveterinaryresources.com	
Manufactured by: Nova-Tech, Inc. Grand Island, NE 68801 USA 18-819 RMS# 92-587	
	NET CONTENTS:
	250 mL (8.45 fl oz)

## **SODIUM IODIDE 20%** sodium iodide injection, solution **Product Information Product Type** PRESCRIPTION ANIMAL DRUG Item Code (Source) NDC:46066-819 **Route of Administration** INTRAVENOUS **Active Ingredient/Active Moiety Ingredient Name Basis of Strength SODIUM IODIDE** (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q) IODIDE ION

Strength

20 g in 100 mL

Packaging								
#	Item Code	Package Description	Marketing Start Date M		Marketing End Date			
<b>1</b> NDC:46066-819-25 250 mL in 1 BOTTLE, PLASTIC								
Marketing Information								
Mark	eting Category	Application Number or Monograph	Citation	Marketing Start Da	te Marketing End Date			
	oved drug other			09/01/2015				
unappi								

Labeler - Aspen Veterinary (627265361)

Registrant - Aspen Veterinary (627265361)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
Nova-Tech, Inc		196078976	manufacture, api manufacture					

Revised: 1/2016

Aspen Veterinary