

COMBINATION PRODUCT- aconitum napellus 4x, baptisia tinctoria 4x, bryonia 4x, camphora 3x, causticum 6x, eucalyptus globulus 3x, eupatorium perfoliatum 3x, ferrum phosphoricum 8x, gelsemium sempervirens 6x, sabadilla 6x liquid
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DR. RECKEWEG R6 Gripfektan

Enter section text here

Active ingredients

Aconitum napellus 4X, Baptisia tinctoria 4X, Bryonia 4X, Camphora 3X, Causticum 6X, Eucalyptus globulus 3X, Eupatorium perfoliatum 3X, Ferrum phosphoricum 8X, Gelsemium sempervirens 6X, Sabadilla 6X, 1 g each in 10 g.

Enter section text here

Purpose

Relieves symptoms associated with colds and flu

Uses

For the temporary relief of minor symptoms associated with colds and flu:

- * Sneezing
- * Running nose
- * Coughing
- * Minor sore throat pain
- * Fever

Warnings

Ask a doctor before use

- * in children younger than 2 years

Stop use and ask a doctor if

- * symptoms persist for more than 7 days (5 days for children)
- * fever persists for more than 3 days
- * symptoms worsen or if new symptoms occur
- * redness or swelling is present, because these could be signs of a serious condition
- * sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults: 10-15 drops; children (6-12 years of age): 5-8 drops; children (2-6 years of age): 2-5 drops, every 15 minutes to 2 hours in a little water or undiluted or as recommended.

Not recommended for children under 2 years of age except under the advice of a health care professional.

Other information


- * Tamper resistant: Do not use if safety ring at base of cap is broken.
- * Retain outer carton for full product instructions.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1-800-361-7872 or email questions@reckeweg.com



R6

US ROSA V04-13

Drug Facts (continued)

- Retain outer carton for full product information.

Inactive ingredients
Ethanol, purified water.

Questions?
Call 1.800.361.7872 or email questions@reckeweg.com

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

Distributed by:
Dr. Reckeweg America Inc.
QC Canada H9P 2T8



Made in Germany

Drug Facts

Active ingredients (in 10 g)
Aconitum napellus 4X, Baptisia tinctoria 4X, Bryonia 4X, Camphora 3X, Causticum 6X, Eucalyptus globulus 3X, Eupatorium perfoliatum 3X, Ferrum phosphoricum 8X, Gelsemium semper-virens 6X, Sabadilla 6X, 1 g each.

Purpose
Relieves symptoms associated with colds and flu

Uses
For the temporary relief of minor symptoms associated with colds and flu:

- Sneezing
- Running nose
- Coughing
- Minor sore throat pain
- Fever

Warnings
Ask a doctor before use in children younger than 2 years.

Stop use and ask a doctor if

- symptoms persist for more than 7 days (5 days for children)
- fever persists for more than 3 days
- symptoms worsen or if

NDC# 53346-1306-5

R6

Gripfektan

Homeopathic preparation for the temporary relief of minor symptoms associated with colds and flu:

- Sneezing
- Running nose
- Coughing
- Minor sore throat pain
- Fever

1.68 fl oz (50 ml)

Dr. Reckeweg
 Manufactured by:
 Dr. Reckeweg & Co. GmbH
 D-64625 Bensheim • Germany



Drug Facts (continued)

new symptoms occur ■ redness or swelling is present, because these could be signs of a serious condition ■ sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions


Adults	10-15 drops
Children (6-12 years of age)	5-8 drops
Children (2-6 years of age)	2-5 drops

- Every 15 minutes to 2 hours in a little water or undiluted or as recommended
- Not recommended for children under 2 years of age except under the advice of a health care professional.

Other information

- Tamper resistant: Do not use if safety ring at base of cap is broken.

6 69330 00015 1



NDC# 53346-1306-5

Dr. Reckeweg R6 Gripfektan

Homeopathic preparation for the temporary relief of minor symptoms associated with colds and flu:

- * Sneezing
- * Running nose
- * Coughing
- * Minor sore throat pain
- * Fever

Manufactured by:
Dr. Reckeweg Co. GmbH
D-64625 Bensheim
Germany

**1.68 fl oz
(50 ml)**

COMBINATION PRODUCT			
aconitum napellus 4x, baptisia tinctoria 4x, bryonia 4x, camphora 3x, causticum 6x, eucalyptus globulus 3x, eupatorium perfoliatum 3x, ferrum phosphoricum 8x, gelsemium sempervirens 6x, sabadilla 6x liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1306
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)		ACONITUM NAPELLUS	4 [hp_X] in 50 mL
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)		BAPTISIA TINCTORIA ROOT	4 [hp_X] in 50 mL
BRYONIA DIOICA ROOT (UNII: 53UB5FH7CX) (BRYONIA CRETICA SUBSP. DIOICA ROOT - UNII:53UB5FH7CX)		BRYONIA DIOICA ROOT	4 [hp_X] in 50 mL
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)		CAMPHOR (NATURAL)	3 [hp_X] in 50 mL
CAUSTICUM (UNII: DDEFC1WKEF) (CAUSTICUM - UNII:DDEFC1WKEF)		CAUSTICUM	6 [hp_X]

CAUSTICUM (UNI: DD5FO1WRFO) (CAUSTICUM - UNI:DD5FO1WRFO)	CAUSTICUM	in 50 mL
EUCALYPTUS GLOBULUS LEAF (UNI: S546 YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNI:S546 YLW6E6)	EUCALYPTUS GLOBULUS LEAF	3 [hp_X] in 50 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNI: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNI:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	3 [hp_X] in 50 mL
FERRIC PHOSPHATE (UNI: N6BAA189V1) (FERRIC CATION - UNI:91O4LML611)	FERRIC CATION	8 [hp_X] in 50 mL
GELSEMIUM SEMPERVIRENS ROOT (UNI: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNI:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	6 [hp_X] in 50 mL
SCHOENOCAULON OFFICINALE SEED (UNI: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNI:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	6 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNI: 3K9958V90M)	
WATER (UNI: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1306-5	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

Labeler - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)

Establishment

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1306)

Revised: 5/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO