

**ESSENTIALS BY ARTISTRY MULTI-PROTECT SPF 30 BROAD SPECTRUM
SUNSCREEN- ensulizole, octinoxate, zinc oxide lotion
Access Business Group LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

essentials by ARTISTRY MULTI-PROTECT SPF 30 Broad Spectrum Sunscreen

Drug Facts

Active ingredients

Ensulizole 3% (W/W P/P)

Octinoxate 7.49% (W/W P/P)

Zinc oxide 9.19% (W/W P/P)

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only

Do not use

on broken or damaged skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- Shake well, then apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Childrens under 6 months: ask a doctor

Other information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Cyclopentasiloxane, Water / Aqua /Eau, Pentylene Glycol, Propanediol, Cocos Nucifera (Coconut) Water, Peg-10 Dimethicone, Triethanolamine, Cetyl PEG/PPG-10/1 Dimethicone, Distearidimonium Hectorite, Aloe Barbadensis Leaf Juice, Hydroxyacetophenone, Silica, Sodium Citrate, Alcohol, Sodium Chloride, Triethoxycaprylylsilane, Glycerin, Alcohol Denat., Fragrance/ Parfum, PEG-60 Almond Glycerides, Allantoin, Hamamelis Virginiana (Witch Hazel) Bark/Twig Extract, Butylene Glycol, Disodium EDTA, TocopherylAcetate, Xanthan Gum, Dimethicone, Leuconostoc/Radish Root Ferment Filtrate, Malpighia Punicifolia (Acerola) Fruit Extract, Lecithin, PEG/PPG-18/18 Dimethicone, Maltodextrin, Trisiloxane, Zinc PCA, Hydrogen Dimethicone, BHT, Citrullus Lanatus (Watermelon) Fruit Extract, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Theobroma Cacao (Cocoa) Seed Extract, Citrulline, Ceramide NP, Beta-Sitosterol, Chlorphenesin, Propylene Glycol, PentaerythritylTetra-Di-T-Butyl Hydroxyhydrocinnamate, Tocopherol.

Questions?

Canada: 1-800-265-5470

USA/DR: 1-800-253-6500

Package Labeling:

**Drug Facts (continued) /
Information sur le
médicament (suite) /
Datos sobre el producto
(continuación)**

**Inactive ingredients /
Ingrédients inactifs /
Ingredientes inactivos :**

Cyclopentasiloxane, Water / Aqua /
Eau, Pentylene Glycol, Propanediol,
Cocos Nucifera (Coconut) Water,
Peg-10 Dimethicone, Triethanolamine,
Cetyl PEG/PPG-10/1 Dimethicone,
Disteardimonium Hectorte,
Aloe Barbadensis Leaf Juice,
Hydroxyacetophenone, Silica,
Sodium Citrate, Alcohol, Sodium
Chloride, Triethoxycaprylsilane,
Glycerin, Alcohol Denat., Fragrance/
Parfum, PEG-60 Almond Glycerides,
Allantoin, Hamamelis Virginiana (Witch
Hazel) Bark/Twig Extract, Butylene
Glycol, Disodium EDTA, Tocopheryl
Acetate, Xanthan Gum, Dimethicone,
Leuconostoc/Radish Root Ferment
Filtrate, Malpighia Punicifolia
(Acerola) Fruit Extract, Lecithin,
PEG/PPG-18/18 Dimethicone,
Maltodextrin, Trisiloxane, Zinc PCA,
Hydrogen Dimethicone, BHT, Citrullus
Lanatus (Watermelon) Fruit Extract,
Phenoxyethanol, Potassium Sorbate,
Sodium Benzoate, Theobroma Cacao
(Cocoa) Seed Extract, Citrulline,
Ceramide NP, Beta-Sitosterol,
Chlorphenesin, Propylene Glycol,
Pentaerythrityl Tetra-Di-T-Butyl
Hydroxyhydrocinnamate, Tocopherol.

Questions? / Preguntas?

Canada: 1-800-265-5470
USA/DR: 1-800-253-6500

essentials
by ARTISTRY™

**MULTI-PROTECT
LOTION**
SPF 30 Broad Spectrum
Sunscreen

LOTION
MULTI-PROTECTION
Écran Solaire à Large Spectre FPS 30

LOCIÓN
MULTI PROTECTORA
Protección Solar con
FPS 30 de Amplio Espectro

DIN 02470136

Exclusively from **Amway**

ARTISTRY™

**Drug Facts / Information
sur le médicament / Datos
sobre el producto**

Active ingredients / Ingrédients actifs / Ingrediente activo	Purpose / Utilité / Propósito
Ensulizole 3% (W/W P/P)	Sunscreen / Protector / Solar
Octinoxate 7.49% (W/W P/P)	
Zinc oxide 9.19% (W/W P/P)	

Uses / Usages / Usos

• Helps prevent sunburn / Aide à
prévenir les coups de soleil / Ayuda
a prevenir las quemaduras de sol

**Warnings / Mises en garde /
Precauciones**

**For external use only / Usage
externe seulement / Para uso
externo solamente**

**Do not use on broken or damaged
skin / Ne pas utiliser sur une peau
éraflée ou abîmée. / No aplicar sobre
piel lacerada o con daños**

**When using this product keep out
of eyes. Rinse with water to remove. /
Lorsque vous utilisez ce produit
tenez-le à l'écart des yeux. Rincer
avec de l'eau pour l'enlever. / Al usar
este producto, evite el contacto con
los ojos. Enjuague con agua para
remover.**

**Drug Facts (continued) /
Information sur le médicament
(suite) / Datos sobre el producto
(continuación)**

**Stop use and ask a doctor if rash
occurs / Cessez d'utiliser ce produit
et consultez un médecin en cas
d'irritation. / Deje de usar y consulte
con un médico si ocurre irritación**

**Keep out of reach of children. If
product is swallowed, get medical help
or contact a Poison Control Center
right away. / Garder hors de la portée
des enfants. En cas d'ingestion du
produit, obtenir immédiatement un
avis médical ou contacter un centre
anti-poison. / Mantener fuera del
alcance de los niños. Si se ingiere el
producto, debe obtener ayuda médica o
comunicarse con un Centro de Control de
Envenenamientos de inmediato.**

**Directions / Mode d'emploi /
Instrucciones**

**For sunscreen use / Pour une utilisation
comme écran solaire / Uso del protector
solar**

- Shake well, then apply liberally
15 minutes before sun exposure /
Bien agiter et appliquer généreusement
15 avant l'exposition solaire / Agitar
bien, luego aplica 15 minutos antes de
exponerse al sol
- Use a water resistant sunscreen if
swimming or sweating or washing /
Utiliser un écran solaire résistant à l'eau
pour nager ou si vous transpirez ou
vous lavez/Use un filtro solar resistente
al agua si va a nadar o sudar
- Reapply at least every 2 hours /
Réappliquer au moins toutes les 2
heures/Vuelva a aplicar cada dos horas.
- Children under 6 months: ask a doctor /
enfants de moins de 6 mois: consulter
un médecin/ Menores de 6 meses :
consultar con un médico

**Other information / Autres
renseignements / Otra
Información**

- Protect this product from excessive
heat and direct sun / Protéger ce
produit de la chaleur excessive et d'une
exposition directe au soleil / Proteja
este producto de calor excesivo y
exposición directa al sol

MADE IN U.S.A./HECHO EN E.U.A. • DIST.
BY/PAR AMWAY CORP., 7575 FULTON,
ADA, MI 49355 USA/É.-U. AMWAY CANADA
CORPORATION, LONDON, ON N5Y 5V6 •
IMP. Y/O DIST. POR: AMWAY DOMINICAN
REPUBLIC LLC • FABRICADO EN E.U.A.
POR ACCESS BUSINESS GROUP LLC,
7575 FULTON STREET EAST, ADA, MI
49355

™/TRADEMARK LICENSED BY ALTICOR
INC./MARQUE DE COMMERCE UTILISÉE
SOUS LICENCE PAR ALTICOR INC.
9002674

50 mL / 1.7 FL OZ

A balancing and protecting hydrating
lotion. / Une lotion hydratante équilibrante
et protectrice. / Loción hidratante protectora
y balanceadora.



12-2162

Lot#
Expiry Date

OUTSIDE SHOWN
BCF93123 - REV A, DATED 01-02-2018
1.718 x 1.578 x 5.812 in.

**ESSENTIALS BY ARTISTRY MULTI-PROTECT SPF 30 BROAD SPECTRUM
SUNSCREEN**

ensulizole, octinoxate, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10056-140
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9D11W42) (ENSULIZOLE - UNII:9YQ9D11W42)	ENSULIZOLE	30 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	74.9 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	91.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
WATER (UNII: 059QF0KO0R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PROPANEDIOL (UNII: 5965N8W85T)	
COCONUT WATER (UNII: 267F5Y81NT)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TROLAMINE (UNII: 9O3K93S3TK)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
ALLANTOIN (UNII: 344S277G0Z)	
HAMAMELIS VIRGINIANA BARK (UNII: IH3063S9MY)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
MALPIGHIA GLABRA FRUIT (UNII: B94O42LA9M)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
ZINC PIDOLATE (UNII: C32PQ86DH4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATERMELON (UNII: 231473QB6R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
COCOA (UNII: D9108TZ9KG)	
CITRULLINE (UNII: 29VT07BGDA)	
CERAMIDE NP (UNII: 4370DF050B)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10056-140-50	1 in 1 CARTON	05/15/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/15/2018	

Labeler - Access Business Group LLC (839830713)

Revised: 12/2019

Access Business Group LLC