

XT ULTRA CONC. PART A- lactic acid solution
AgroChem USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

XT ULTRA CONC. PART A

XT ULTRA CONC. PART A

CONCENTRATED ACIDIFIED NaClO₂ TEAT DIP PART A

DANGER

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE.

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Manipulate with care, avoid splashes.

FIRST AID/ RESPONSE:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents and container in a waste disposal facility, in accordance with local, regional and national regulations

ACTIVE INGREDIENTS: Lactic Acid 15 %, Linear Alkylbenzene Sulfonate 2.0

%

EMOLLIENT PACKAGE: 30%

EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061 Toll Free: 1-866-928-0789

NDC: 17307-3023-3

LOT:

EXP. DATE:

NET CONTENTS: 55 GALLON (208.2L)

XT ULTRA is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use. If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. This product can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis. Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels. Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product. Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3 - 4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By:

AgroChem USA, LLC 26 Freedom Way • Saratoga Springs, NY 12866 • (518)226-4850

XT ULTRA CONCENTRATE | PART A

CONCENTRATED
ACIDIFIED NaClO₂
TEAT DIP PART A

DANGER



NOT FOR HUMAN USE.
CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
KEEP OUT OF REACH OF CHILDREN.
FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Manipulate with care, avoid splashes.

FIRST AID/ RESPONSE:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents and container in a waste disposal facility, in accordance with local, regional and national regulations.

ACTIVE INGREDIENTS: Lactic Acid 15%, LinearAlkylbenzene Sulfonate 2.0%
EMOLLIENT PACKAGE: 30%

EMERGENCY TELEPHONE NUMBER (CareChem 24) 1-215-207-0061 Toll Free: 1-866-928-0789

NDC: 17307-3023-3

NET CONTENTS: 55 GALLONS (208.2L)



LOT:
EXP:

UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
(-L(+)- Lactic Acid, - LinearAlkylbenzene Sulfonic Acid), 8, PGII

XT ULTRA Concentrate is a two-part Chlorine Dioxide system teat dip and can be effectively used to reduce the spread of mastitis causing organisms. XT ULTRA Concentrate is designed with an emollient package ideal for skin conditioning. Recommended for pre milking applications.

DIRECTIONS:

IMPORTANT: THIS IS A TWO-PART CONCENTRATE - MUST BE MIXED PRIOR TO USE. Mix by volume. MIX RATIO is (58 Water: 1 Part A : 1 Part B). In a clean container, add (58) parts water, then add (1) part XT ULTRA Part A, next add (1) part XT ULTRA Part B. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing.

General Use

Use a teat dip cup to apply. Clean dip cup just prior to use. If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. This product can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis. Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels. Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product. Allow product to stand for 30 seconds. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post Dipping Use

Immediately after each milking, use product. Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3 - 4 days after the last milking. Dipping should be resumed at least twice daily one week before calving.

Manufactured By: AgroChem USA, LLC
26 Freedom Way
Saratoga Springs, NY 12866
Phone: 518-226-4850



XT ULTRA CONC. PART A

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-3023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

2-PHENYLDODECANE-P-SULFONATE (UNII: N6X0RZ 7OJU) (2-PHENYLDODECANE-P-SULFONATE - UNII:N6X0RZ 7OJU)	2-PHENYLDODECANE-P-SULFONATE	.02 kg in 1 kg
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	0.17 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-3023-1	19 kg in 1 CONTAINER		
2	NDC:17307-3023-2	57 kg in 1 DRUM		
3	NDC:17307-3023-3	208 kg in 1 DRUM		
4	NDC:17307-3023-4	1003 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/19/2024	

Labeler - AgroChem USA, LLC (118336116)

Registrant - AgroChem USA, LLC (118336116)

Establishment

Name	Address	ID/FEI	Business Operations
AgroChem USA, LLC		118336116	api manufacture, manufacture, analysis, label, pack

Revised: 7/2024

AgroChem USA, LLC