

**SYNODEX- teat dip liquid**  
**Quat-Chem Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**Synodex**

**Synodex**



**WARNING**

Causes serious eye irritation.

Wash affected area thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Shake well before use.

Store in ambient temperatures.

**DO NOT MIX WITH OTHER CHEMICALS**

**FOR EXTERNAL USE ONLY**

**FOR PROFESSIONAL COMMERCIAL USE ONLY.**

**NOT FOR HUMAN USE.**

**KEEP OUT OF THE REACH OF CHILDREN.**

Quat-Chem Ltd.

1-4 Sandfield Industrial Park,

Dodgson Street,

Rochdale, Greater Manchester

United Kingdom

OL16 5SJ

[www.quatchem.com](http://www.quatchem.com)

[sales@quatchem.co.uk](mailto:sales@quatchem.co.uk)

Tel: +44(0)1706 344 797

EN ISO 9001:2008 QMS

GMP ISO 22716:2007

Manufactured in the UK

**DESCRIPTION**

- Formulation contains a 12% specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol
- Reduces dehydration of the epidermis, enhancing the condition of the teat

- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping or spraying the teat

#### DIRECTIONS FOR USE

Pre-Milking: Spray or dip product before milking, covering the teats. Dry with a towel or udder cloth before applying the cluster.

Post-Milking: Spray or dip product after milking ensuring full coverage of the teats. If dipping, use a clean dip cup every milking.

#### ANTIMICROBIAL EFFICACY

Synodex passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

Active Ingredients: 0.9% Lactic Acid, 0.1% Phenoxyethanol and 0.2% Phmb

See Packaging For:

Manu Manufactured Date

Expiration Date

Batch Number

NDC Number:

#### **Synodex representative label**



# SYNODEX

## DESCRIPTION

- Formulation contains a 12% specially balanced emollient blend
- Includes Lanolin, Glycerine and Sorbitol
- Reduces dehydration of the epidermis, enhancing the condition of the teat
- Extremely effective broad-spectrum disinfectant
- Formulation does not require dilution in preparation for dipping or spraying the teat

## DIRECTIONS FOR USE

**Pre-Milking:** Spray or dip product before milking, covering the teats. Dry with a towel or udder cloth before applying the cluster.

**Post-Milking:** Spray or dip product after milking ensuring full coverage of the teats. If dipping, use a clean dip cup every milking.

## ANTIMICROBIAL EFFICACY

Synodex passes EN 1656:2000 (phase 2/step 1) Quantitative Test for the evaluation of Bactericidal Activity of Chemical Disinfectants and Antiseptics used in the Veterinary and Agricultural Fields, giving > 99.999% kill for the following environmental organisms frequently implicated in common teat infections.

- Streptococcus dysgalactiae
- Streptococcus uberis
- Streptococcus agalactiae
- Staphylococcus epidermidis
- Staphylococcus aureus
- Escherichia coli
- Enterococcus hirae

**Active Ingredients:** 0.9% Lactic Acid, 0.1% Phenoxyethanol and 0.2% Phmb

## See Packaging For:

Manufactured Date

Expiration Date

Batch Number

**NDC Number:** 69260-005-05

**5L / 1.3 U.S. Gal**

PCS License Number 97011

### WARNING

Causes serious eye irritation.  
Wash affected area thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Shake well before use.

Store in ambient temperatures.

DO NOT MIX WITH OTHER CHEMICALS

FOR EXTERNAL USE ONLY

FOR PROFESSIONAL/COMMERCIAL USE ONLY.  
NOT FOR HUMAN USE.  
KEEP OUT OF THE REACH OF CHILDREN.

### Quat-Chem Ltd.

1-4 Sandfield Industrial Park,  
Dodgson Street,  
Rochdale, Greater Manchester  
United Kingdom

OL16 5SJ

www.quatchem.com

sales@quatchem.co.uk

Tel: +44(0)1706 344 797

EN ISO 9001:2008 QMS

GMP ISO 22716:2007

Manufactured in the UK

## SYNODEX

teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:69260-005
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	2 g in 1 L
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	30 g in 1 L

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			
<b>Packaging</b>			
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>
1	NDC:69260-005-05	5 L in 1 DRUM	
2	NDC:69260-005-25	25 L in 1 DRUM	
3	NDC:69260-005-20	200 L in 1 DRUM	
4	NDC:69260-005-10	1000 L in 1 CONTAINER	
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		03/16/2016	

**Labeler** - Quat-Chem Ltd. (458052420)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Quat-Chem Ltd.		458052420	manufacture, api manufacture, label, pack

Revised: 3/2016

Quat-Chem Ltd.