CETIRIZINE HYDROCHLORIDE- cetirizine hydrochloride tablet
LIDL US, LLC

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Cetirizine HCl, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

Taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25° C (68° to 77° F)

INACTIVE INGREDIENTS

Corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

Questions or Comments?

1-877-753-3935

DISTRIBUTED BY
Lidl US, LLC
3500 S. Clark Street
Arlington, VA 22202

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Blister Pack Carton

NDC 71141-133-32

Original Prescription Strength

†Compare to the active ingredient in Zyrtec®

Actual Size

Cetirizine HCl Tablets, USP 10 mg

Antihistamine

ALLERGY

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

14 tablets
10 mg EACH

INDOOR &
OUTDOOR ALLERGIES

24 Hour Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

14 tablets
10 mg EACH

Cetirizine HCl Tablets, USP 10 mg

Antihistamine

ALLERGY

INDOOR & OUTDOOR ALLERGIES

Non Varnish Area

Batch No.

Expiration Date:

7710-008 A00

2073 5531

how2recycle.info

MULTI-LAYER TRAY

PAPER BOX

DISTRIBUTED BY
Lidl US, LLC
3500 S. Clark Street
Arlington, VA 22202
QUESTIONS?
1-844-656-5151
www.lidl.com

24 Hour Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

14 tablets
10 mg EACH

Cetirizine HCl Tablets, USP 10 mg

Antihistamine

ALLERGY

INDOOR & OUTDOOR ALLERGIES

Original Prescription Strength

NDC 71141-133-32

†Compare to the active ingredient in Zyrtec®

Actual Size

Original Prescription Strength

Cetirizine HCl Tablets, USP 10 mg

Antihistamine

ALLERGY

24 Hour Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

14 tablets
10 mg EACH

INDOOR & OUTDOOR ALLERGIES

Drug Facts

Active ingredient (in each tablet)	Purpose
Cetirizine HCl, USP 10 mg	Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

Drug Facts (continued)

If pregnant or breast-feeding:
- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adult s and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adult s 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

Questions or Comments? 1-877-753-3935

Keep the carton. It contains important information. See end panel for expiration date.

R0917

5178573 N.C.

5178573 N.C.

GLUE - N.C.

CETIRIZINE HYDROCHLORIDE

cetirizine hydrochloride tablet

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:71141-133
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients	
Ingredient Name	**Strength**
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	white	**Score**	no score
Shape	RECTANGLE (Rounded Off)	**Size**	9mm
Flavor		**Imprint Code**	R152
Contains			

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:71141-133-32	1 in 1 CARTON	09/01/2017	
1		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077498	09/01/2017	

Labeler - LIDL US, LLC (079389709)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(71141-133)

Revised: 1/2018 LIDL US, LLC