HAND SANITIZER- alcohol liquid St. George Spirits, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient(s)

Alcohol 65% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, carbomer, hydrogen peroxide, purified water USP

Package Label - Principal Display Panel 748181-651-01



Hand Sanitizer Gel Non-sterile Solution

4 FL OZ (118.29 mL) 74181-651-01

2601 MONARCH STREET
ALAMEDA, CALIFORNIA USA
WWW.STGEORGESPIRITS.COM

Drug Facts

Active ingredient[s] Purpose

Alcohol 65% v/v Antiseptic

Use[s]

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15–30C (59–86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, Carbomer Interpolymer Type A, purified water USP

74181-651-02

74181-651-02



Hand Sanitizer Gel Non-sterile Solution

8 FL OZ (236.59 mL) 74181-651-02

2601 MONARCH STREET
ALAMEDA, CALIFORNIA USA
WWW.STGEORGESPIRITS.COM

Drug Facts

Active ingredient[s] Purpose Alcohol 65% v/v Antiseptic

Use[s

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15–30C (59–86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, Carbomer Interpolymer Type A, purified water USP

74181-651-03 3784.4mL



Hand Sanitizer Gel Non-sterile Solution

1 U.S. GAL. (3785.4 mL) 74181-651-03

2601 MONARCH STREET
ALAMEDA, CALIFORNIA USA
WWW.STGEORGESPIRITS.COM

Drug Facts

Active ingredient[s] Purpose Alcohol 65% v/v Antiseptic

Use[s

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15–30C (59–86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, Carbomer Interpolymer Type A, purified water USP

748181-651-04

74181-651-04 18,927mL



Hand Sanitizer Gel Non-sterile Solution

5 U.S. GAL. (18,927 mL) 74181-651-04

2601 MONARCH STREET
ALAMEDA, CALIFORNIA USA
WWW.STGEORGESPIRITS.COM

Drug Facts

Active ingredient[s] Purpose Alcohol 65% v/v Antiseptic

Usels

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15–30C (59–86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, Carbomer Interpolymer Type A, purified water USP

74181-651-05

74181-651-05 208198mL



Hand Sanitizer Gel Non-sterile Solution

55 U.S. GAL. (208,198 mL) 74181-651-05

2601 MONARCH STREET ALAMEDA, CALIFORNIA USA WWW.STGEORGESPIRITS.COM

Drug Facts

Active ingredient[s] Purpose Alcohol 65% v/v Antiseptic

Use[s]

Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame.

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15–30C (59–86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, Carbomer Interpolymer Type A, purified water USP

HAND SANITIZER

alcohol liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74181-651	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) ALCOHOL $65\ mL$ in $100\ mL$

Inactive Ingredients	
Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	1 mL in 100 mL
GLYCERIN (UNII: PDC6A3C0OX)	1.5 mL in 100 mL
HYDRO GEN PERO XIDE (UNII: BBX060AN9V)	0.15 mL in 100 mL

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:74181-651- 03	3785.4 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2020		
2	NDC:74181-651- 02	236.59 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2020		
3	NDC:74181-651- 01	118.29 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2020		
4	NDC:74181-651- 04	18927 mL in 1 CONTAINER; Type 0: Not a Combination Product	05/01/2020		
5	NDC:74181-651- 05	208198 mL in 1 DRUM; Type 0: Not a Combination Product	05/01/2020		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	05/01/2020		

Labeler - St. George Spirits, Inc. (073157760)

Establishment					
Name	Address	ID/FEI	Business Operations		
St. George Spirits, Inc.		073157760	manufacture(74181-651)		

Revised: 4/2020 St. George Spirits, Inc.