### HAND SANITIZER MIST 50ML- ethyl alcohol liquid E.CIS Cosmetic Co.,Ltd


Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### HAND SANITIZER MIST 50ml

### **Active Ingredient**

Ethyl Alcohol 75% v/v....Antiseptic CHURE ALCOHOL 75% v/v...Antiseptic Peel here for Drug Facts → Peel here for Drug Facts → Peel here for Drug Facts → Drug Facts Dury Facts Dury



net

between 15-30°C

n 15-30°C (59-86°F) J and excessive heat

above

ingredients

arfum), or Oil, PEG-60 es. Rub ha ise childre sing this p

avoid :

cove dry. f age vallo

tions or Comments

rections

I using this product keep out of eyes, and mouth. In case of contact with eyes thoroughly with water.
Use and ask a doctor if irritation or rasis use and ask a doctor if irritation or rasis
S. These may be stors of a serious conditional series serious conditional series series

 These may be sign out of reach of chi

hildren. If sw act a Poison Drug Facts ( Do not use ■ in children less ti ■ on open skin wo

months

s of age

(continued)

# Purpose


Antiseptic



### USE

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.





# Warnings

For external use only. Flammable. Keep away from heat or flame










•in children less than 2 months of age

•on open skin wounds

When using this product







When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

### Stop use and ask a doctor

E-Pu	Peel here for Drug Facts →	<i>Ina</i> Wate Pege Hydd Barb Barb 1-80 1-80 1-80 179, 179, 179, 179, 179, 179, 179, 179,	Dir Ott	Dr Do Do Do Do Uhe ears could get r Gentr
INSTANT HAND SANITIZER MIST	Active Ingredient[s]         Purpose           Ethyl Alcohol 75% v/v.         Antiseptic           Use[s]         Hand sanitizer to help reduce bacteria that           potentially can cause disease. For use when scop and water are not available.         For use when scop and water are not available.	<i>re ingredi</i> lycerin, Fragra Hydrogenater Hy	anc	ug Facts (contin not use children less than 2 mc nopen skin wounds an using his product k stand mouth, in case of the and ask a dorder use and ask a dorder puse a dorder
Help reduce bacteria on the skin ⑦ For all day use ⑦ No Sticky ⑦ Widely Spray	Warnings For external use only. Flammable. Keep away from heat or flame	ents unsel <sup>P</sup> artim) (Castor Oli, PGG-60 Oli, Scureliata Bacalensis Oli, Scureliata Bacalensis act case Extract, Aloe act control of the second act control of the second of the second omments?	tuct on hands to cover all dis together until dry, under 6 years of age oduct to avoid swallowing fon 30°C (59-86°F) 4 excessive heat above	Continued) an 2 months of age mas could keep out of eyes, case of contact with eyes, nuese of astrous condition a aoctor if irritation or rash a aoctor if irritation or rash of e signs of a serious conditioned, or tact a Poison Control
50 mL (1.69 fl. oz.)	MADE IN KOREA 8 809597 415813	, c Gi	<u></u>	2

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

#### Keep out of reah of children

E-Pu	Peel here for Drug Facts → \\Drug Facts	Inac Wate PEG- Boot Barbis Barbis 1-80C 1-80C 179, C Reput	Kee get Cen Dii S S S S S	Dr. Dr. Dr. Dr. Dr. Dr. Vhe ears, Trinse
	Active Ingredient[s] Purpose Ethyl Alcohol 75% v/vAntiseptic	nactive ingre Nater, Glycerin, Fra PEG-40 Hydrogenated Cast Noto Extract, Portul Natadensis, Lae <b>Questions or</b> -800-819-4159 <b>anufactured by</b> P30, Gongdan 1-dav epublic of Korea	Keep out of reading the center right aw Center right aw Place enoug surfaces. R Supervise of when using Store betwee Avoid freezie Avoid freezie Av	not use and more there are the second
INSTANT HAND SANITIZER MIST NON-STERILE SOLUTION	Use[s] Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.		~ 경역 및 부분분들 _ 의전 의 등	ss the work
Help reduce bacteria on the skin	Warnings For external use only. Flammable. Keep away from heat or flame ►	ients ance(Parlum), d Castor Oli, P Oli, Scutellarin Oli, Scutellarin Oli Caster act act S COSMETIC S COSMETIC S COSMETIC	c) consider and a poison Control y. product on hands to cover a product on hands to cover a hands together until dry. hands together until dry. is product to avoid swallowi is product to avoid swallowi 15-30°C (59-86°F) 115-30°C (59-86°F) and excessive heat above	nued, onths of contact
☑ No Sticky ☑ Widely Spray		ggi-	n Control n Control to cover al till dry. s of age swallowin	) If age at of eyes, at of eyes, t with eyes, t with eyes,
50 mL (1.69 fl. oz.)	MADE IN KOREA 8 809597 415813	d , si	<u> </u>	5

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

E-Pu	Peel here for Drug Facts →	<i>In a</i> Wat Pec Bart Bart 1-80 9 8 1-80 1-80 1-80 1-80 1-80 1-80	Din P S S Oth A 40	Dr Do Do Una Sing Sing Sing Sing Sing Sing Sing Sing
INSTANT HAND SANITIZER MISS NON-STERILE SOLUTION Help reduce bacteria on the skin Gro all day use Mo Sticky Widely Spray 50 mL (1.69 fl. oz.)	Drug Pacts         Active Ingredient[s]       Purpose         Ettyl Alcohol 75% vV.       Antiseptic         Use[s]       Hand sanlitzer to help reduce bacteria that potentially can cause disease. For use when scap and water are not available.         Warnings       For external use only. Flammable. Keep away from heat or flame         MADE IN KOREA       8 8095977 415813	Inactive ingredients Water, Glorent, Fragrace/Partun), PEG-40 Hydrogenadd Castor OI, PEG-60 Hydrogenaded Castor OI, Scutellaria Balcalensis Root Extract, Protada Oleancea Extract, Aloe Bachadensis Leaf Extract <b>Questions or Comments?</b> 1-800-613-6139 1-800-613-61459 1-800-613-61459 1-800-613-61459	Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children runder 6 years of age when using this product to avoid swallowing. Ither Information Store between 15-30°C (56-86°F) Noid freezing and excessive heat above 40°C (freezing	Drug Facts (continued) Do not use In children less than 2 months of age on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, inse throughly with weter. Stopuse and ask a doctor il irritation or rash occurs. These may be signs of a aerous condition, keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.


# **Other Information**

E-Pu	Peel here for Drug Facts →	Mai 179 Rep	1-80 Варны рема 1-80		
<b>INSTANT</b> HAND SANITIZER MIST	Drug Facts Active Ingredient[s] Purpose Ethyl Alcohol 75% v/vAntiseptic Use[s] Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when	Manufactured by ECIS ( 179, Gongdan 1-daero, S Republic of Korea	nactive ingredie Vater, Glycerin, Fragrar 1926-40 Hydrogenated Oydrogenated Castor O toot Extract.Porutuaca / arbadensis Leaf Extra 200-819-4159	<i>irections</i> Place enough produc Supervise children ur when using this prod <i>ither Informatio</i> Store between 15-30 Avoid freezing and ex 40°C (104°F)	Drug Facts (contin Do not use In children less than 2 me on open skin wounds When using this product k eas, and mouth. In case of rises thoroughy with water. These may be signs of costs. These may be signs of costs. These may be signs occurs of reach of child get medical help or contact to Center right away.
NON-STERILE SOLUTION Help reduce bacteria on the skin ⑦ For all day use ⑦ No Sticky 冏 Widdw Snew	Warnings       For external use only. Flammable.       Keep away from heat or flame	COSMETI Siheung-si	n <b>ts</b> ince(Parfum), icastor Oil, PEG- Castor Oil, PEG- Li, Scutellaria Bai Dieracea Extract ct mments?	uct on hands to is together until under 6 years « aduct to avoid s on on 0°C (59-86°F) excessive heat	nued) nuths of ag eep out of contact with contact with a serious of a serious a Poison C
⑦ Widely Spray 50 mL (1.69 fl. oz.)	MADE IN KOREA 8 <sup>18</sup> 09597 <sup>11</sup> 415813 <sup>11</sup>	, Gyeonggi-do,	-60 icalensis t, Aloe	above	e eyes, h eyes, condition lowed, iontrol

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

# **Inactive ingredients**

Water, Glycerin, Fragrance(Parfum), PEG-40 Hydrogenated Castor Oil, PEG-60 Hydrogenated Castor Oil, Scutellaria Baicalensis Root Extract, Portulaca Oleracea Extract, Aloe Barbadensis Leaf Extract



# **Questions or Comments?**



1-800-819-4159

# **Principal Display Panel**

EPU INSTANT HAND SANITIZER MIST NON-STERILE SOLUTION Help Reduce Bacteria On The Skin.

Drug Facts ( Do not use

iren less tr en skin wou

than 2 (continued)

months of age

nei

e between 15-30°C

n 15-30°C (59-86°F) j and excessive heat above

ingredients
 cerin, Fragrance(Parl ydrogenated Castor
 ydrogenated Castor Oil, Scute

AIOE

ections

9

thands to ether until hands to cover ether until dry. 6 years of age c avoid swallow away.

s. Rub han se children

this product to

use and ask a doctor if irritation or rash rs. These may be signs of a serious condition out of reach of children. If swallowed, nedical help or contact a Poison Control

using this product keep out of eyes, and mouth. In case of contact with eyes

For all day use, No Sticky, Widely Spray, 50 mL (1.69 fl. oz.)



# HAND SANITIZER MIST 50ML

ethyl alcohol liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:73862-102
Route of Administration	TOPICAL			
A .1 T 31 ./A .1 T	<b>.</b> .			
Active Ingredient/Active N	loiety			
Ingredient Name			Basis of Strength	n Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)				
			ALCOHOL	0.75 mL in 1 mL
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			ALCOHOL	0.75 mL in 1 mL
			ALCOHOL	0.75 mL in 1 mL
			ALCOHOL	0.75 mL in 1 mL
	Ingredient Name		ALCOHOL	0.75 mL in 1 mL
Inactive Ingredients			ALCOHOL	
Inactive Ingredients GLYCERIN (UNII: PDC6A3C0OX)			ALCOHOL	
Inactive Ingredients GLYCERIN (UNII: PDC6A3C0OX) POLYOXYL 60 HYDROGENATE	Ingredient Name D CASTOR OIL (UNII: 02NG325BC		ALCOHOL	
Inactive Ingredients GLYCERIN (UNII: PDC6A3C0OX)	Ingredient Name D CASTOR OIL (UNII: 02NG325BC DOT (UNII: 7J95K7ID2S)		ALCOHOL	

WATER (UNII: 059QF	0K00R)					
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)						
Product Charact						
Color	white	Score	no score			
Shape		Size				
Flavor	TROPICAL FRUIT PUNCH	Imprint Code				
Contains						
Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
<b>1</b> NDC:73862-102-11	72 in 1 CASE	04/01/2020				
1 NDC:73862-102-10 50 mL in 1 BOTTLE; Type 0: Not a Combination Product						
	Peel here for Drug Facts →					
E-Pu						
	Drug Facts Active Ingredient[s] Purpose	Surfaces Rub hands together until dy, Supervise Children under Gynass of age when sing this product to avoid swallowing. Other Information Acoid trearing and excessive heat above 40°C (104°F) Acoid trearing and excessive heat above 40°C (104°F) Acoid trearing and excessive heat above 40°C (104°F) Acoid trearing and excessive heat above 40°C (104°F) High and Castor OII, FEG-40 PEG-40 Hydrogenade Castor OII, Scutellaria Balaciensis hoot Extract-Portulaed Castor OII, Scutellaria Balaciensis Leaf Extract Autoria (Fortuna Origona Extract, Aloe Banadensis Leaf Extract 1°28, Congdan 1 date), Stireling Sci Co. LTD. Manufactured by ECIS COSMETIC CC. LTD. Manufactured by ECIS COSMETIC CC. LTD.	Drug Facts (continued) Do not use in children less than 2 months of a on open skin wounds When using this product keep out- ranse thoroughly with water. Stop use and math. In case of contract v mise thoroughly with water Stop use and ask a doctor i limitati occurs. These may be signs of a action sign medical help or contact a Poison get medical help or contact a Poison center right away. Center right away.			
INSTANT HA		surfaces. Flick hands together until day. Supervise childre under 6 years of age ther Information Her Information Store between 15:30°C Store between 15:30°C Store between 15:30°C Store between 15:30°C Store between 15:30°C Store between 15:30°C active ingredients active ingredients active larger of the store of the store of the store of the store of the store active ingredients active in	rug Facts (continued) on ot use no pen skin works on open skin works s, and mouth, in case of contact se throughly with wase of contact se throughly with water. These may be signed a safe a forcugity with weter. These may be signed a safe pout of reach of children. If si in medical help or contact a Poison interright away. Place enough product on hands i			
SANITIZER MI NON-STERILE SOLUTION	SI Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.	nands: bren un 15-30° and ex and ex and ex regrand nated C ulaca O Ulaca O Ulaca C ECIS C ECIS C	S (CONT s than 2 r wounds wounds In case c In case c In case c with wate with wate with wate sk a doct sk			
Help reduce bacteria on the	For external use only. Flammable.	si together sunder 6 yer duct to av duct to av succ (59-8 0°C (59-8) 0°C (59-8) 0°	(Continued) than 2 months of ounds unds product keep ou in case of contact in case of contact in case of contact in this water. If a doctor if irritat be signs of a seri- be signs of a seri- to of children. If a r or children. If a be signs of a seri-			
<ul><li>✓ For all day use</li><li>✓ No Sticky</li></ul>	Keep away from heat or flame	r until dr. sears of a sears of a sears of a heat abe heat ab heat ab				
		age allowing allowing icalens t, Aloe	age to feyes, with eyes, lion or rash ous conditio ous conditio n Control			
50 mL (1.69 fl. oz.)	MADE IN KOREA 8 809597 415813					
<b>Marketing Inf</b>	ormation					
Marketing Catego	ry Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not fi		04/01/2020				

Labeler - E.CIS Cosmetic Co.,Ltd (689846270)

Registrant - E.CIS Cosmetic Co.,Ltd (689846270)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
E.CIS Cosmetic Co.,Ltd		689846270	manufacture(73862-102)			

Revised: 5/2020

E.CIS Cosmetic Co.,Ltd