

MAJOR BACITRACIN- bacitracin zinc ointment

Major Pharmaceuticals

Major Bacitracin Ointment

Active Ingredient

Bacitracin Zinc 500 Units per gram

Purpose

First Aid Antibiotic

Uses

First Aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For External Use Only.

Do Not Use

- in eyes
- over large areas of the body
- if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock
- longer than 1 week unless directed by a doctor

Ask Doctor before Use

In care of deep puncture wounds, animal bites, or serious burns.

Stop Use and Ask Doctor if

- Before use in case of deep puncture wounds, animal bites or serious burns
- The condition persists or gets worse
- A rash or allergic reaction develops

Directions

- Clean the affected area
- Apply a small amount of the product (an amount equal to the surface area of the tip

- of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Inactive Ingredients

mineral oil, white petrolatum

Questions

Call 1-800-616-2471

Storage Information

Avoid excessive heat and humidity

Store at room temperature 15° to 30°C (59° to 86°F).

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Other Information

Tamper evident. Do not use if packet is torn, cut or opened.

Distributed By:

MAJOR® PHARMACEUTICALS


17177 N Laurel Park Drive

Suite 233

Livonia, MI 48152

Product of USA

Packaging





INNER TUBE

<p>NDC 0904-7023-67</p> <p>MAJOR</p> <p>Bacitracin Ointment First Aid Antibiotic</p> <p>Helps prevent infection in minor cuts, scrapes, and burns</p> <p>See box for full Drug Facts information. Not for individual sale.</p> <p>NET WT 0.9 g (0.03 oz)</p> <p>Distributed by: MAJOR[®] PHARMACEUTICALS 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152</p> <p>Rev. 01/20 M-167 Re-order No. 702008</p> <p> N 3 09047 02367 7</p>	<p>Drug Facts</p> <p>Active ingredient (in each gram) Purpose Bacitracin Zinc 500 units First aid antibiotic</p> <p>Uses First aid antibiotic to help prevent infection in • minor cuts • burns • scrapes</p> <p>Warnings FOR EXTERNAL USE ONLY. Do not use • in the eyes • if you are allergic to any of the ingredients • over large areas of the body • longer than 1 week unless directed by a doctor</p> <p>Stop use and ask a doctor • before use in case of deep puncture wounds, animal bites or serious burns • if the condition persists or gets worse • if a rash or other allergic reaction develops</p> <p>Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions • clean the affected area • apply a small amount of the product on the area 1 to 3 times daily • may be covered with a sterile bandage</p> <p>Other information • Tamper Evident. Do not use if packet is torn, cut or opened. • Store at room temperature 15° to 30° C (59° to 86° F)</p> <p>Inactive ingredients Mineral Oil, White Petrolatum</p> <p>Questions? Call 1-800-616-2471</p>
--	---

MAJOR BACITRACIN

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7023-67	144 in 1 CARTON	05/29/2020	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	04/01/2020	

Labeler - Major Pharmaceuticals (191427277)

Registrant - Trifecta Pharmaceuticals USA LLC (079424163)

Revised: 12/2023

Major Pharmaceuticals