# PREPARATION H- cocoa butter, phenylephrine hydrochloride suppository Wyeth Consumer Healthcare LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# PREPARATION H® HEMORRHOIDAL SUPPOSITORIES

# **Drug Facts**

Active ingredients	Purposes
Cocoa butter 88.44%	Protectant
Phenylephrine HCl 0.25%	Vasoconstrictor

## Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

# Warnings

# For rectal use only

# Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug for high blood pressure or depression.

When using this product do not exceed the recommended daily dosage unless directed by a doctor

# Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days


**If pregnant or breast-feeding,** ask a health professional before use.


**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

# Directions

 adults: when practical, cleanse the affected area by patting or blotting with an appropriate

- blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
  - hold suppository with rounded end up
  - as shown, carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
  - slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
  - remove exposed suppository from wrapper
  - insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor





# Other information

store at 20-25°C (68-77°F)

# **Inactive ingredients**

corn starch, methylparaben, propylparaben

# Questions or comments?

Call weekdays 9 AM to 5 PM EST at **1-800-99PrepH or 1-800-997-7374** 

For most recent product information, visit www.preparationh.com Pfizer, Madison, NJ 07940 USA © 2011 Pfizer Inc.

PRINCIPAL DISPLAY PANEL - 12 Suppository Blister Pack PREPARATION  $\mathbf{H}^{\otimes}$ 

Hemorrhoidal Suppositories Wyeth Consumer Healthcare Madison, NJ 07940 USA

PAA009364

<b>★</b> □ 8	PREPARATION H®	
N TO	Hemorrholdal Suppositories	
<u>-4⊞§</u>	Wyeth Consumer Healthcare Madison, NJ 07940 USA	+
, LO		
<b>★</b> 필종	PREPARATION H®	
	Hemorrholdal Suppositories	
	Wyeth Consumer Healthcare Madison, NJ 07940 USA	4
/ - Z	PREPARATION H®	939
<b>→</b> ₩8		8 +
448	Hemorrholdal Suppositories Wyeth Consumer Healthcare	<b>₹</b>
120 、	Madison, NJ 07940 USA	
	PREPARATION H®	
4E0	Hemorrhoidal Suppositories	
45		
<b>4</b> E8	Wyeth Consumer Healthcare Madison, NJ 07940 USA	
488	PREPARATION H®	Ĭ Ĭ
728 1	Hemorrholdal Suppositories	<u> </u>
	Wyeth Consumer Healthcare Madison, NJ 07940 USA	
458		<b>2</b>
488	PREPARATION H®	
723	Hemorrholdal Suppositories	¥
<b>4</b> ₩\$	Wyeth Consumer Healthcare	2
7-5	Madison, NJ 07940 USA	
<b>4</b> ⊞§ - ─	PREPARATION H®	
' E G	Hemorrhoidal Suppositories	
<b>→</b> □S	Wyeth Consumer Healthcare Madison, NJ 07940 USA	T E
Z	기계 후 하게 있으면 가게 하면 하게 있는 것이 하면 하고 있다. 이 사람들은 사람들이 되었다면 하게 되었다.	
<b>★</b> 필巻 <	PREPARATION H®	
	Hemorrholdal Suppositories	
<b>★</b> # # # # # # # # # # # # # # # # # # #	Wyeth Consumer Healthcare Madison, NJ 07940 USA	3
4 H Z	PREPARATION H®	09364
<b>4</b> 28		<u> </u>
4HZ	Hemorrholdal Suppositories Wyeth Consumer Healthcare	₽
	Madison, NJ 07940 USA	

# PREPARATION H®

# **HEMORRHOIDAL SUPPOSITORIES**

# **Reduces Internal Swelling, Soothes and Protects**

- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Also for Nighttime Relief

# **12 SUPPOSITORIES**



PRINCIPAL DISPLAY PANEL - 48 Suppository Blister Pack Carton

PREPARATION H® HEMORRHOIDAL SUPPOSITORIES

Provides Relief from **MULTIPLE SYMPTOMS** 

- Reduces Internal Swelling, Soothes & Protects
- Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- Also for Nighttime Relief

# #1 SELLING #**1**

• HEMORRHOID BRAND •

# **48 SUPPOSITORIES**

# LOT & EXP

# PREPARATION H° SUPPOSITORIES

Individually quality sealed for your protection.

Do Not Use if foil imprinted "PREPARATION H" is tom or damaged.

# PREPARATION H° HEMORRHOIDAL SUPPOSITORIES

# Provides Relief from MULTIPLE SYMPTOMS

- ✓ Reduces Internal Swelling, Soothes & Protects
- ✓ Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- ✓ Also for Nighttime Relief



48 SUPPOSITORIES

# Drug Facts

# Active ingredients

Purposes

Cocoa butter 88.44%...... Phenylephrine HCI 0.25%

...... Protectant Vasoconstrictor

### Ikes

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated ancrectal surface to help make bowel movements less painful

### Warnings For rectal use only

TOT TOURS OF OTHER

Ask a doctor before use if you have

■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes

■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product do not exceed the recommended daily dosage unless directed by a doctor

## Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a

Poison Control Center right away.

### Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- as shown, carefully separate foil tabs by inserting tip of fingernall at end marked "peel down"
  - nd marked 9//
    (do not tear)
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age; ask a doctor

Other information store at 20-25°C (68-77°F)

Inactive ingredients corn starch, methylparaben, propylparaben

Questions or comments? Call weekdays 9 AM to 5 PMEST at 1-800-99 Prep H or 1-800-997-7374



For most recent product information, visit www.preparationh.com Pfizer, Madison, NJ 07940 USA © 2014 Pfizer Inc.



UNVARNISHED AREA

# Provides Relief from MULTIPLE SYMPTOMS Reduces Internal Swelling, Soothes & Protects

Prompt Soothing Relief from Painful Burning, Itching and Discomfort


✓ Also for Nighttime Relief

# PREPARATIOI HEMORRHOIDAL SUPPOSITORI

# PREPARATION HONDING SUPPOSITORIES

# Provides Relief from MULTIPLE SYMPTOMS

- ✓ Reduces Internal Swelling, Soothes & Protects
- ✓ Prompt Soothing Relief from Painful Burning, Itching and Discomfort
- ✓ Also for Nighttime Relief



# PREPARATION H

cocoa butter, phenylephrine hydrochloride suppository

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:0573-2883

**Route of Administration** RECTAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
COCOA BUTTER (UNII: 5120 YT1CRR) (COCOA BUTTER - UNII:5120 YT1CRR)	COCOA BUTTER	2211 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
METHYLPARABEN (UNII: A2I8 C7HI9 T)		
PROPYLPARABEN (UNII: Z8 IX2SC1OH)		

<b>Product Chara</b>	cteristics		
Color	YELLOW (Light vellow)	Score	no score

Shape	BULLET (Bullet shaped suppository)	Size	150 mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0573-2883-10	12 in 1 CARTON	01/05/2004	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0573-2883-20	24 in 1 CARTON	01/05/2004	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0573-2883-30	48 in 1 CARTON	01/05/2004	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:0573-2883-55	56 in 1 CARTON	01/05/2004	
4		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:0573-2883-11	12 in 1 CARTON	01/05/2004	
5		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part346	01/05/2004	

# PREPARATION H

cocoa butter, phenylephrine hydrochloride suppository

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0573-2880
Route of Administration	RECTAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
COCOA BUTTER (UNII: 5120YT1CRR) (COCOA BUTTER - UNII:5120YT1CRR)	COCOA BUTTER	2211 mg
<b>PHENYLEPHRINE HYDRO CHLO RIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.25 mg

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		

# **Product Characteristics**

Color	YELLOW (Light yellow)	Score	no score
Shape	BULLET (Bullet shaped suppository)	Size	150 mm
Flavor		Imprint Code	
Contains			

	Packaging						
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>			
ı	1 NDC:0573-2880-31	48 in 1 CARTON	01/05/2004				
	1	$1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FINAL	part346	01/05/2004			

# Labeler - Wyeth Consumer Healthcare LLC (828831730)

Revised: 5/2013 Wyeth Consumer Healthcare LLC