

SUNSCREEN SPF 70- avobenzone 3% homosalate 15% octisalate 5% octocrylene 10% oxybenzone 6% lotion

Top Care

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Daylogic

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Oxybenzone 6%

Purpose

Sunscreen

Uses

Uses • helps prevent sunburn

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Behenyl Alcohol, Benzyl Alcohol, Butylated PVP, Butylene Glycol, Caprylic/Capric Triglyceride, Cellulose Gum, Cetyl Alcohol, Chlorphenesin, Diethylhexyl Syringylidenemalonate, Disodium EDTA, Glyceryl Stearate, Lauryl Alcohol, Lecithin, Microcrystalline Cellulose, Myristyl Alcohol, Palmitic Acid, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Stearic Acid, Tocopherol, Water.

Other information

- protect this product from excessive heat and direct sun
- may stain fabrics.



TopCare[®] SPORT

SUNSCREEN LOTION

water resistant
(80 minutes)

UVA/UVB
protection

Broad Spectrum
SPF 70

*COMPARE TO THE ACTIVE
INGREDIENTS IN COPPERTONE[®]

8 FL OZ (237 mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen
Oxybenzone 6%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure. • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses. • Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun. • may stain fabrics.

Inactive ingredients Behenyl Alcohol, Benzyl Alcohol, Butylated PVP, Butylene Glycol, Caprylic/Capric Triglyceride, Cellulose Gum, Cetyl Alcohol, Chlorphenesin, Diethylhexyl Syngylidenemalonate, Disodium EDTA, Glyceryl Stearate, Lauryl Alcohol, Lecithin, Microcrystalline Cellulose, Myristyl Alcohol, Palmitic Acid, Retinyl Palmitate, Sodium Ascorbyl Phosphate, Stearic Acid, Tocopherol, Water.



DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007 © TOPCO
PQU116 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com



This Top Care[®] product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

SUNSCREEN SPF 70

avobenzone 3% homosalate 15% octisalate 5% octocrylene 10% oxybenzone 6% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-716
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 in 100 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
DOCOSANOL (UNII: 9G1OE216XY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LAURYL ALCOHOL (UNII: 178A96NLP2)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
PALMITIC ACID (UNII: 2V16EO95HI)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-716-06	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/12/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/12/2016	

Labeler - Top Care (006935977)

Registrant - Product Quest Mfg, LLC (927768135)**Establishment**

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(36800-716) , label(36800-716)

Revised: 7/2018

Top Care