

WALGREENS CHILDRENS- nighttime cough liquid
WALGREENS CO.

Walgreens Children's Night-Time Cough & Chest Congestion

Active ingredients (in each 10 mL)

Chlorpheniramine maleate, USP 2 mg

Dextromethorphan HBr USP 15 mg

Purpose

Antihistamine

Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not use more than directed.**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 4 doses in any 24-hour period

age	dose
Children under 6 years	Do not use
Children 6 to under 12 years	10 mL every 6 hours
Adults and children 12 years and older	20 mL every 6 hours

Other information

- each 10 mL contains: **sodium 3 mg**
- store at room temperature. Do not refrigerate
- contain low sodium
- **do not use if printed seal under cap is torn or missing**

Inactive ingredients

anhydrous citric acid, FD&C Red # 40, flavor, potassium sorbate, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-866-467-2748

Principal Display Panel

Compare to the Children's Robitussin[®] Nighttime Cough DM active ingredients ††

NDC# 0363-7560-04

Children's

Nighttime Cough

Wal-Tussin[®] DM

CHLORPHENIRAMINE MALEATE, USP 2 mg/10 mL

ANTIHISTAMINE

DEXTROMETHORPHAN HBr, USP 15 mg/15 mL

COUGH SUPPRESSANT

NIGHTTIME

Relieves cough & runny nose

6 YEARS & OLDER

Fruit Punch Flavor

NATURALLY AND ARTIFICIALLY FLAVORED

Dosage cup included

2-4 FL OZ (118 mL) BOTTLES TOTAL – 8 FL OZ (236 mL)

Walgreens PHARMACIST RECOMMENDED †

Health expertise you rely on, quality you trust

†Walgreens Pharmacists Survey

*This product is not manufactured or distributed by Pfizer, owner of the registered trademarks Children's Robitussin[®]

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Walgreens

100% SATISFACTION GUARANTEED

Walgreens.com ©2020 Walgreen Co.

4.875" Width

2.25" Height

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.

Active ingredients (in each 10 ml):

Chlorpheniramine maleate, USP 2 mg; Dextromethorphan HBr, USP 15 mg

Uses temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold. Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy watery eyes, itching of the nose or throat.

Warnings

Do not use to sedate a child or to make a child sleepy or if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Walgreens

NDC 0363-7560-04

children's
NIGHTTIME
COUGH

Wal-Tussin[®]
DM

CHLORPHENIRAMINE MALEATE,
USP 2 mg / 10 ml
ANTIHISTAMINE
DEXTROMETHORPHAN HBr,
USP 15 mg / 10 ml
COUGH SUPPRESSANT

NIGHTTIME

- Relieves cough & runny nose
- 6 years & older

4 FL OZ (118 mL)

FRUIT PUNCH
FLAVORNaturally &
Artificially Flavored

Directions: Do not take more than 4 doses in any 24-hour period. Measure only with dosing cup provided. Keep dosing cup with product. ml = milliliter.

age	dose
children under 6 years	do not use
children 6 to under 12 years	10 ml every 6 hours
adults and children 12 years and older	20 ml every 6 hours

Other information: each 10 ml contains: sodium 6 mg
Store at room temperature. Do not refrigerate. Contains low sodium.

Inactive ingredients: anhydrous citric acid, FD&C Red No. 40, flavors, glycerin, lactic acid, potassium sorbate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose.

See carton for full labeling.

Questions or comments? 1-866-467-2748

ORG0617-F
REV0420

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2020 Walgreen Co.
ITEM 904625 W10017-0420-F

LOT:

EXP:

756FP04WAGLR

WALGREENS CHILDRENS

nighttime cough liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7560
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9J9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	FRUIT PUNCH	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7560-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/16/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	07/16/2019	

Labeler - WALGREENS CO. (008965063)

Revised: 12/2025

WALGREENS CO.