

**PANAMA JACK SPF 45 TROPICAL LIP BALM- avobenzone, homosalate, octinoxate, octisalate, petrolatum stick**  
**Panama Jack**

-----  
**Drug Facts**

**Active ingredient**

Avobenzone 3.0%, Homosalate 3.0%, Octinoxate 7.5%, Octisalate 5.0%.....Sunscreen, Petrolatum 40.0%.....Skin Protectant

**Purpose**

Sunscreen, Skin Protectant

**Keep Out of Reach of Children**

If swallowed get medical help or contact a Poison Control Center right away.

**Uses**

Prevents Sunburns. Helps prevent wind burned and chapped lips.

**Warnings**

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown to prevent sunburn, skin cancer and/or early aging.

For external use only: Stop use and ask a doctor: if rash or irritation develops and lasts.

**Directions**

Apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.**Spending time in the sun increases your risk of skin cancer and early skin aging • To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses. Children under 6 months: Ask a doctor.

**Inactive Ingredients**

C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Mineral Oil, Ozokerite, Phenyl Trimethicone, Tocopherol

## Package/Label Principal Display Panel

SEALED • SAFETY SEALED • SEALED • SAFETY SEALED • SEALED • SAFETY SEALED

**Drug Facts (Continued)**

**Warnings:**  
**For external use only**  
**Do not use on damaged or broken skin**  
**When using this product keep out of eyes. Rinse with water to remove.**  
**Stop use and ask a doctor if rash occurs.**  
**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions:**

- Apply liberally 15 minutes before sun exposure and as needed.
- reapply:
  - after 80 minutes of swimming or sweating.
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long sleeve shirts, pants, hats and sunglasses
  - children under 6 months: Ask a doctor.

**Inactive ingredients:** Ozokerite, Mineral Oil, C 12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Flavor, Phenyl Trimethicone, Tocopherol, Sucralose.

LAB-2393 LCS TRO NPIG 45

---

**Drug Facts**

Active ingredients:	Purpose
Avobenzone (3.0%), Homosalate (3.0%)	Sunscreen
Octinoxate (7.5%), Octisalate (5.0%)	Sunscreen
Petrolatum (40.0%)	Skin Protectant

**Uses:**

- Helps prevent sunburn. Helps prevent and temporarily protects dry, chapped lips.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Questions or Comments? 1.800.840.5225

**Distributed by:** Panama Jack, Inc. Orlando, FL 32801  
**Made in USA** www.panamajack.com



0 45336 00602 9

**PANAMA JACK**  
**45 TROPICAL LIP BALM**  
**Broad Spectrum SPF 45**



**Net Wt. 0.15 oz (4.25g)**  
▼ Lift for Drug Facts Continued ▼

## PANAMA JACK SPF 45 TROPICAL LIP BALM

avobenzone, homosalate, octinoxate, octisalate, petrolatum stick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87449-203
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	30 mg in 1 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	400 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	122 mg in 1 g
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	170 mg in 1 g

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	TROPICAL FRUIT PUNCH	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87449-203-01	4.25 g in 1 CONTAINER; Type 0: Not a Combination Product	02/26/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	352	02/26/2026	

**Labeler** - Panama Jack (098368566)

**Registrant** - OraLabs (801824756)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
OraLabs		801824756	manufacture(87449-203) , label(87449-203) , analysis(87449-203)

Revised: 3/2026

Panama Jack