

MULTI FOOD ANTIGENS- arsenicum album, lycopodium clavatum, pulsatilla (pratensis), allium cepa, allium sativum, almond, apium graveolens, beta vulgaris, brassica oleracea var. italica, brazil, cacao, capsicum annuum, cashew, cicer arietinum, citrus limonum, coconut, coffea tosta, collagen, corn, cucumis sativus, english walnut, glycine max, heart (bovine), heart (suis), lac vaccinum, lactuca sativa, lycopersicum esculentum, orange, oxalicum acidum, peanut, pecan, phaseolus, phaseolus vulgaris, raphanus sativus, sesame, liquid Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each drop) Arsenicum Album 12X, 15X, 14.29%, Lycopodium Clavatum 12X, 15X, 14.29%, Pulsatilla 12X, 15X 14.29%, Allium Cepa 12X, 18X, 30X 0.12%, Allium Sativum 12X, 18X, 30X 0.12%, Almond 12X, 18X, 30X 0.12%, Apium Graveolens 12X, 18X, 30X 0.12%, Beef 12X, 18X, 30X 0.12%, Beta Vulgaris 12X, 18X, 30X 0.12%, Broccoli 12X, 18X, 30X 0.12%, Brazil Nut 12X, 18X, 30X 0.12%, Cacao 12X, 18X, 30X 0.12%, Capsicum Annuum 12X, 18X, 30X 0.12%, Cashew 12X, 18X, 30X 0.12%, Cicer Arietinum 12X, 18X, 30X 0.12%, Citrus Limonum 12X, 18X, 30X 0.12%, Coconut 12X, 18X, 30X 0.12%, Coffea Tosta 12X, 18X, 30X 0.12%, Collagen 12X, 18X, 30X 0.12%, Corn 12X, 18X, 30X 0.12%, Cucumber 12X, 18X, 30X 0.12%, Egg 30X 0.12%, English Walnut 12X, 18X, 30X 0.12%, Lac Vaccinum 12X, 18X, 30X 0.12%, Lettuce 12X, 18X, 30X 0.12%, Lycopersicum Esculentum 12X, 18X, 30X 0.12%, Orange 12X, 18X, 30X 0.12%, Oxalicum Acidum 12X, 18X, 30X 0.12%, Peanut 12X, 18X, 30X 0.12%, Pecan 12X, 18X, 30X 0.12%, Phaseolus 12X, 18X, 30X 0.12%, Pork 12X, 18X, 30X 0.12%, Raphanus Sativus 12X, 18X, 30X 0.12%, Salicylicum Acidum 12X, 18X, 30X 0.12%, Sesame 12X, 18X, 30X 0.12%, Shellfish 12X, 18X, 30X 0.12%, Shrimp 30X 0.12%, Solanum Tuberosum 12X, 18X, 30X 0.12%, Soy 12X, 18X, 30X 0.12%, Spinacia 12X, 18X, 30X 0.12%, String Beans 12X, 18X, 30X 0.12%, Thea Sinensis 12X, 18X, 30X 0.12%, Wheat 12X, 18X, 30X 0.12%.

PURPOSE:

Arsenicum Album - nausea,** Lycopodium Clavatum - bloating,** Pulsatilla - indigestion,** Allium Cepa - fatigue after eating,** Allium Sativum - fatigue after eating,** Almond - fatigue after eating,** Apium Graveolens - fatigue after eating,** Beef - fatigue after eating,** Beta Vulgaris - fatigue after eating,** Broccoli - fatigue after eating,** Brazil Nut - fatigue after eating,** Cacao - fatigue after eating,** Capsicum Annuum - fatigue after eating,** Cashew - fatigue after eating,** Cicer Arietinum - fatigue after eating,** Citrus Limonum - fatigue after eating,** Coconut - fatigue after eating,** Coffea Tosta - fatigue after eating,** Collagen - fatigue after eating,** Corn - fatigue after eating,** Cucumber - fatigue after eating,** Egg - fatigue after eating,** English Walnut -

fatigue after eating,** Lac Vaccinum - fatigue after eating,** Lettuce - fatigue after eating,** Lycopersicum Esculentum - fatigue after eating,** Orange - fatigue after eating,** Oxalicum Acidum - fatigue after eating,** Peanut - fatigue after eating,** Pecan - fatigue after eating,** Phaseolus - fatigue after eating,** Pork - fatigue after eating,** Raphanus Sativus - fatigue after eating,** Salicylicum Acidum - fatigue after eating,** Sesame - fatigue after eating,** Shellfish - fatigue after eating,** Shrimp - fatigue after eating,** Solanum Tuberosum - fatigue after eating,** Soy - fatigue after eating,** Spinacia - fatigue after eating,** String Beans - fatigue after eating,** Thea Sinensis - fatigue after eating,** Wheat - fatigue after eating,**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

USES:

May temporarily relieve symptoms associated with food sensitivities, such as:

•bloating •fatigue after meals.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Stop use and ask a doctor if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional.
- Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.
201 Apple Blvd
Woodbine, IA 51579
800.869.8078

PACKAGE LABEL DISPLAY:

ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

MULTI FOOD ANTIGENS

1 fl. oz. (30 ml)



ENERGIQUE®
SINCE 1987

HOMEOPATHIC REMEDY

MULTI FOOD ANTIGENS™

1 fl. oz. (30 ml) 20% Ethanol

DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each drop) Purposes

Arsenicum Alb 12X, 15X 14.29%.....	nausea**
Lycopodium 12X, 15X 14.29%	bloating**
Pulsatilla 12X, 15X 14.29%	indigestion**
Allium Cepa 12X, 18X, 30X 0.12%....{	
Allium Sat 12X, 18X, 30X 0.12%.....{	
Almond 12X, 18X, 30X 0.12%.....{	fatigue
Apium Graveolens 12X, 18X,	after
30X 0.12%	eating**
Beef 12X, 18X, 30X 0.12%	
Beta Vulg 12X, 18X, 30X 0.12%.....{	

Drug Facts (continued under label)



Dist. by Energique, Inc.
201 Apple Blvd.
Woodbine, IA 51579
800.869.8078

UNVARNISHED AREA / NO PRIMER

PEEL HERE

TIEDOWN AREA

Drug Facts (continued)

Broccoli 12X, 18X, 30X 0.12%.....{	
Brazil Nut 12X, 18X, 30X 0.12%....{	
Cacao 12X, 18X, 30X 0.12%.....{	
Capsicum 12X, 18X, 30X 0.12%...{	
Cashew 12X, 18X, 30X 0.12%	
Cicer 12X, 18X, 30X 0.12%.....{	fatigue
Citrus Lim 12X, 18X, 30X 0.12%...{	after
Coconut 12X, 18X, 30X 0.12%.....{	eating**
Coffea Tosta 12X, 18X,	
30X 0.12%	
Collagen 12X, 18X, 30X 0.12%.....{	
Corn 12X, 18X, 30X 0.12%.....{	
Cucumber 12X, 18X, 30X 0.12%...{	

Drug Facts (continued)

Egg 30X 0.12%.....{	
English Walnut 12X, 18X,	
30X 0.12%	
Lac Vac 12X, 18X, 30X 0.12%	
Lettuce 12X, 18X, 30X 0.12%.....{	
Lycopersicum 12X, 18X,	fatigue
30X 0.12%	after
Orange 12X, 18X, 30X 0.12%.....{	eating**
Oxalicum Ac 12X, 18X,	
30X 0.12%	
Peanut 12X, 18X, 30X 0.12%	
Pecan 12X, 18X, 30X 0.12%	
Phaseolus 12X, 18X, 30X 0.12%....{	

Drug Facts (continued)

Pork 12X, 18X, 30X 0.12%{
 Raphanus 12X, 18X, 30X 0.12%....{
 Salicylicum Ac 12X, 18X,
 30X 0.12%{
 Sesame 12X, 18X, 30X 0.12%{
 Shellfish 12X, 18X, 30X 0.12%.....{
 Shrimp 30X 0.12%.....{
 Solanum Tub 12X, 18X,
 30X 0.12%{
 Soy 12X, 18X, 30X 0.12%.....{
 Spinacia 12X, 18X, 30X 0.12%.....{
 String Beans 12X, 18X,
 30X 0.12%{

fatigue
after
eating**

Drug Facts (continued)

Thea Sinensis 12X, 18X, fatigue
 30X 0.12%{ after
 Wheat 12X, 18X, 30X 0.12%.....{ eating**

Uses May temporarily relieve symptoms associated with food sensitivities, such as:
 •bloating •fatigue after meals.**

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a health

Drug Facts (continued)

professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional.
- Consult a physician for use in children under 12 years of age.

Drug Facts (continued)**Other information**

Store in a cool, dry place.

Inactive ingredients

Demineralized water, 20% Ethanol.

Questions? 1-800-869-8078

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

MULTI FOOD ANTIGENS

arsenicum album, lycopodium clavatum, pulsatilla (pratensis), allium cepa, allium sativum, almond, apium graveolens, beta vulgaris, brassica oleracea var. italica, brazil, cacao, capsicum annuum, cashew, cicer arietinum, citrus limonum, coconut, coffea tosta, collagen, corn, cucumis sativus, english walnut, glycine max, heart (bovine), heart (suis), lac vaccinum, lactuca sativa, lycopersicum esculentum, orange, oxalicum acidum, peanut, pecan, phaseolus, phaseolus vulgaris, raphanus sativus, sesame, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0742
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	12 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
PULSATILLA PRATENSIS WHOLE (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	12 [hp_X] in 1 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 1 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	12 [hp_X] in 1 mL
ALMOND (UNII: 3Z252A2K9G) (ALMOND - UNII:3Z252A2K9G)	ALMOND	12 [hp_X] in 1 mL
CELERY SEED (UNII: 1G1EAA320L) (CELERY SEED - UNII:1G1EAA320L)	CELERY SEED	12 [hp_X] in 1 mL
BETA VULGARIS WHOLE (UNII: 4G174V5051) (BETA VULGARIS - UNII:4G174V5051)	BETA VULGARIS WHOLE	12 [hp_X] in 1 mL
BROCCOLI (UNII: UOI4FT57BZ) (BROCCOLI - UNII:UOI4FT57BZ)	BROCCOLI	12 [hp_X] in 1 mL
BRAZIL NUT (UNII: XKR79OET1K) (BRAZIL NUT - UNII:XKR79OET1K)	BRAZIL NUT	12 [hp_X] in 1 mL
COCOA (UNII: D9108TZ9KG) (COCOA - UNII:D9108TZ9KG)	COCOA	12 [hp_X] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	12 [hp_X] in 1 mL
CASHEW (UNII: 3H5U5CX7KO) (CASHEW - UNII:3H5U5CX7KO)	CASHEW	12 [hp_X] in 1 mL
CHICKPEA (UNII: N91637DNW9) (CHICKPEA - UNII:N91637DNW9)	CHICKPEA	12 [hp_X] in 1 mL
LEMON JUICE (UNII: AGN709ANTJ) (CITRUS LIMON (LEMON) JUICE - UNII:AGN709ANTJ)	LEMON JUICE	12 [hp_X] in 1 mL
COCONUT (UNII: 3RT3536DHY) (COCONUT - UNII:3RT3536DHY)	COCONUT	12 [hp_X] in 1 mL
COFFEA ARABICA SEED, ROASTED (UNII: 9H58JRT35E) (COFFEA ARABICA SEED, ROASTED - UNII:9H58JRT35E)	COFFEA ARABICA SEED, ROASTED	12 [hp_X] in 1 mL
HYDROLYSED BOVINE COLLAGEN (ENZYMATIC; 3500 MW) (UNII: 5WE8P977RQ) (HYDROLYSED BOVINE COLLAGEN (ENZYMATIC; 3500 MW) - UNII:5WE8P977RQ)	HYDROLYSED BOVINE COLLAGEN (ENZYMATIC; 3500 MW)	12 [hp_X] in 1 mL
CORN (UNII: 0N8672707O) (CORN - UNII:0N8672707O)	CORN	12 [hp_X] in 1 mL
CUCUMBER (UNII: YY7C30VXJT) (CUCUMBER - UNII:YY7C30VXJT)	CUCUMBER	12 [hp_X] in 1 mL
ENGLISH WALNUT (UNII: 1V3SHR7QB7) (ENGLISH WALNUT - UNII:1V3SHR7QB7)	ENGLISH WALNUT	12 [hp_X] in 1 mL
SOYBEAN (UNII: L7HT8F1ZOD) (GLYCINE MAX (SOYBEAN) SEED POWDER - UNII:L7HT8F1ZOD)	SOYBEAN	12 [hp_X] in 1 mL
BEEF HEART (UNII: P47W069U38) (BEEF HEART - UNII:P47W069U38)	BEEF HEART	12 [hp_X] in 1 mL
PORK HEART (UNII: X876KJM95L) (PORK HEART - UNII:X876KJM95L)	PORK HEART	12 [hp_X] in 1 mL
COW MILK (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	12 [hp_X] in 1 mL
LETTUCE (UNII: 5PO6NN3RRJ) (LETTUCE - UNII:5PO6NN3RRJ)	LETTUCE	12 [hp_X] in 1 mL
SOLANUM LYCOPERSICUM WHOLE (UNII: 0243Q4990L) (SOLANUM LYCOPERSICUM - UNII:0243Q4990L)	SOLANUM LYCOPERSICUM WHOLE	12 [hp_X] in 1 mL
ORANGE (UNII: 5EVU04N5QU) (CITRUS AURANTIUM DULCIS (ORANGE) FRUIT POWDER - UNII:5EVU04N5QU)	ORANGE	12 [hp_X] in 1 mL

OXALIC ACID DIHYDRATE (UNII: 0K2L2IJ59O) (OXALIC ACID - UNII:9E7R5L6H31)	OXALIC ACID DIHYDRATE	12 [hp_X] in 1 mL
PEANUT (UNII: QE1QX6B99R) (ARACHIS HYPOGAEA (PEANUT) FLOUR - UNII:QE1QX6B99R)	PEANUT	12 [hp_X] in 1 mL
PECAN (UNII: F14P91GB5F) (PECAN - UNII:F14P91GB5F)	PECAN	12 [hp_X] in 1 mL
KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO)	KIDNEY BEAN	12 [hp_X] in 1 mL
STRING BEAN (UNII: N9D69B2Q7Y) (STRING BEAN - UNII:N9D69B2Q7Y)	STRING BEAN	12 [hp_X] in 1 mL
DAIKON (UNII: 86R5J6D01D) (DAIKON - UNII:86R5J6D01D)	DAIKON	12 [hp_X] in 1 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	12 [hp_X] in 1 mL
SESAME SEED (UNII: 7Y1255HVXR) (SESAME SEED - UNII:7Y1255HVXR)	SESAME SEED	12 [hp_X] in 1 mL
SPINACH (UNII: 6WO75C6WVB) (SPINACH - UNII:6WO75C6WVB)	SPINACH	12 [hp_X] in 1 mL
SOLANUM TUBEROSUM WHOLE (UNII: 2A8I57T4MX) (SOLANUM TUBEROSUM WHOLE - UNII:2A8I57T4MX)	SOLANUM TUBEROSUM WHOLE	12 [hp_X] in 1 mL
GREEN TEA LEAF (UNII: W2ZU1RY8B0) (CAMELLIA SINENSIS LEAF - UNII:W2ZU1RY8B0)	GREEN TEA LEAF	12 [hp_X] in 1 mL
NORTHERN QUAHOG (UNII: D6G49OV9IM) (NORTHERN QUAHOG - UNII:D6G49OV9IM)	NORTHERN QUAHOG	12 [hp_X] in 1 mL
WHEAT (UNII: 4J2I0SN84Y) (WHEAT - UNII:4J2I0SN84Y)	WHEAT	12 [hp_X] in 1 mL
EGG (UNII: 291P45F896) (EGG - UNII:291P45F896)	EGG	30 [hp_X] in 1 mL
SHRIMP, UNSPECIFIED (UNII: 1891LE191T) (SHRIMP, UNSPECIFIED - UNII:1891LE191T)	SHRIMP, UNSPECIFIED	30 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0742-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	01/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/06/2026	

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0742) , api manufacture(44911-0742) , label(44911-0742) , pack(44911-0742)

Revised: 1/2026

Energique, Inc.