OXYGEN - oxygen gas Valley Medical Shoppe

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product

OXYC COMPR US	ESSED P	<	ox	YGEN	
C.A.S.	NO. 7782-44-7			\checkmark	
▲ WARNING: HIGH PRESS NO SMOKING IN THE PI Keep oil and grease awa Use only with equipmen Use a back flow prever Close valve after each u Use in accordance with DO NOT REMOVE THIS ▲ WARNING: For emergem and resuscitation. For all	RESENCE OF OXYGEN ay. Open valve slowly. t cleaned for oxygen s ntative device in the p ise and when empty. O Material Safety Data S S PRODUCT LABEL. cy use only when admin	S. VIGOROU NOR A FIRI Store and ervice and o olping. Sylinder term iheet (MSD	E MAY RESUL use with adeq rated for cyline sperature shou S).	.T. uate ventilation. der pressure. uld not exceed 52°C (personnel for oxygen (125°F). Jeficiency
oxygen over a long durati ful. Use only with pressur on patients who have stop	on, without monitoring it re reducing equipment a sped breathing unless u	ts effect on and apparate sed in conju	oxygen conten us designed to inction with resi	t of arterial blood, may r oxygen. Do not atten	be harm-
Size	Contents	by Air Lique	Size	Contents	
— "M6"	170 Liters		"F"	682 Liters	
11 41 41 41			_	002 LITEIS	-
□ "C" □ "D"	248 Liters 415 Liters		"H" Other	6910 Liters	



OXYGEN, COMPRESSED USP UN 1072 C.A.S No. 7782-44-7 WARNING: HIGH PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. <u>Use a back flow preventative device in the piping.</u> Close valve after each use and when empty. Cylinder temperatures should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS). DO NOT REMOVE THIS PRODUCT LABEL.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

OXYGEN			
oxygen gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65468-001

Route of Administration

Packaging	Strength 99 L in 100 L
Packaging	
# Item Code Package Description Marketing Start Date Marketi	ating End Data
	eting End Date
1 NDC:65468-001-01 165 L in 1 CYLINDER	
2 NDC:65468-001-02 248 L in 1 CYLINDER	
3 NDC:65468-001-03 415 L in 1 CYLINDER	
4 NDC:65468-001-04 682 L in 1 CYLINDER	
5 NDC:65468-001-05 6900 L in 1 CYLINDER	

Labeler - Valley Medical Shoppe (174958462)

Revised: 5/2011

Valley Medical Shoppe