

MAXIMUM STRENGTH SENNA LAXATIVE- sennoside 25 mg tablet
NUVICARE LLC

Active Ingredient (in each tablet)

Sennosides 25 mg

Purpose

Stimulant Laxative

Uses:

- relieves occasional constipation (irregularity).
- generally produces a bowel movement in 6-12 hours

Warnings:

Do not use

- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if

- you are taking other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS

- swallow tablet (s) with a glass of water.
- swallow tablet (s) whole, do not crush, break or chew.
- adults and children 12 years of age and older: 2 tablets once or twice daily
- children 6 to under 12 years of age: 1 tablet once or twice daily
- children under 6 years of age: ask a doctor

OTHER INFORMATION

- each tablet contains: Calcium 27 mg, Magnesium 0.16 mg, Sodium 0.81 mg
- store at controlled room temperature 20-25°C (68-77°F)

INACTIVE INGREDIENTS

Microcrystalline Cellulose, Dicalcium Phosphate/Dibasic Calcium Phosphate, Croscarmellose Sodium, Sodium Lauryl sulphate, Colloidal Silicon Dioxide, Crospovidone, Stearic acid powder, Magnesium Stearate, Brilliant Blue Lake, Indigo Carmine Lake, Polyvinyl Alcohol, Polyethylene Glycol, Titanium Dioxide, Talc

QUESTIONS OR COMMENTS?

Call 1 (718) 337-8733 or email: support@nuvicare.com



stimulant laxative

Compare to
EX-LAX®
Maximum
Strength
active ingredients**TAMPER EVIDENT** Do not use if safety seal under cap is broken or missing.**Drug Facts****Active Ingredient (in each tablet)** Sennosides 25 mg..... Stimulant laxative**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. **Ask a doctor or pharmacist before use** if you are taking other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week.

(continued under label)

Distributed by: NuviCare LLC, Brooklyn, NY

www.nuviCare.com

PL0285-00



Lot No.

Exp. D1

**Drug Facts (continued)**

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- swallow tablet(s) with a glass of water.
- swallow tablet(s) whole, do not crush, break or chew
- adults and children 12 years of age and older: 2 tablets once or twice daily
- children 6 to under 12 years of age: 1 tablet once or twice daily
- children under 6 years of age: ask a doctor.

Other information

- each tablet contains: Calcium 27mg.
- Magnesium 0.16mg, Sodium 0.81mg
- store at controlled room temperature 20-25°C (68-77°F)

Inactive ingredients

Microcrystalline Cellulose, Dicalcium Phosphate/ Dibasic Calcium Phosphate, Croscarmellose Sodium, Sodium Lauryl Sulfate, Colloidal Silicon Dioxide, Crospovidone, Stearic Acid Powder, Magnesium Stearate, Brilliant Blue Lake, Indigo Carmine Lake, Polyvinyl Alcohol, Polyethylene Glycol, Titanium Dioxide, Talc.

Questions? Call 1 (718) 337-0733 or email: support@nuviCare.com

†This product is not manufactured or distributed by GSK Consumer Health Care, owner of the Registered Trademark **Ex-Lax®**

MAXIMUM STRENGTH SENNA LAXATIVE

sennoside 25 mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84324-033
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SODIUM LAURYL SULFATE (UNII: 368GB514J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

CROSPovidone, UNSPECIFIED (UNII: 2S7830E561)

Stearic Acid (UNII: 4ELV7Z65AP)

Magnesium Stearate (UNII: 70097M6I30)

FD&C Blue No. 1 (UNII: H3R47K3TBD)

IndigoTindisulfonate Sodium (UNII: D3741U8K7L)

Polyvinyl Alcohol (UNII: 532B59J990)

Polyethylene Glycol, UNSPECIFIED (UNII: 3WQ0SDW1A)

Titanium Dioxide (UNII: 15FIX9V2JP)

Talc (UNII: 7SEV7J4R1U)

Product Characteristics

Color	blue (Light Blue)	Score	no score
Shape	ROUND (Biconvex)	Size	11mm
Flavor		Imprint Code	S3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-033-01	60 in 1 BOTTLE; Type 0: Not a Combination Product	01/22/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/22/2026	

Labeler - NUVICARE LLC (119257565)

Registrant - NUVICARE LLC (119257565)

Revised: 1/2026

NUVICARE LLC