

MEDIQUE COLD EEZE- zinc gluconate lozenge
Unifirst First Aid Corporation

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Medique Cold-Eeze

Drug Facts

Active ingredient

Zincum Gluconicum 2x HPUS†(13.3mg Zinc)

†The letters 'HPUS' indicate that the active ingredient is in the official Homeopathic Pharmacopeia of the United States.

Purpose

Cold Remedy

Uses

- to reduce the duration of the common cold
- reduces the severity of cold symptoms: cough, sore throat, nasal congestion, post nasal drip and/or hoarseness

Warnings

Do not use for the treatment of influenza or allergies. This product is intended only to reduce the duration of the common cold and its symptoms.

Ask a doctor or pharmacist before use if you are taking minocycline, doxycycline, tetracycline, or are on Coumadin (warfarin) therapy. Zinc treatment may inhibit the absorption of these medicines.

When using this product do not take on an empty stomach (to avoid possible minor stomach upset).

Stop use and ask a doctor if symptoms persist beyond 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take one lozenge at the onset of symptoms

- dissolve entire lozenge in mouth
- do not chew
- do not swallow whole
- do not eat or drink for 15 minutes after use
- repeat every 2-4 hours until symptoms subside

Adults and children 18 years and over: do not exceed 6 lozenges per day

Children 12 to 18 years: do not exceed 4 lozenges per day

Children under 12 years: ask a doctor before use

Other information

- store in cool, dry place after opening;
- best if used within 6 months after opening

Inactive ingredients

corn syrup, glycine, natural flavors, sucrose

Questions or comments?

1-800-505-2653 (Mon-Fri 8AM-5PM EST)

Medique Cold-Eeze Label

Medique®

The # 1 Best Selling Zinc Lozenge Brand

Cold-Eeze®

Zinc Gluconate

Homeopathic

Pull to Open

Shortens Your Cold

#1 Pharmacist Recommended

25 Lozenges

(actual size)

Natural Cherry Flavor

The #1 Best Selling Zinc Lozenge Brand*

Cold-EEZE
ZINC GLUCONATE HOMEOPATHIC

SHORTENS YOUR COLD

Drug Facts

Active ingredient (per lozenge) **Purpose**
Zincum Gluconate 2X HPUS* (2.3%) (13.3mg Zinc) Cold Remedy
*The letters "HPUS" indicate that the active ingredient is in the official Homeopathic Pharmacopoeia of the United States.

Uses

- reduces the duration of the common cold
- reduces the severity of cold symptoms: cough, sore throat, nasal congestion, post nasal drip and/or hoarseness

Warnings
Do not use for treatment of influenza or allergies. This product is intended only to reduce the duration of the common cold and its symptoms.

Ask a doctor or pharmacist before use if you are taking minocycline, doxycycline, tetracycline or are on Coumadin (warfarin) therapy. Zinc treatment may inhibit the absorption of these medicines.

When using this product do not take on an empty stomach (to avoid possible minor stomach upset)

Stop use and ask your doctor if symptoms persist more than 7 days
(continued on opposite panel)

Médique

The #1 Best Selling Zinc Lozenge Brand*

Cold-EEZE
ZINC GLUCONATE HOMEOPATHIC

Pull to Open

SHORTENS YOUR COLD

#1 PHARMACIST RECOMMENDED

25 LOZENGES

(actual size)
NATURAL CHERRY FLAVOR

The #1 Best Selling Zinc Lozenge Brand*

Cold-EEZE
ZINC GLUCONATE HOMEOPATHIC

SHORTENS YOUR COLD

Drug Facts (continued)

If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take one lozenge at the onset of symptoms
- dissolve entire lozenge in mouth
- do not chew
- do not swallow whole
- do not eat or drink for 15 minutes after use
- repeat every 2-4 hours until symptoms subside

Adults 18 years and over: do not exceed 6 lozenges per day
Children 12 to under 18 years: do not exceed 4 lozenges per day
Children under 12 years: ask a doctor before use

Other information

- store in a cool, dry place after opening
- best if used within 6 months after opening

Inactive ingredients
corn syrup, glycine, natural flavors, sucrose

Questions or comments? 1-800-505-2653 (Mon-Fri 8AM-5PM EST)

- Our clinically tested formula releases zinc ions in the mouth* and shortens the duration of the common cold
- Take Cold-EEZE* at the first sign of a cold
- Continue until symptoms are gone
- Gluten Free
- No artificial colors or preservatives

MEDIQUE COLD EEZE

zinc gluconate lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-478
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
CORN SYRUP (UNII: 9G5L16BK6N)	
SUCROSE (UNII: C151H8M554)	
GLYCINE (UNII: TE7660XO1C)	

Product Characteristics

Color	white ((semi-translucent))	Score	no score
Shape	OVAL	Size	23mm
Flavor	CHERRY	Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-478-73	25 in 1 CARTON; Type 0: Not a Combination Product	04/07/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/07/2020	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation