

PANODYNE HAND SANITIZER 99.9% PROTECTION- hand sanitizer gel
Multibrands International Limited

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

MultiBrands, Hand Sanitizer, Gel, 70% Alcohol, 500mL

Active Ingredient(s)

Ethanol 65%

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

May produce an allergic reaction. Flammable. For external use only. Keep away from heat, sparks, open flame, hot surfaces. Cause serious eye irritation. Keep out of reach of children. No smoking.

Do not use

- on children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth.

In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store at room temperature, out of direct sunlight

Inactive ingredients

Water, Glycerine, Carbomer, Aminomethyl Propanol, Tocopheryl Acetate, Cucumis sativus (Cucumber) oil.

Package Label - Principal Display Panel



Panodyne[®]
SKIN HYGIENE

HAND SANITIZER GEL

- Kills Germs effectively
- Leaves hands feeling soft
- Clean fresh smell

Kills **99.99%** of harmful germs

16.9 Fl.oz.
500ml e



Panodyne[®]
SKIN HYGIENE
HAND SANITIZER

Ingredients: Alcohol, Water, Glycerine, Carbomer, Aminomethyl Propanol, Tocopheryl Acetate, Cucumis sativus (Cucumber) oil

Antibacterial Hand GEL
Directions for use: Rub a small amount onto dry hands until completely dry.
ACTIVE INGREDIENT: Ethanol 65%
May produce an allergic reaction. Highly flammable liquid and vapour. Causes serious eye irritation, Keep out of reach of children, Keep away from heat, sparks, open flame, hot surfaces. No smoking, **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label available. **STORAGE:** Store at room temperature, out of direct sunlight.

MULTIBRANDS[™]
Multibrands International Ltd.
Unit 2, Jowett Street, Bradford,
West Yorkshire BD1 2JX
United Kingdom
www.multibrands.eu.com

Phone: +44 (0) 1274 307310 In USA Contact: 1-315-636-4687

DANGER

V001 19.03.20
FBHS500-U

5 060710 519235

PANODYNE HAND SANITIZER 99.9% PROTECTION

hand sanitizer gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73968-10 18
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	350 mL in 500 mL

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	2.5 mL in 500 mL
WATER (UNII: 059QF0KO0R)	130 mL in 500 mL
GLYCERIN (UNII: PDC6A3C0OX)	15 mL in 500 mL
CARBOMER HOMO POLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	2.5 mL in 500 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:73968-1018-1	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/07/2020	
---	------------------	--	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/07/2020	

Labeler - Multibrands International Limited (236858853)

Registrant - A03 Lab of BTS (548009541)

Establishment

Name	Address	ID/FEI	Business Operations
Multibrands International Limited		236858853	label(73968-1018) , manufacture(73968-1018)

Revised: 4/2020

Multibrands International Limited