

# **HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid**

## **Whole Foods Market**

-----

### **Drug Facts**

#### **Active ingredient**

Hydrogen peroxide 3%

#### **Purpose**

First aid antiseptic/oral debriding agent

#### **Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

#### **Warnings**

For external use only.

#### **Do not use**

- in the eyes or apply over large areas of the body
- longer than one week

#### **Ask a doctor before use if you have**

- deep puncture wounds, animal bites or serious burns

#### **Stop use and ask a doctor if**

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

##### **For use as a first aid antiseptic:**

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day

- may be covered with a sterile bandage

**For use as an oral debriding agent (oral rinse):**

- **adults and children 2 years of age and over:**
  - mix with an equal amount of water
  - swish around in the mouth over affected area for at least 1 minute and then spit it out. Do not swallow.
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

**Other information**

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening

**Inactive ingredient**

purified water

**Principal Display Panel**

**365** EVERYDAY VALUE

**Hydrogen Peroxide**

TOPICAL SOLUTION (3%) usp

+ FIRST AID +

- TOPICAL FIRST AID ANTISEPTIC
- ORAL DEBRIDING AGENT

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

Questions, or comments?

customer, [question@wholefoods.com](mailto:question@wholefoods.com) (512) 542-0878

FL OZ (mL)

DISTRIBUTED BY: WHOLE FOODS MARKET

550 BOWIE STREET, AUSTIN, TX 78703

©2016 WHOLE FOODS MARKET IP, LP

[www.wholefoodsmarket.com](http://www.wholefoodsmarket.com)

MADE IN USA

**Package Label**



# Hydrogen Peroxide

TOPICAL SOLUTION (3%) USP

**+ FIRST AID +**

- ✓ TOPICAL FIRST AID ANTISEPTIC
- ✓ ORAL DEBRIDING AGENT

**Questions, Comments?**  
 customer.questions@wholefoods.com  
 (512) 542-0878  
**DISTRIBUTED BY: WHOLE FOODS MARKET**  
 550 BOWIE STREET, AUSTIN, TX 78703  
 ©2016 WHOLE FOODS MARKET IP, LP  
 www.wholefoodsmarket.com  
**MADE IN USA**



16 FL OZ (473mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Hydrogen peroxide 3%....	First aid antiseptic/oral debriding agent

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

**Warnings**

**For external use only.**

**Do not use**

- in the eyes or apply over large areas of the body
- longer than one week

**Ask a doctor before use if you have**

- deep puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if**

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

**For use as a first aid antiseptic:**

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

**For use as an oral debriding agent (oral rinse):**

- **adults and children 2 years of age and over:**
  - mix with an equal amount of water
  - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

**Other information**

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

**Inactive ingredient** purified water PLD-B220C LB004021

**Whole Foods Market Hydrogen Peroxide 3%**

**HYDROGEN PEROXIDE 3 PERCENT**

hydrogen peroxide liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:42681-6414
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42681-6414-1	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2016	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	11/30/2016	

**Labeler** - Whole Foods Market (196175616)

Revised: 2/2025

Whole Foods Market