

CLE DE PEAU BEAUTE UV PROTECTIVE FOR BODY N- ensulizole, octisalate, octocrylene, zinc oxide emulsion
Shiseido Americas Corporation

cle de peau BEAUTE UV PROTECTIVE FOR BODY N

▯Drug Facts

▯Active Ingredients

Ensulizole 2.0%
Octisalate 5.0%
Octocrylene 5.0%
Zinc Oxide 19.4%

▯Purpose

Sunscreen
Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame, or while smoking

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying

- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Uses

WATER □ DIMETHICONE □ DIISOPROPYL SEBACATE □ GLYCERIN □ ALCOHOL DENAT. □ TRISILOXANE □ PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE □ SILICA □ ISOPROPYL MYRISTATE □ DIPHENYLSILOXY PHENYL TRIMETHICONE □ ISODODECANE □ TRIMETHYLSILOXYSILICATE □ TRIETHANOLAMINE □ DEXTRIN PALMITATE □ TREHALOSE □ MENTHA PIPERITA (PEPPERMINT) LEAF EXTRACT □ RUBUS SUAVISSIMUS (RASPBERRY) LEAF EXTRACT □ GLYCINE □ PEG/PPG-14/7 DIMETHYL ETHER □ HYDRANGEA SERRATA LEAF EXTRACT □ THYMUS SERPYLLUM EXTRACT □ SODIUM ACETYLATED HYALURONATE □ AMINOETHANESULFINIC ACID □ SODIUM HYALURONATE □ TOCOPHERYL ACETATE □ ANGELICA ACUTILOBA ROOT EXTRACT □ HYDROLYZED CONCHIOLIN PROTEIN □ HYDROLYZED SILK □ PERILLA OCYMOIDES LEAF EXTRACT □ POLYQUATERNIUM-51 □ PANAX GINSENG ROOT EXTRACT □ SAXIFRAGA SARMENTOSA EXTRACT □ GINKGO BILOBA LEAF EXTRACT □ SCUTELLARIA BAICALENSIS ROOT EXTRACT □ GARCINIA MANGOSTANA BARK EXTRACT □ DISTEARDIMONIUM HECTORITE □ HYDROGEN DIMETHICONE □ ISOSTEARIC ACID □ BUTYLENE GLYCOL □ DISODIUM EDTA □ SORBITAN SESQUIISOSTEARATE □ ALCOHOL □ TOCOPHEROL □ BHT □ SODIUM METABISULFITE □ SYNTHETIC FLUORPHLOGOPITE □ THEANINE □ SYZYGIUM JAMBOS LEAF EXTRACT □ PHENOXYETHANOL □ FRAGRANCE □ RED 33 □ YELLOW 5 □ YELLOW 6 □

Other information

- protect this product in this container from excessive heat and direct sunlight

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 100 mL Container

clé de peau

BEAUTÉ

UV PROTECTIVE EMULSION FOR BODY n

60+

BROAD SPECTRUM

SPF 60+

WATER RESISTANT
(80 MINUTES)
SUNSCREEN
100 mL 3.3 FL. OZ.

CLÉ DE PEAU
BEAUTÉ

UV PROTECTIVE EMULSION FOR BODY N
BROAD SPECTRUM SPF 60+
SUNSCREEN

For skin with a radiance that evolves day by day.
A sunscreen for body utilizing **Adaptable Innershield Technology** supports skin's natural protective abilities. Powerfully defends against the sun's damaging rays and selectively allows the latent benefits of red light in sunlight to pass through to the skin. With continued use, improves a lack of moisture in the skin while also boosting skin's firmness and smoothness for a more radiantly youthful look.

- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- DERMATOLOGIST-TESTED.

Drug Facts
(continued)

Directions
For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours

■ **Sun Protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor

Inactive Ingredients
WATER • DIMETHICONE • DIISOPROPYL SEBACATE • GLYCERIN • ALCOHOL DENAT. • TRISILOXANE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • SILICA • ISOPROPYL MYRISTATE • DIPHENYLSILOXY PHENYL TRIMETHICONE • ISODODECANE • TRIMETHYLSILOXYSILICATE • TRIETHANOLAMINE • DEXTRIN PALMITATE • TREHALOSE • MENTHA PIPERITA (PEPPERMINT) LEAF EXTRACT • RUBUS SUAVISSIMUS (RASPBERRY) LEAF EXTRACT • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • HYDRANGAEA SERRATA LEAF EXTRACT • THYMUS SERPYLLUM EXTRACT • SODIUM ACETYLATED HYALURONATE • AMINOETHANESULFINIC ACID • SODIUM HYALURONATE

clé de peau
BEAUTÉ

UV PROTECTIVE EMULSION
FOR BODY n

60+
BROAD SPECTRUM
SPF 60+
WATER RESISTANT
(80 MINUTES)
SUNSCREEN

100mL 3.3 FL. OZ.

Drug Facts
(continued)

Inactive Ingredients
TOCOPHERYL ACETATE • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT • POLYQUATERNIUM-51 • PANAX GINSENG ROOT EXTRACT • SAXIFRAGA SARMENTOSA EXTRACT • GINKGO BILOBA LEAF EXTRACT • SCUTELLARIA BAICALENSIS ROOT EXTRACT • GARCINIA MANGOSTANA BARK EXTRACT • DISTEARDIMONIUM HECTORITE • HYDROGEN DIMETHICONE • ISOSTEARIC ACID • BUTYLENE GLYCOL • DISODIUM EDTA • SORBITAN SESQUISOSTEARATE • ALCOHOL • TOCOPHEROL • BHT • SODIUM METABISULFITE • SYNTHETIC FLUOROPHLOGOPITE • THEANINE • SYZYGIUM JAMBOS LEAF EXTRACT • PHENOXYETHANOL • FRAGRANCE • RED 33 • YELLOW 5 • YELLOW 6

Other Information
■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?
Call toll free
1-800-906-7503

<M111908-811>

FSC
マーク

RECOMMENDED
SKIN
CANCER
PROTECTION
ACTIVE

QRコード

<http://cpb1982.com/21118CP>
See our website
for more information.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

CLE DE PEAU BEAUTE UV PROTECTIVE FOR BODY N

ensulizole, octisalate, octocrylene, zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-956
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	2.384 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	5.96 g in 100 mL

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5.96 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	23.1248 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
EDETATE SODIUM (UNII: MP1J8420LU)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
THEANINE (UNII: 8021PR16QO)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
SILICA (UNII: ETJ7Z6XBU4)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ISODODECANE (UNII: A8289P68Y2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
TREHALOSE (UNII: B8WCK70T7I)	
MENTHA PIPERITA (PEPPERMINT) LEAF (UNII: A389O33LX6)	
RUBUS CHINGII VAR. SUAVISSIMUS LEAF (UNII: U5KPW4NCFM)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
HYDRANGAEA SERRATA LEAF (UNII: 2SFZ1X3QA9)	
THYMUS SERPYLLUM (UNII: 86H4S6K51N)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
AMINOETHANESULFINIC ACID (UNII: 5L08GE4332)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
PANAX GINSENG ROOT (UNII: CUQ3A77YXI)	
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)	
GINKGO BILOBA LEAF (UNII: 19FUJ2C58T)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-956-40	1 in 1 BOX	12/16/2025	
1		100 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2025	

Labeler - Shiseido Americas Corporation (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	manufacture(58411-956) , analysis(58411-956)

Revised: 12/2025

Shiseido Americas Corporation