LORATADINE ANTIHISTAMINE- loratadine tablet Aphena Pharma Solutions - Tennessee, LLC

Perrigo Loratadine Tablets, 10 mg Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and	1 tablet daily; not more than 1 tablet in 24 hours
over	
children under 6 years of age	ask a doctor
consumers with liver or kidney	ask a doctor
disease	

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

Repackaging Information

Please reference the HOW SUPPLIED section listed above for a description of individual drug products listed below. This drug product has been received by Aphena Pharma Solutions - Tennessee, LLC in a manufacturer or distributor packaged configuration and repackaged in full compliance with all applicable cGMP regulations. The package configurations available from Aphena are listed below:

<u>10mg</u>

NDC 43353-259-60, Bottles of 90 Tablets NDC 43353-259-18, Bottles of 3000 Tablets NDC 43353-259-09, Bottles of 9000 Tablets

Store between 20°-25°C (68°-77°F). See USP Controlled Room Temperature. Dispense in a tight light-resistant container as defined by USP. Keep this and all drugs out of the reach of children.

Repackaged by:



Cookeville, TN 38506

20240409AMH

PRINCIPAL DISPLAY PANEL - 10 mg

NDC 43353-259 - Loratadine 10 mg Tablets



LC	RATADIN	E ANTIH	IISTAMIN	E						
ora	atadine tablet									
Pı	roduct Infor	mation								
Pr	oduct Type		HUMAN OTC D	RUG	Item Code	(Sourc	e)	NDC:433	53-259(ND0	2:45802-650)
Rc	oute of Admini	stration	ORAL							
A -			NA a b a b a b a b a b a b a b a b a b a b a							
AC	tive Ingredi						Dec			Church weath
. ^	RATADINE (UNII:	-						fis of S Fadine	trength	Strength
		/AJUSBU/QN)	(LORATADINE -	UNII: //	4JO3BO7QN)		LURA	IADINE		10 mg
In	active Ingre	dients								
			Ingredient	Nam	e				Strength	
LA	стоѕе молон	YDRATE (UNII:	EWQ57Q8I5X)							
MA	GNESIUM STEA	RATE (UNII: 70	097M6I30)							
PO	VIDONE, UNSPE	CIFIED (UNII:	FZ989GH94E)							
Pr	oduct Chara	octeristics								
	lor		nite	Score					no score	
	ape	0\		Size					8mm	
	avor		1	mprir	nt Code				L612	
Co	ntains			-						
Pa	ackaging									
#	ltem Code	Pa	ckage Desc	riptio	n	Mark	eting Date) Start	Mark	eting End Date
-	NDC:43353-259- 60	90 in 1 BOTTL Product	E; Type 0: Not a	a Com	bination	11/23/20	16			
	NDC:43353-259- 18	3000 in 1 BOT Product	TLE; Type 0: No	ot a Co	mbination	10/17/20	22			

3 NDC:43353-259-09	9000 in 1 BOTTLE; Type 0: Not a Combination Product	09/08/2022					
Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
		-					

Labeler - Aphena Pharma Solutions - Tennessee, LLC (128385585)

EstablishmentNameAddressID/FEIBusiness OperationsAphena Pharma Solutions - Tennessee, LLC128385585repack(43353-259)

Revised: 4/2024

Aphena Pharma Solutions - Tennessee, LLC