

## **KING PHARMA SANITIZING GEL- alcohol gel**

### **King Pharma**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (65%, weight/weight (w/w)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.5% w/w).
- c. Hydroxypropyl Cellulose (1.1% w/w).
- d. Lauryl Lactate (1.0% w/w).
- e. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

### **Active Ingredient(s)**

Alcohol 65% w/w. Purpose: Antiseptic

### **Purpose**

Antiseptic, Hand Sanitizer

### **Use**

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

### **Warnings**

For external use only. Flammable. Keep away from heat or flame

### **Do not use**

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydroxypropyl cellulose, lauryl lactate, purified water USP

Package Label - Principal Display Panel

KING PHARMA

240 mL NDC: 74858-002-08

KING PHARMA SANITIZING GEL				
alcohol gel				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74858-002	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)		ALCOHOL	65 mL in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			1.5 mL in 100 mL	
WATER (UNII: 059QF0KO0R)				
LAURYL LACTATE (UNII: G5SU0BFK7O)			1 mL in 100 mL	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)			1.1 mL in 100 mL	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74858-002-	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination	04/08/2020	

1	08	Product	04/08/2020	
2	NDC:74858-002-38	3780 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/08/2020	
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final		part333A	04/08/2020	

**Labeler** - King Pharma (104697470)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
King Pharma		104697470	manufacture(74858-002)