# ALCOHOL 80% TOPICAL ANTISEPTIC, HAND SANITIZER- alcohol liquid Pisgah Labs, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Hand Sanitizer**

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

# **Active Ingredient(s)**

Alcohol 80% v/v. Purpose: Antiseptic

## **Purpose**

Antiseptic, Hand Sanitizer

### Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

# Warnings

For external use only. Flammable. Keep away from heat or flame

## Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

## **Inactive ingredients**

glycerin, hydrogen peroxide, purified water USP

80% Alcohol

# Alcohol Antiseptic 80% Topical Solution

# Hand Sanitizer Non-Sterile Solution



Phone: (828) 884-2789, Fax: (828) 484-4614

32oz (946mL)

Manufactured in an FDA Registered GMP Facility

## **Drug Facts**

Active ingredient[s] Alcohol 80% v/v ..... Purpose Antiseptic

#### Use[s]

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Warnings

For external use only, Flammable, Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry.

Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water USP

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

16oz (473mL)

Manufactured in an FDA Registered GMP Facility

#### **Drug Facts**

#### Active ingredient[s]

Purpose

Alcohol 8

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### M/---

For external use only, Flammable, Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together untildry.

Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Store between 15-30C(59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water USP

Code 128 Barcode

# Alcohol Antiseptic 80% Topical Solution

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

12oz (355mL)

Manufactured in an FDA Registered GMP Facility

#### Drug Facts

#### Active ingredient[s]

Purpose

Alcohol 80% v/v .....

#### Ise[s]

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Warnings

For external use only. Flammable. Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together untildry.

Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water USP

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

8oz (237mL) Squeeze Bottle

Manufactured in an FDA Registered GMP Facility

### **Drug Facts**

Active ingredient[s] Alcohol 80% v/v ..... Purpose

Hepfe

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Manning

For external use only, Flammable, Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Direction:

Place enough product on hands to cover all surfaces. Rub hands together untildry.

Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water USP

Code 128 Barcode

# Alcohol Antiseptic 80% Topical Solution

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

8oz (237mL)

Manufactured in an FDA Registered GMP Facility

### Drug Facts

# Active ingredient[s] Alcohol 80% v/v

Purpose

5076 V/V

#### Use[s]

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Warnings

For external use only, Flammable, Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry.

Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Store between 15-30C(59-86F)

Avoid freezing and excessive heat above 40C(104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

4oz (118mL) Squeeze Bottle

Manufactured in an FDA Registered GMP Facility

Drug Facts	
Active ingredient[s]	Purpose
Akahal 80% v/v	Antiseptic

#### Use[s]

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Warnings

For external use only. Flammable. Keep away from heat or flame. Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together until dry.

Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water USP

Code 128 Barcode

# **ALCOHOL 80% TOPICAL ANTISEPTIC, HAND SANITIZER**

alcohol liquid

## **Product Information**

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength
ı	ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	80 mL in 100 mL

## **Inactive Ingredients**

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	1.45 mL in 100 mL
HYDRO GEN PERO XIDE (UNII: BBX060AN9V)	0.125 mL in 100 mL
WATER (UNII: 059QF0KO0R)	

## **Product Characteristics**

1 Todact Characteristics			
Color	Score		
Shape	Size		
Flavor	Imprint Code		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63804- 6000-5	118 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	03/30/2020	
2	NDC:63804- 6000-2	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	
3	NDC:63804- 6000-3	237 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	03/30/2020	
4	NDC:63804- 6000-1	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	
5	NDC:63804- 6000-4	473 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	03/30/2020	
6	NDC:63804- 6000-6	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	

# Hand Sanitizer Non-Sterile Solution



3222 Old Hendersonville Hwy, Pisgah Forest, NC 28768 Phone: (828) 884-2789, Fax: (828) 484-4614

1 US Gallon (128floz (3785mL))

Manufactured in an FDA Registered GMP Facility

Drug Facts	
Active ingredient[s]	Purpos

#### Use[s]

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

## Warnings

For external use only, Flammable, Keep away from heat or flame, Do not use in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together untildry.

Supervise children under 6 years of age when using this product to avoid swallowing.

### Other information

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients glycerin, hydrogen peroxide, purified water

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/30/2020	

# Labeler - Pisgah Labs, Inc (105807127)

# **Registrant -** Pisgah Laboratories, Inc (105807127)

Establishment				
Name	Address	ID/FEI	Business Operations	
Pisgah Laboratories, Inc		105807127	manufacture(63804-6000)	

Revised: 4/2020 Pisgah Labs, Inc