

## CD 5-2 - iodine liquid

BouMatic, LLC

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

### CD 5-2

#### Commercial Grade Iodine Pre and Post Teat Dip

An aid in reducing the spread of mastitis causing organisms.

#### DIRECTIONS FOR PRE-DIPPING

1. Remove excessive organic soils from udder and teats prior to pre-dipping.
2. Dip or spray cow's teats thoroughly with CD 5-5.
3. Strip out 3-4 squirts of milk from each quarter.
4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel .
5. Attach milking unit.

#### DIRECTIONS FOR POST-DIPPING

Immediately after milking, use CD 5-5 at full strength. Submerge entire teat in CD 5-5.

Allow to air dry. Do not wipe. Always use fresh, full strength CD 5-5. If product in dip cup becomes visibly dirty, discard contents and replenish with CD 5-5 undiluted product.

Do not reuse or return used product to the original container.

If frozen, thaw completely and mix well before using.

**ACTIVE INGREDIENT: 0.5% Titratable Iodine**

**Contains 2% Skin Conditioners**

#### DANGER

**Keep Out of Reach of Children • Can Cause Eye Damage**

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed.

Avoid contamination of food.

#### FIRST AID

**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

**Internal:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

**For Assistance with Medical Emergency, Call 1-800-255-3924.**

**Refer to Material Safety Data Sheet.**

The screenshot shows a PDF document viewer interface. The document content is oriented vertically. At the top, it reads "CD 5-2 - iodine liquid" and "BouMatic, LLC". A disclaimer follows: "Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here." Below this is a section for "CD 5-2" titled "Commercial Grade Iodine Pre and Post Teat Dip", described as "An aid in reducing the spread of mastitis causing organisms." The "DIRECTIONS FOR PRE-DIPPING" section lists five steps: 1. Remove excessive organic soils from udder and teats prior to pre-dipping. 2. Dip or spray cow's teats thoroughly with CD 5-5. 3. Strip out 3-4 squirts of milk from each quarter. 4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel. 5. Attach milking unit. The "DIRECTIONS FOR POST-DIPPING" section states: "Immediately after milking, use CD 5-5 at full strength. Submerge entire teat in CD 5-5. Allow to air dry. Do not wipe. Always use fresh, full strength CD 5-5. If product in dip cup becomes visibly dirty, discard contents and replenish with CD 5-5 undiluted product. Do not reuse or return used product to the original container. If frozen, thaw completely and mix well before using." The "ACTIVE INGREDIENT" is listed as "0.5% Titratable Iodine" and it "Contains 2% Skin Conditioners". A "DANGER" section states "Keep Out of Reach of Children • Can Cause Eye Damage", "Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed.", and "Avoid contamination of food." The "FIRST AID" section provides instructions for eye contact and internal ingestion. At the bottom, it says "For Assistance with Medical Emergency, Call 1-800-255-3924." and "Refer to Material Safety Data Sheet." The PDF viewer interface includes a toolbar on the right with icons for file operations and a status bar at the bottom showing the file name "CDS\_CD5-2-2up\_1306-V2.pdf - Adobe Reader" and page information "1 / 1".

**CD 5-2**  
Commercial Dairy Systems

**CD 5-2**  
Commercial Grade Iodine Pre and Post Teat Dip

An aid in reducing the spread of mastitis causing organisms.

**RE-DIPPING**  
Dip teats from udder and teats prior to pre-dipping. Thoroughly milk from each quarter. Post-Dip, wipe the teats dry with a single service towel.

**POST-DIPPING**  
Use CD 5-2 at full strength. Submerge entire teat in CD 5-2. Always use fresh, full strength CD 5-2. If product in dip cup dried contents and replenish with CD 5-2 undiluted product. **Use product to the original container, and mix well before using.**

**0.5% Titratable Iodine**  
Conditioners

**DANGER**  
Keep Out of Reach of Children • Can Cause Eye Damage  
Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**  
**Eyes:** In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.  
**Internal:** If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.  
**For Assistance with Medical Emergency, Call 1-800-255-3924.**  
**Refer to Material Safety Data Sheet.**

Lot #: \_\_\_\_\_  
Expires: \_\_\_\_\_  
Net Contents: \_\_\_\_\_  
SKU: \_\_\_\_\_

TAKE TIME  
OBSERVE LABEL DIRECTIONS

Tools Sign Comment

Enter section text here

<b>CD 5-2</b> iodine liquid
<b>Product Information</b>

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:48 106-1189	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	5 g in 1 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:48 106-1189-1	3.8 L in 1 DRUM		
2	NDC:48 106-1189-2	18.9 L in 1 DRUM		
3	NDC:48 106-1189-3	56.8 L in 1 DRUM		
4	NDC:48 106-1189-4	114 L in 1 DRUM		
5	NDC:48 106-1189-5	208 L in 1 DRUM		
6	NDC:48 106-1189-6	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved drug other		08/01/2007		

**Labeler** - BouMatic, LLC (124727400)

**Registrant** - BouMatic, LLC (124727400)

### Establishment

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

### Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		028199899	repack

### Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		017030149	repack