#### THE BLUE GEL- alcohol gel GL Pharm Co Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

alcohol 64%

Glycerin

Carbopol

Triethanolamine

Methyl paraben

Phenoxy ethanol

Pure water

Disinfection of hands and skin

#### KEEP OUT OF REACH OF THE CHILDREN

Take an appropriate amount on your hand and rub it well to dry.

- Flammable. Keep away from fire or flame.
- For external use only.
- Do not use in eyes.
- If swallowed, get medical help promptly.
- Stop use, ask doctor If irritation occurs.
- Keep out of reach of children.

for external use only

[Product Name]

[Drug Facts]

1. Active ingredient: 62g of ethanol in 100g

2. Inactive ingredients: glycerin, purified water, carbomer,

Triethanolamine, methyl paraoxybenzoate, phenoxyethanol

[Properties] Colorless gel

[Use] Disinfection of hands and skin

[Directions] Take an appropriate amount on your hand and rub it well to dry.

[Packing unit] 500mL

[Storage method] Airtight container, room temperature (1 ~ 30°C)

[Manufacturer]

GI Pharmaceutical Co., Ltd./130, Hansam-ro, Deoksan-myeon, Jincheon-gun, Chungbuk

[Customer Service Center] 043-537-7001

[Compensation regulations for consumers' damages]

If there is something wrong with this product, you can get compensation or exchange according to "Consumer Dispute Resolution Standards" notified by the Fair Trade Commission.

Manufacturing number: GLHC 20-03

Expiration date: Three years from the manufacturing date.

#### [Precautions for use]

1. Do not use on the following body parts.

Mucous membranes in the oral cavity and damaged skin (irritant action)

- 2. Immediately discontinue use and consult with a doctor, dentist or pharmacist.
- 1) Hypersensitivity symptoms such as rash or itching
- 2) Skin irritation symptoms
- 3. Other precautions
- 1) For external use only.
- 2) Be careful not to get into your eyes

If so, rinse thoroughly with water.

- 3) When you use it extensively or for a long time, be careful not to inhale.
- (If you drink ethanol vapor in large quantity or repeatedly, irritation, headaches, etc. may appear.)
- 4. Precautions for storage
- 1) Keep away from sunlight, high temperature and fire.
- 2) Keep out of reach of children,

If a child swallows it, go to the hospital right away.

3) If you take the material out of its original container and store it in another container, you may cause accidents or quality deterioration by misuse so put it in the original container with the cap closed.

#### THE BLUE GEL

alcohol gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74713-0002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

METHYLPARABEN (UNII: A2I8 C7HI9 T)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
TROLAMINE (UNII: 9O3K93S3TK)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:74713-0002-1	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020		
Marketing Inf	ormation			
Marketing Inf		Marketing Start Date	Marketing End Date	
	ry Application Number or Monograph Citation	Marketing Start Date	Marketing End	

# Labeler - GL Pharm Co Ltd (694506955)

## Registrant - GL Pharm Co Ltd (694506955)

Establishment				
Name	Address	ID/FEI	Business Operations	
GL Pharm Co Ltd		694506955	manufacture(74713-0002)	

Revised: 4/2020 GL Pharm Co Ltd