PERSONAL CLEANSING WITH DIMETHICONE- dimethicone cloth Cardinal Health 200, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Personal Cleansing Cloth with Dimethicone

Drug Facts

Active Ingredient

Dimethicone 3.2%

Purpose

Skin Protectant

Uses

- temporarily protects and helps relieve chapped or cracked skin
- helps prevent perineal dermatitis
- protects minor skin irritation associated with perineal dermatitis

Warnings

For external use only

When using this product

• Avoid direct contact with the eyes

Stop use and contact a physician

- if condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact Posion Control Center right away.

- Discontinue if irritation or redness develops
- Gloves diminish sensitivity to heat
- Closely monitor heat level with infants, unresponsive or skin sensitive individuals

Do not use

- On deep or puncture wounds
- Animal bites
- Serious burns

Directions

- Pull back label and remove wipes
- Thoroughly cleanse soiled area, using one wipe at a time
- Use as often as necessary
- Dispose of cloths in a waste receptacle

• Do not flush

Warming Instructions:

- Wipes may be used at room temperature but if heating is desired, wipes may be warmed in a wipes warmer. Wipes should be warmed:
- In a single warming session at temperatures not exceeding 52°C (125°F) and
- for a maximum of 200 hours. Discard wipes that have been:
- Exposed to warming temperatures exceeding 52°C (125°F); or
- Stored longer than 200 hours within the warmer; or
- Been warmed, allowed to cool, and then re-warmed


Other Information

When not in a warmer, store between 15-30°C (59-86°F).


Inactive Ingredients

Aqua, Glycerin, PPG-15 Stearyl Ether, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Aloe Barbadensis Leaf Extract, Caprylyl Glycol, Cetearyl Alcohol, Xanthan Gum

Package Labeling:



NDC 63517-125-21



Active Ingredient Purpose Dimethicone 3.2%Skin Protectant
Uses = temporarily protects and helps relieve chapped or cracked skin = helps prevent perineal dermatitis = protects minor skin initiation associated with perineal dermatitis
Warnings For external use only When using this product I avoid contact with the eyes Stop use and contact a physician If condition worsens symptoms last more than 7 days or clear up and occur again within a few days. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away. Discontinue if irritation or redness develops Gloves diminish sensitivity to heat Closely monitor heat level with infants, unresponsive or skin sensitive individuals Do not use On deep or puncture wounds Animal bites Serious burns
 Directions Pull back label and remove wipes Thoroughly cleanse solled area, using one wipe at a time Use as often as necessary Dispose of cloths in a waste receptacle Do not flush Warming Instructions: Wipes may be used at room temperature but if heating is desired, wipes may be warmed in a wipes warmer. Wipes should be warmed: In a single warming session at temperatures not exceeding 52°C (125°F) and = for a maximum of 200 hours Discard wipes that have been: Exposed to warming temperatures exceeding 52°C (125°F); or Stored longer than 200 hours within the warmer; or = Been warmed, allowed to cool, and then re-warmed.
Other Information When not in a warmer, store between 15-30°C (59-86°F).

Inactive Ingredients



Caractéristiques du produit

Fonction de l'ingrédient actif

Diméticone 3,2 %.....Barrière cutanée

Usage = Soulage et prévient les gerçures et les fissures de la peau = Aide à prévenir la dermatite périnéale

Prévient les irritation mineures de la peau associées à la dermatite périnéale

Mise en garde Pour usage externe seulement

Lors de l'usage de ce produit

Éviter tout contact avec les yeux

Cesser l'utilisation et contacter un médecin

Si la condition s'aggrave

Les symptômes durent plus de 7 jours ou s'estompent et réapparaissent après quelques jours.

Garder hors de la portée des enfants.

Si ingéré, consulter immédiatement un médecin ou le Centre anti-poison.

En cas d'irritation ou de rougeurs, cesser l'utilisation

Les gants diminuent la sensibilité à la chaleur

Bien vérifier la température avant d'utiliser sur les nourrissons, les personnes inconscientes ou sur les peaux sensibles

Ne pas utiliser = Sur une plale profonde ou punctiforme = La morsure d'un animal = Une bruiure sévère

Mode d'emploi

Ouvrir la pochette et retirer les lingettes

- Bien nettoyer les endroits soulliés, utiliser une lingette à la fois
 Répéter au besoin
- Jeter les lingettes soulliées dans une poubelle
 Ne pas jeter dans les tollettes

Pour réchauffer : Les lingettes peuvent être utilisées à la température ambiante, mais les lingettes peuvent être réchauffées dans un chauffe-lingette, si désiré.

Mode de chauffage : ■ Réchauffer une seule fois à une température inférieure à 52 °C (125 °F) et ■ Pendant 200 heures maximum.

■ Pendant 200 neures maximum. Jeter les lingettes : ■ Exposées à une

température supérieure à 52 °C (125 °F) ou

■ Laissées plus de 200 heures dans le

chauffe-lingette, ou

Si déjà chauffées, laisser refroidir, avant de les chauffer de nouveau.

Autre information

Lorsque les lingettes ne sont pas dans le chauffe-lingette, entreposez-les à une température de 15-30 °C (59-86 °F).

Ingrédients inactifs

eau, glycérine, PPG-15 stearyl ether, stéarate de glyceryl, stéarate du PEG-100, phénoxyéthanol, Gel d'alos vera, caprylyl glycol, alcool cétéarylique, gomme de xanthan

PERSONAL CLEANSING WITH DIMETHICONE

dimethicone cloth

Product Information

Product Type

HUMAN OTC DRUG

NDC:63517-125

Route	of Administration	
-------	-------------------	--

Active Ingredient/Active Moiety								
	Ingredient Name		Basis of Stre	ıgth Str	Strength			
DIMETHICO NE (UNI	I: 92R	U3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	32 mg	in 1 mL			
Inactive Ingredi	ents							
		Ingredient Name		Stren	ıgth			
WATER (UNII: 059QI	F0KO	DR)						
GLYCERIN (UNII: PD								
PPG-15 STEARYL ETHER (UNII: 1II18 XLS1L)								
GLYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4)								
PEG-100 STEARATE (UNII: YD01N1999R)								
PHENO XYETHANO I	L (UNI	II: HIE492ZZ3T)						
ALOE VERA LEAF (UNII: Z	ZY8 1Z8 3H0 X)						
CAPRYLYL GLYCO	L (UN	III: 00 YIU5438 U)						
CETOSTEARYL AL								
XANTHAN GUM (UNII: TTV12P4NEE)								
Packaging								
# Item Code		Package Description	Marketing Start Date	Marketing H	End Date			
1 NDC:63517-125-21	18 in	1 PACKET	05/15/2019					
1	1 in 1 POUCH							
1	10.34 mL in 1 PATCH; Type 0: Not a Combination Product							
Marketing Information								
Marketing Catego	ory	Application Number or Monograph Citation	Marketing Start Date	Marketing E	End Date			
OTC monograph not final		part356	0 5/15/20 19					

Labeler - Cardinal Health 200, Inc (961027315)

Revised: 1/2020

Cardinal Health 200, Inc