

**WESTERN FAMILY ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**

**Western Family Foods Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Western Family®**

**Antibiotic Plus Pain Relief**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	Topical analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week

**Ask a doctor before use**

- on deep or puncture wounds, animal bites, or serious burns

**Stop use and ask a doctor if**

- condition gets worse
- condition persists for more than 7 days
- condition clears up and occurs again within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the

area 1 to 3 times daily

- may be covered with a sterile bandage

Children under 2 years of age: consult a doctor

**Other information**

- store at controlled room temperature
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

**Questions?**

Call 1-866-923-4914

Distributed By:

**Western Family Foods, Inc.**

P.O. Box 4057, Portland, OR 97208

**PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton**

***Antibiotic***

***CREAM + PAIN RELIEF***

(Neomycin Sulfate  
Polymyxin B Sulfate-Pramoxine HCl)

NET WT 1/2 OZ

(14.2g)

***First Aid Antibiotic/Topical Pain Reliever***

**Maximum Strength**

COMPARE TO THE ACTIVE INGREDIENTS OF NEOSPORIN®-PLUS\*



**Prevents Infection  
AND  
Soothes Painful  
Cuts, Scrapes  
& Burns**

**Our product combines a topical pain reliever with two maximum strength antibiotics widely recommended by physicians.**

LPK-5253-2  
0609-2  
M187

T 27

# Antibiotic CREAM + PAIN RELIEF

(Neomycin Sulfate Polymyxin B Sulfate-Pramoxine HCl)

NET WT 1/2 OZ (14.2g)

First Aid Antibiotic/Topical Pain Reliever



**Antibiotic CREAM + PAIN RELIEF**



05690-B-TARO

© Copyright 2010 Western Family Inc.  
P.O. Box 4057, Antwerp, OH 42028  
Western Family Foods, Inc.  
Proudly Distilled by:  
Satisfaction Guaranteed



**Drug Facts (continued)**  
**Other information**  
• see carton or tube crimp for lot number and expiration date  
• store at controlled room temperature  
**Inactive ingredients** emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum  
**Questions?** Call 1-866-923-4914

**Drug Facts**  
**Active ingredients (each gram contains)**  
Neomycin sulfate 3.5 mg  
Polymyxin B sulfate 10,000 units  
Pramoxine hydrochloride 10 mg  
**Purpose**  
First aid antibiotic  
Topical analgesic  
**Uses**  
first aid to help prevent infection and for the temporary relief of pain or discomfort in  
minor cuts • scrapes • burns  
**Warnings**  
For external use only  
Do not use • in the eyes • over large areas of the body  
if you are allergic to any of the ingredients • longer than 1 week  
Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns  
Stop use and ask a doctor if  
• condition gets worse  
• condition persists for more than 7 days  
• condition clears up and occurs again within a few days  
• rash or other allergic reaction develops  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
Children under 2 years of age: consult a doctor

**WESTERN FAMILY ANTIBIOTIC PLUS PAIN RELIEF**  
neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55312-076
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55312-076-01	1 in 1 CARTON		
1		14.2 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	03/21/2012	

**Labeler** - Western Family Foods Inc (192166072)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(55312-076)