CAMELLIA MULTIACTION UV SUN SERUM- titanium dioxide, octinoxate cream AMAROS CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredients: Titanium Dioxide 4.7%, Ethylhexyl Methoxycinnamate 3.5%

INACTIVE INGREDIENT

Inactive Ingredients: Water, Cyclopentasiloxane/ Cyclohexasiloxane, Butylene Glycol, Isododecane/Disteardimonium Hectorite/ Propylene Carbonate, Caprylic /Capric Triglyceride, Cetyl PEG/PPG-10/ Dimethicone, Isonol Isononanoate, Sorbitol, Dimethicone, Arbutin, Polyglyceryl-4 Isostearate, Sorbitan Sesquioleate, Sodium Chloride, Sodium PCA, Zinc Stearate, Morus Alba Bark Extract, Silica Dimethyl Silytate, Ozokerite, Centella Asiatica Extract, Camellia Sinensis Leaf Extract, Aloe Barbadensis Leaf Juice, Caprylyl Glycol, Caprylhydroxamic Acid, Allantoin, Tocopheryl Acetate, Adenosine, Disodium EDTA, CI 77492, Fragrance.

PURPOSE

Purpose: Sun Screen (UV SPF45/PA++)

WARNINGS

Warnings: 1. In case of having following symptoms after using this product, you're advised to stop using it immediately. If you keep using it, the symptoms will get worse and need to consult a dermatologist. 1) In case of having problems such as red rash, swollenness, itching, stimulation during usage. 2) In case of having the same symptoms above on the part you put this product on by direct sunlight. 2. You are banned to use it on the part where you have a scar, eczema, or dermatitis. 3. In case of getting it into your eyes, you have to wash it immediately.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children: Keep out of reach of babies and children.

INDICATIONS AND USAGE

Indication and Usage: 1. Tighten the lid after using it. 2. Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight. 3. Use it in the morning or evening.

DOSAGE AND ADMINISTRATION

Dosage and Administration: Apply this product on washed face at least 1-3 minutes before going outside. Evenly apply an appropriate amount on face or body, allowing to serum to be absorbed into skin.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



CERTIFICATION
TRIPLE FUNCTIONALITY



O.H.L Camellia Multiaction UV Sun Serum

Keep out of reach of children: Keep out of reach of babies and children,

Indication & Usage : 1, Tighten the lid after using it, 2, Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight.3, Use it in the morning or evening.

Dosage & Administration : Apply this product on washed face at least 1–3 minutes before going outside, Evenly apply an appropriate amount on face or body, allowingto serum to be absorbed into skin,

MANUFACTURER: AMAROS Co.,Ltd., www.amaros.co.kr
INTERNATIONAL DISTRBUTOR: JNL Co.,Ltd., www.jnlbio.com
905, 434-6 Byeoksan-Technopia Bidig., Sangdaewon-Dong,
Jungwon-Gu, Seongnam-City, Gyeonggil-Province, Republic of South
Korna.





Customer Service Center Information In case of product badness found, we fully compensate it under the government law of Customer Compensation Association For the Loss Customer Consultant Center Phone No :+82_80_079_5000

MADE IN KOREA

O.H.L

Camellia Multiaction UV Sun Serum

Camellia Multi - Action UV Sun Serum

Active Ingredients: Titanium Dioxide 4,7%, Ethylhexyl Methoxycinnamate 3,5%

Inactive Ingredients: Water, Cyclopentasiloxane/
Cycloheasiloxane, Butyleine Glycol, Isododecare/Disteardimonium
Heclaride/Propolene Carbonale, Capyrile/Capric Trighyceride, Cetyl
PEG/PPG-10/ Dimethicone, Isonol Isononamoate, Sorbitol,
Dimethicone, Arbutin, Polyglycenyf-4 Isostearate, Sorbitol,
Dimethicone, Arbutin, Polyglycenyf-4 Isostearate, Sorbitol,
Sesquideate, Sodium Chloride, Sodium PCA, Zinc Stearate, Morus
Alba Bark Ebrach, Silica Dimethyl Stylate, Ozokentie, Centella Asiatica
Estract, Camellia Sinensis Leaf Estract, Aloe Barbadensis Leaf Julice,
Capylyl Glycol, Capyrlydrovamic Acid, Allantoin, Tocopheryl
Acetate, Adenosine, Disodium EDTA, Cl 77492, Fragance,

Purpose: Sun Screen (UV SPF45/PA++)

Warnings: 1. In case of having following symptoms after using this product, you" in advised to stop using it immediately. If you keep using it, the symptoms will get wome and need to consult a dematicoligit. 1 This case of having problems such as red rash, swollenness, lichting, simulation during usage, 2 Ilin case of having wellenness, lichting, simulation during usage, 2 Ilin case of having was less same symptoms above on the part you gut this product on by direct sunight. 2 You are barned to use it no the part where you have a scar, eczema, or dematifis, 3 th case of getting it into your eyes, you have to wash it immediately.

Triple Functionality whitening / wrinkle / Sunblock

KEDA

CERTIFICATION TRIPLE FUNCTIONALITY CAMELLIA MULTIACTION
UV Sun Serum



whitening / wrinkle / Sunblock

CERTIFICATION TRIPLE FUNCTIONALITY

40ml

CAMELLIA MULTIACTION UV SUN SERUM

titanium dioxide, octinoxate cream

| rioualt Type howard of blood field Code (Source) | Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:60899-030 |
|--|--------------|----------------|--------------------|---------------|
|--|--------------|----------------|--------------------|---------------|

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| - real of real content of the real content of | | | | |
|---|-------------------|------------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| Titanium Dioxide (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP) | Titanium Dioxide | 1.88 mg in 40 mL | | |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 1.4 mg in 40 mL | | |

Inactive Ingredients

| mactive ingreatents | |
|------------------------------------|----------|
| Ingredient Name | Strength |
| Water (UNII: 059QF0KO0R) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |

Packaging

| | 0 0 | | | |
|---|------------------|--|-----------------------------|---------------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC-60900 020 01 | 40 mL in 1 CAPTON: Type 0: Not a Combination Product | 0.0 /0.1/20.12 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
|-------------------------|--|----------------------|--------------------|--|
| OTC monograph not final | part352 | 09/01/2013 | | |
| | | | | |

Labeler - AMAROS CO., LTD. (690338801)

Registrant - AMAROS CO., LTD. (690338801)

| Establishment | | | | |
|------------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| AMAROS CO., LTD. | | 690338801 | manufacture(60899-030) | |

Revised: 4/2019 AMAROS CO., LTD.