

QUICK-DRYING HAND SANITIZER- hand sanitizer liquid
Shandong Kehong Medical Technology Co.,Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient(s)

Isopropyl Alcohol 75%,Chlorhexidine Gluconate 1.1%

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

water

Packaging Labels - Main Display Panel

海仕康™

外

**速干免洗
手皮肤消毒液**

QUICK-DRYING HAND & SKIN WATERLESS DISINFECTANT

【主要有效成分及含量】本品是以葡萄糖酸氯己定和乙醇为主要有效成分的消毒液，其中葡萄糖酸氯己定含量为0.9% - 1.1% (W/V)，乙醇含量为67.0% - 77.0% (V/V)。

【剂 型】液体

【杀灭微生物类别】可杀灭肠道致病菌、化脓性球菌、致病性酵母菌和医院感染常见细菌。

【使用范围】1. 卫生手消毒。2. 外科手消毒。3. 完整皮肤消毒。

【使用方法】

1. 外科手消毒：用皂液将双手及前臂洗净擦干后，取本品约5ml，按《消毒技术规范》规定的洗手方法均匀搓擦双手及前臂3分钟，即可戴无菌手套。
2. 卫生手消毒：用本品适量擦拭或喷雾双手，搓擦至干，作用1分钟。
3. 注射、输液前等局部皮肤消毒：擦拭或直接喷雾于待消毒部位1-2次，作用1分钟以上。
4. 手术前手术部位完整皮肤消毒：按规范要求术前准备，用无菌纱布蘸取原液均匀涂擦手术部位皮肤2次或用原液直接喷雾于待消毒部位2次，作用2-3分钟，干燥后即可贴无菌手术膜或铺无菌手术巾。

【注意事项】1. 本品为外用消毒剂，不得口服，置于儿童不易触及处。
2. 对氯己定、乙醇过敏者禁用。
3. 本品含有乙醇，对破损皮肤有刺激性。
4. 手术部位皮肤消毒时，必须待消毒剂干燥后再进行下一步治疗。特别是使用高频电刀时，严防引起燃烧。
5. 密闭，置于避光、阴凉、通风处保存。

【有 效 期】24个月。

【执行标准】Q/371402SDKH 007

【生产单位名称】山东科宏医疗科技有限公司

【生产单位地址】山东省德州市经济技术开发区袁桥镇东方红路6569号

【生产企业卫生许可证号】鲁卫消证字(2019)第1302号

【生产单位电话】0534-2368118

【生产单位邮编】253000

【生产日期】见瓶体

【生产批号】见瓶体

【有效期至】见瓶体

净含量: **500ml**

山东科宏医疗科技有限公司
SHANDONG KEHONG MEDICAL TECHNOLOGY CO., LTD

6 972198 970288

QUICK-DRYING HAND SANITIZER

hand sanitizer liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75244-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	1.1 g in 100 g
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	75 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75244-001-01	100 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2020	
2	NDC:75244-001-02	500 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2020	
3	NDC:75244-001-03	1000 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	04/14/2020	

Labeler - Shandong Kehong Medical Technology Co.,Ltd. (554527496)

Establishment

Name	Address	ID/FEI	Business Operations
Shandong Kehong Medical Technology Co.,Ltd		554527496	manufacture(75244-001)

Revised: 4/2020

Shandong Kehong Medical Technology Co.,Ltd.