

**ULTRASOL SUNSCREEN SPF45- avobenzone, homosalate, octinoxate, octisalate, octocrylene, oxybenzone aerosol, spray  
Fischer Pharmaceuticals Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dr. Fischer ULTRASOL Sunscreen Spray Lotion SPF45**

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 2.5%, Homosalate 5.0%, Octinoxate 7.5%, Octisalate 5.0%, Octocrylene 9.0%, Oxybenzone 5.0% .....	Sunscreen

**Uses**

- helps prevent sunburn • higher SPF gives more sunburn protection
- helps protect the skin against the harmful effects of UVA and UVB rays
- retains SPF after 80 minutes of activity in the water or sweating

**Warnings**

For external use only

**When using this product**

- avoid contact with the eyes. If contact occurs rinse thoroughly with water
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F

**Stop use and ask a doctor if**

rash or irritation develops and lasts.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

- apply generously and evenly to all exposed areas before sun exposure
- reapply as needed or after towel drying, swimming, perspiring or vigorous activity • children under 6 months of age: ask a doctor
- do not spray directly on face. Spray into hands and apply to face
- use in well-ventilated areas

**Other Information**

- may stain some fabrics
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful

effects of the sun.

### **Inactive Ingredients**

Acrylate/C10-30 Alkyl Acrylate Crosspolymer, Aminomethyl Propanol, Butylparaben, Camellia Sinensis Leaf Extract, Cetyl Dimethicone, Chamomilla Recutita (Matricaria) Extract, Chlorphenesin, Dicaprylyl Ether, Disodium EDTA, Ethylparaben, Fragrance, Glycerin, Menthyl Lactate, Methylparaben, Panthenol, Phenoxyethanol, Potassium Cetyl Phosphate, Propylparaben, Sorbitan Oleate, Tocopheryl Acetate, VP/Eicosene Copolymer, Water.

### **Questions or Comments?**

Call 1-877-212-1985 Mon-Fri

Dr. Fischer ULTRASOL

Lotion CONTINUOUS SPRAY

Sunscreen Spray Lotion SPF45

Broad Spectrum UVA and UVB Protection

Dermatologist Recommended

SCIENCE INSIDE™ SUPERIOR SUN TECHNOLOGY

VERY WATER RESISTANT

Hypoallergenic

Non-irritating

RECOMMENDED SKIN CANCER FOUNDATION

200 ML. 6.77 FL. OZ.

FISCHER PHARMACEUTICALS

CONTAINS NO CFCs WHICH DEplete THE OZONE LAYER

24m

NO ANIMAL TESTING NO ANIMAL INGREDIENTS

Manufactured by:

Fischer Pharmaceuticals Ltd.

Bnei Brak, Israel, 51553

Made in Israel

[www.dr-fischer.com](http://www.dr-fischer.com)

FISCHER PHARMACEUTICALS

Dr. Fischer - Tried and Tested

Lotion  
CONTINUOUS SPRAY



## Sunscreen Spray Lotion

Broad Spectrum  
**UVA & UVB**  
Protection

Dermatologist  
Recommended



**VERY WATER  
RESISTANT**

Hypoallergenic  
Non-Irritating

200 ML. 6.77 FL. OZ.



## 45 SPF Sunscreen Lotion Lotion - Continuous Spray

### Drug Facts

Active Ingredients	Purpose
Avobenzene 2.5%, Homosalate 5.0%, Octinoxate 7.5%, Octisalate 5.0%, Octocrylene 9.0%, Oxybenzone 5.0%	Sunscreen

**Uses** - helps prevent sunburn - higher SPF gives more sunburn protection  
- helps protect the skin against the harmful effects of UVA and UVB rays  
- retains SPF after 80 minutes of activity in the water or sweating

### Warnings

#### For external use only

**When using this product** - avoid contact with the eyes. If contact occurs rinse thoroughly with water

- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F

**Stop use and ask a doctor** if rash or irritation develops and lasts.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

### Directions

- apply generously and evenly to all exposed areas before sun exposure
- reapply as needed or after towel drying, swimming, perspiring or vigorous activity
- children under 6 months of age: ask a doctor
- do not spray directly on face. Spray into hands and apply to face
- use in well-ventilated areas

### Other Information

- may stain some fabrics
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

### Inactive Ingredients

Acrylate/C10-30 Alkyl Acrylate Crosspolymer, Aminomethyl Propanol, Butylparaben, Camellia Sinensis Leaf Extract, Cetyl Dimethicone, Chamomilla Recutita (Matricaria) Extract, Chlorphenesin, Dicaprylyl Ether, Disodium EDTA, Ethylparaben, Fragrance, Glycerin, Menthyl Lactate, Methylparaben, Panthenol, Phenoxyethanol, Potassium Cetyl Phosphate, Propylparaben, Sorbitan Oleate, Tocopheryl Acetate, VP/Eicosene Copolymer, Water.

**Questions or Comments?** Call 1-877-212-1985 Mon-Fri



1109 67070

Manufactured by:  
Fischer Pharmaceuticals Ltd.  
Bnei Brak, Israel, 51553  
Made in Israel  
www.dr-fischer.com

0 96525 20016 3

FISCHER PHARMACEUTICALS

Dr. Fischer - Tried & Tested

C M K Pantone 012c Pantone 021c Pantone 2747 Opaque White

## ULTRASOL SUNSCREEN SPF45

avobenzene, homosalate, octinoxate, octisalate, octocrylene, oxybenzone aerosol, spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59886-352
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
Avobenzonone (UNII: G63QQF2NOX) (Avobenzonone - UNII:G63QQF2NOX)		Avobenzonone	2.5 g in 100 g	
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)		Homosalate	5 g in 100 g	
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)		Octinoxate	7.5 g in 100 g	
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)		Octisalate	5 g in 100 g	
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)		Octocrylene	9 g in 100 g	
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)		Oxybenzone	5 g in 100 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
Butylparaben (UNII: 3QPI1U3FV8)				
Chlorphenesin (UNII: I670DAL4SZ)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
Ethylparaben (UNII: 14255EXE39)				
Glycerin (UNII: PDC6A3C0OX)				
Methylparaben (UNII: A2I8C7HI9T)				
Panthenol (UNII: WV9CM0O67Z)				
Phenoxyethanol (UNII: HIE492ZZ3T)				
Propylparaben (UNII: Z8IX2SC1OH)				
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
Water (UNII: 059QF0K00R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59886-352-66	200 g in 1 CAN		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	06/10/2010		

**Labeler** - Fischer Pharmaceuticals Ltd (600158976)

### Establishment

Name	Address	ID/FEI	Business Operations
Fischer Pharmaceuticals Ltd		600158976	manufacture