

**CLOTRIMAZOLE CREAM 1%- clotrimazole cream 1% cream**  
**SOLA Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Clotrimazole Cream 1% - Antifungal Cream**

**Active Ingredient**

Clotrimazole 1%

**Purpose**

Antifungal

**Usage**

- For External treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis).
- Relieves itching, cracking scaling irritation and chafing associated with these conditions.

**Warnings**

**Do not use on children under 2 years of age unless directed by a doctor.**

**For external use only.**

**Avoid contact with eyes.**

If irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch), discontinue use and consult a doctor.

**Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

**Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

**Directions**

- Clean the affected area and dry thoroughly. Apply a layer of cream over the affected area twice daily morning and night or as directed by doctor.
- Supervise children in the use of this product.
- For athlete's foot pay special attention to the spaces between toes. Wear well fitting ventilated shoes and change shoes and socks at least once daily.
- For athlete's foot and ringworm use daily for 4 weeks.
- For jock itch use daily for 2 weeks.
- If condition persists longer consult a doctor.
- This product is not effective on scalp or nails.

**Inactive Ingredients**

Cetomacragol 1000, Cetostearyl alcohol, Liquid paraffin, Methyl Paraben, Propyl paraben, Propylene glycol, Purified water, White soft paraffin.

**Other Information**

- Store between 20°C and 25°C (68°F and 77°F)

Questions or comments?

Call 1-866-747-7365

**Package Display Panel**

Questions or comments?

Call 1-866-747-7365

Manufactured for : SOLA Pharmaceuticals

Baton Rouge, LA 70810

Store in a dry, cool place

For Comments or Questions, call 866-747-7365

Clotrimazole 1% Cream

NDC 70512-100-30

Qty: 28.4g

NDC 70512 -0100-30

Anti-fungal

# Clotrimazole

CREAM USP, 1%

Compare to the active ingredient of Lotrimin®\*



**CURES MOST ATHLETE'S FOOT**

Relieves Itching & Burning  
Greaseless & Non Staining

Clotrimazole

CREAM USP, 1%



# Clotrimazole

CREAM USP, 1%

Anti-fungal

NET WT. 1 OZ. (28.4 G)

Clotrimazole

CREAM USP, 1%

\*This product is not manufactured or distributed by MSD Consumer Care, Inc. Owner of the registered trademark Lotrimin AP®.



Manufactured for:  
SOLA PHARMACEUTICALS  
Bosch Rouge, LA 70810

**Drug Facts (Continued)**  
**Inactive Ingredients:** Cetalamcragol 1000, Colostearyl alcohol, Liquid paraffin, Methyl Paraben, Propyl Paraben, Propylene Glycol, Purified water, White soft paraffin.  
**Questions or comments?** Call 1-866-747-7365.

<p><b>Drug Facts (Continued)</b></p> <p><b>Directions:</b> Clean the affected area and dry thoroughly. Apply a layer of cream over the affected area twice daily morning and night or as directed by doctor.</p> <p><b>Warnings</b> Do not use on children under 2 years of age unless directed by a doctor. For external use only. Avoid contact with eyes. If irritation occurs or if there is no improvement within 4 weeks (or athlete's foot or ringworm) or 2 weeks (for jock itch), discontinue use and consult a doctor. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.</p> <p><b>Other information</b> ■ store between 20°C and 25°C (68°F and 77°F) ■ This product is not effective on scalp and nails. ■ If condition persists longer consult a doctor. ■ For jock itch use daily for 2 weeks. ■ For athlete's foot and ringworm use daily for 4 weeks. ■ Wear well fitting ventilated shoes and change shoes and socks at least once daily. ■ Supervise children in the use of this product. ■ For athlete's foot pay special attention to spaces between toes.</p>	<p><b>Drug Facts</b></p> <p><b>Active Ingredient</b> Clotrimazole, USP 1% Antifungal</p> <p><b>Purpose</b> Antifungal</p> <p><b>Uses:</b> For external treatment of most athlete's foot (tinea pedis) jock itch (tinea cruris), Ringworm (tinea corporis). Relieves itching, cracking scaling irritation and chafing associated with these conditions.</p> <p><b>Warnings</b> Do not use on children under 2 years of age unless directed by a doctor. For external use only. Avoid contact with eyes. If irritation occurs or if there is no improvement within 4 weeks (or athlete's foot or ringworm) or 2 weeks (for jock itch), discontinue use and consult a doctor. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.</p>
---	---

Cures Most Athlete's Foot

CREAM USP, 1%

# Clotrimazole



Relieves Itching & Burning

NDC 70512 -0100-30

Anti-fungal

# Clotrimazole

CREAM USP, 1%

Compare to the active ingredient of Lotrimin®\*

TREATS ATHLETE'S FOOT, JOCK ITCH, & RINGWORM

Relieves Itching & Burning  
Greaseless & Non Staining

Clotrimazole

CREAM USP, 1%



# Clotrimazole

CREAM USP, 1%

Anti-fungal

NET WT. 1 OZ. (28.4 G)

Clotrimazole

CREAM USP, 1%

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., Owner of the registered trademark Lotrimin AF®.



Manufactured for:  
SOLA PHARMACEUTICALS  
Baton Rouge, LA 70810

**Drug Facts (Continued)**  
**Inactive Ingredients:** Camphor, 100, Capsaicin, Liquid paraffin, Methyl Paraben, Propyl Paraben, Propylene Glycol, Purified water, White soft paraffin.  
**Questions or comments?** Call 1-866-747-7365.

<p><b>Drug Facts (Continued)</b></p> <p><b>Directions:</b> Clean the affected area and dry thoroughly. Apply a layer of cream over the affected area twice daily morning and night or as directed by doctor.</p> <p>Supervise children in the use of this product.</p> <p>For athlete's foot pay special attention to spaces between toes. Wear well fitting ventilated shoes and change shoes and socks at least once daily.</p> <p>For athlete's foot and ringworm use daily for 4 weeks.</p> <p>For jock itch use daily for 2 weeks.</p> <p>If condition persists longer consult a doctor.</p> <p>This product is not effective on scalp and nails.</p> <p><b>Other information</b> ■ store between 20°C and 25°C (68°F and 77°F)</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Clotrimazole, USP 1%,.....Antifungal</p> <p><b>Purpose</b> Antifungal</p> <p><b>Warnings</b> ■ For external treatment of most athlete's foot (tinea pedis) jock itch (tinea cruris), Ringworm (tinea corporis). ■ Relieves itching, cracking scaling irritation and chafing associated with these conditions.</p> <p>Do not use on children under 7 years of age unless directed by a doctor.</p> <p>■ For external use only</p> <p>■ Avoid contact with eyes.</p> <p>■ If irritation occurs or there is no improvement within 4 weeks for athlete's foot or ringworm) or 2 weeks (for jock itch), discontinue use and consult a doctor.</p> <p>■ Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.</p>
--	---

# Clotrimazole

CREAM USP, 1%



Relieves Itching & Burning

NDC 70512-0100-30

TREATS ATHLETE'S FOOT,  
JOCK ITCH, & RINGWORM

# Clotrimazole

CREAM USP, 1%

Anti-fungal

NET WT. 1 OZ. (28.4 G)

8X3mm

## Drug Facts

### Active ingredient

Clotrimazole, USP 1%

### Purpose

Antifungal

**Uses:** ■ For external treatment of most athlete's foot (tinea pedis) jock itch (tinea cruris), Ringworm (tinea corporis). ■ Relieves itching, cracking scaling irritation and chafing associated with these conditions. **Warnings** ■ **Do not use on children under 2 years of age unless directed by a doctor.** ■ **For external use only** ■ **Avoid contact with eyes.** ■ If irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch), discontinue use and consult a doctor. ■ **Keep this and all drugs out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away. **Directions:** ■ Clean the affected area and dry thoroughly. Apply a layer of cream over the affected area twice daily morning and night or as directed by doctor. ■ Supervise children in the use of this product. ■ For athlete's foot pay special attention to spaces between toes. Wear well fitting ventilated shoes and change shoes and socks at least once daily. ■ For athlete's foot and ringworm use daily for 4 weeks. ■ For jock itch use daily for 2 weeks. ■ If condition persists longer consult a doctor. ■ This product is not effective on scalp and nails. **Other information** ■ store between 20°C and 25°C (68°F and 77°F) **Inactive ingredients:** Cetamacragol 1000, Cetostearyl alcohol, Liquid paraffin, Methyl Paraben, Propyl Paraben, Propylene Glycol, Purified water, White soft paraffin. **Questions or comments?** Call 1-866-747-7365.

Manufactured for: SOLA Pharmaceuticals, Baton Rouge, LA 70810

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., Owner of the registered trademark Lotrimin AF®.

1mm

SR

## CLOTRIMAZOLE CREAM 1%

clotrimazole cream 1% cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70512-100
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
CETETH-20 (UNII: I835H2IHHX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:70512-100-30	1 in 1 CARTON	04/14/2020	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	04/14/2020	

**Labeler** - SOLA Pharmaceuticals (080121345)

Revised: 4/2020

SOLA Pharmaceuticals