DISPOSABLE DISINFECTANT- disposable spray disinfectant spray Hunan Cihui Medical Technology Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Disposable Spray Disinfectant

Active Ingredients

Polyhexamethylene biguanidine(0.4%).

Purpose

Antimicrobial disinfectant

Uses

Warnings

Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding 80% and no corrosive gases.

Directions

- 1,Total skin disinfection:apply directly to skin,either by spraying or wiping, for 1 minute
- 2, Mucous membrane disinfection (not suitable for use on vaginal mucosa);
- 2.1,Rinse oral cavity using the undiluted solution for 1 minute.Rinse mouth out with water after disinfecting.
- 2.2, Apply directly to the membrane and rub into the surface for one minute.
- 3, Hand sanitizing [Apply directly to hands, either by spraying or wiping, and rub in for 1 minute.
- 4,Hand sanitizing for surgical purposes Apply directly to hands, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.
- 5,Disinfecting the surfaces of objects Apply directly to the surface, either by spraying or wiping, for 10 minutes.

Other information

- 1, If there is any precipitation observed as a result of the storage process, this is a normal phenomenon and does not affect the product's efficacy.
- 2, For external use only, oral administration is strictly prohibited.
- 3. Please keep the product out of reach of children.
- 4, When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.
- 5, Do not use if any allergies against polyhexamethylene biguanidene are known, people with allergies should use with caution.

- 6,This product cannot be used together with soap or other anionic detergents.
- 7, This product has a moderately corrosive effect on carbon steel, but is suitable for the disinfection of copper,

stainless steel, aluminum, and ceramic surfaces.

INACTIVE INGREDIENTS

Water, citric acid, aromatics, alcohol.

Package Label - Principal Display Panel



500ml







1.7Floz/50ml

Hunan Cihui Medical Technology Co.Ltd

Instructions for 哈爱士® Disposable Spray Disinfectant

[Product Name] Disposable Spray Disinfectant [Active Ingredients] Polyhexamethylene biguanidine (0.4%) [Purpose] Antimicrobial disinfectant [Specification] 50ml

[Specinication] Joini [Scope of Application] Suitable for use on skin, mucous membranes, hands, and the surfaces of hard objects. [Antibacterial Category] The product can kill pyogenic coccus, enteropathogenic bacteria, pathogenic yeast fungi, and other bacteria commonly found in hospitals.

[Directions for Use]
1, Total skin disinfection: apply directly to skin, either by spraying or wiping, for 1 minute.
2, Mucous membrane disinfection (not suitable for use on vaginal mucosa):
2.1, Rinse oral cavity using the undiluted solution for 1 minute. Rinse mouth out with water after disinfecting.
2.2, Apply directly to the membrane and rub into the surface for one minute.
3, Hand sanitizing: Apply directly to hands, either by spraying or wiping, and rub in for 1 minute.
4, Hand sanitizing for surgical purposes: Apply directly to hands, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.
5, Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying or wiping, for 10 minutes. (Precautions)
1, If there is any precipitation observed as a result of the storage process, this is a normal phenomenon and does

[Precautions]
1. If there is any precipitation observed as a result of the storage process, this is a normal phenomenon and does not affect the product's efficacy.
2. For external use only, oral administration is strictly prohibited.
3. Please keep the product out of reach of children.
4. When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.
5. Do not use if any allergies against polyhexamethylene biguanidene are known, people with allergies should use with caution.
6. This product cannot be used together with soap or other anionic detergents.
7. This product has a moderately corrosive effect on carbon steel, but is suitable for the disinfection of copper, stainless steel, aluminum, and ceramic surfaces.
Storage Method J. Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding 80% and no corrosive gases.

[Storage Method] Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding 80% and no corrosive gases.

[Expiry Date] One year after date of production
[Sanitation License Number] (Hunan) Disinfectant Product Number (2016) No.0004.

[Product Standards Number] Q/AELQ 001-2016
[Inactive Ingredients] water, citric acid, aromatics, and alcohol.
[Manufacturing Enterprise/ Responsible Enterprise]

Hunan Cihui Medical Technology Co. Ltd.

[Production Address] 6/F, Building 3, Haiping Medical Equipment Park, No.229 Guyuan Road, High-tech Development Area, Changsha, Hunan Province, China.

[Contact Number] 0086-0731-88577028

Made in China

Made in China

20033001 20200330 Production Date **Expiration Date** 20210329





50_ml

Healthy®



2.4Floz/70ml

Hunan Cihui Medical Technology Co.Ltd

Instructions for 哈爱士® Disposable Spray Disinfectant

[Product Name] Disposable Spray Disinfectant
[Active Ingredients] Polyhexamethylene biguanidine (0.4%) [Purpose] Antimicrobial disinfectant
[Specification] 70ml
[Scope of Application] Suitable for use on skin, mucous membranes, hands, and the surfaces of hard objects.
[Antibacterial Category] The product can kill pyogenic coccus, enteropathogenic bacteria, pathogenic yeast fungi, and other bacteria commonly found in hospitals.

fungi, and other bacteria commonly found in hospitals.

[Directions for Use]

1. Total skin disinfection: apply directly to skin, either by spraying or wiping, for 1 minute.

2. Mucous membrane disinfection (not suitable for use on vaginal mucosa):

2.1. Rinse oral cavity using the undiluted solution for 1 minute. Rinse mouth out with water after disinfecting.

2.2. Apply directly to the membrane and rub into the surface for one minute.

3. Hand sanitizing: Apply directly to hands, either by spraying or wiping, and rub in for 1 minute.

4. Hand sanitizing for surgical purposes: Apply directly to hands, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.

5. Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying or wiping, for 10 minutes.

[Precautions]

5. Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying of wiping, for 10 minutes.

[Precautions]

1. If there is any precipitation observed as a result of the storage process, this is a normal phenomenon and does not affect the product's efficacy.

2. For external use only, oral administration is strictly prohibited.

3. Please keep the product out of reach of children.

4. When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.

4. When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.

5. Do not use if any allergies against polyhexamethylene biguanidene are known, people with allergies should use with caution.

6. This product cannot be used together with soap or other anionic detergents.

7. This product has a moderately corrosive effect on carbon steel, but is suitable for the disinfection of copper, stainless steel, aluminum, and ceramic surfaces.

[Storage Method] Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding 80% and no corrosive gases.

[Expir) Pate) One year after date of production

[Sanitation License Number] (Hunan) Disinfectant Product Number (2016) No.0004.

[Product Standards Number] Q/AELQ 001-2016

[Inactive Ingredients] water, citric acid, aromatics, and alcohol.

[Manufacturing Enterprise/ Responsible Enterprise]

Hunan Cihui Medical Technology Co. Ltd.

[Production Address] 6/F, Building 3, Haiping Medical Equipment Park, No.229 Guyuan Road, High-tech Development Area, Changsha, Hunan Province, China.

[Contact Number] 0066-0731-88577028

[Contact Number] 0086-0731-88577028 Made in China

20032901 Batch Number Production Date 20200329
Expiration Date 20210329 20210328





70ml



Instructions for 哈爱士® Disposable Spray Disinfectant

[Product Name] Disposable Spray Disinfectant
[Active Ingredients] Polyhexamethylene biguanidine (0.4%) [Purpose] Antimicrobial disinfectant
[Specification] 200ml
[Scope of Application] Suitable for use on skin, mucous membranes, hands, and the surfaces of hard objects.
[Antibacterial Category] The product can kill propeinic occus, senteropathogenic bacteria, pathogenic yeast
fungi, and other bacteria commonly found in hospitals.

Antibacterial Category) The product can kill progenic occus, enteropathogenic bacteria, pathogenic yeast fung. and other bacteria commonly found in hospitals.

Directions for Use)

1. Total skin disinfection sphy directly to skin, either by psaying or wijing, for 1 minute.

2. Mucous membrane disinfection sphy directly to skin, either by psaying or wijing, for 1 minute.

2. Allous membrane disinfection sphy directly to skin, either by psaying or wijing, for 1 minute.

2. Allous membrane disinfection sphy directly to skin, either by psaying or wijing, or 1 minute.

2. Alpoy directly to the membrane and rub into the surface for one minute.

3. Hand sanitizing Apply directly to hands, either by spraying or wijing, and rub in for 1 minute.

4. Hand sanitizing for surgical purposes: Apply directly to the surface, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.

5. Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.

5. Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying or wiping, for 10 minutes.

6. This product on observed as a result of the storage process, this is a normal phenomenon and does not affect the product's efficacy.

7. For external use only, oral administration is strictly prohibited.

8. Please keep the product out of reach of children.

8. When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.

5. Do not use find any allergies against polyhexamethylene biguanidene are known, people with allergies should use with toution.

6. This product cannot be used together with soap or other anionic detergents.

7. This product has a moderately corrosive effect on carbon stelle, but is suitable for the disinfection of copper, stainless steel, aluminum, and ceramic surfaces.

[Storage Method] Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding

 Batch Number
 20032701

 Production Date
 20200327

 Expiration Date
 20210326





200ml



Instructions for 哈爱士® Disposable Spray Disinfectant

[Product Name] Disposable Spray Disinfectant
[Active Ingredients] Polyhexamethylene biguanidine (0.4%) [Purpose] Antimicrobial disinfectant
[Specification] 250ml

[Secope of Application] Suitable for use on skin, mucous membranes, hands, and the surfaces of hard objects.

[Antibacterial Category] The product can kill pyogenic coccus, enteropathogenic bacteria, pathogenic yeast fungi, and other bacteria commonly found in hospitals.

- 1. Total skin disinfection: apply directly to skin, either by spraying or wiping, for 1 minute.
 2. Mucous membrane disinfection (not suitable for use on vaginal mucosa):
 2.1, Rinse oral cavity using the undiluted solution for 1 minute. Rinse mouth out with water after disinfecting.

- 2.1, knise or at carry using the unditudes obtained for influet. Rinse mouth out with water after disinfecting.
 2.2, Apply directly to the membrane and rub into the surface for one minute.
 3, Hand sanitizing: Apply directly to hands, either by spraying or wiping, and rub in for 1 minute.
 4, Hand sanitizing for surgical purposes: Apply directly to hands, either by spraying, wiping, or soaking in the undiluted solution, for 3 minutes.
- 5, Disinfecting the surfaces of objects: Apply directly to the surface, either by spraying or wiping, for 10 minutes.
- If there is any precipitation observed as a result of the storage process, this is a normal phenomenon and does
 not affect the product's efficacy.
 For external use only, oral administration is strictly prohibited.

- Please keep the product out of reach of children.
 When used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions.

- 4, when used for mucous membrane disinfection, this should be limited to diagnosis and treatment inside medical institutions. S, Do not use if any allergies against polyhexamethylene biguanidene are known, people with allergies should use with caution. 6, This product cannot be used together with soap or other anionic detergents.
 7, This product has a moderately corrosive effect on carbon steel, but is suitable for the disinfection of copper, stainless steel, aluminum, and ceramic surfaces.
 [Storage Method] Store in a cool, dry, well-ventilated and clean room with relative humidity not exceeding 80%

Tand no corrosive gases.

[Expiry Date] One year after date of production
[Sanitation License Number] (Hunan) Disinfectant Product Number (2016) No.0004.

[Product Standards Number] Q/AELQ 001-2016

[Inactive Ingredients] water, citric acid, aromatics, and alcohol. [Manufacturing Enterprise/ Responsible Enterprise]

Hunan Cihui Medical Technology Co. Ltd.

[Production Address] 6/F, Building 3, Haiping Medical Equipment Park, No.229 Guyuan Road, High-tech Development Area, Changsha, Hunan Province, China.

Contact Number 0086-0731-88577028 Made in China

Batch Number 20033101 Production Date 20200331 **Expiration Date** 20210330





茶色250ml

DISPOSABLE DISINFECTANT

disposable spray disinfectant spray

Product Information NDC:74762-001 Product Type HUMAN OTC DRUG Item Code (Source) **Route of Administration TOPICAL**

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength POLIHEXANIDE (UNII: 322U039GMF) (POLIHEXANIDE - UNII:322U039GMF) POLIHEXANIDE 0.4 g in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)				
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:74762-001-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
2	NDC:74762-001-02	70 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
3	NDC:74762-001-03	200 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
4	NDC:74762-001-04	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		
5	NDC:74762-001-05	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/15/2020		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		04/15/2020				

Labeler - Hunan Cihui Medical Technology Co., Ltd. (404377938)

Registrant - Hunan Cihui Medical Technology Co., Ltd. (404377938)

Establishment							
Name	Address	ID/FEI	Business Operations				
Hunan Cihui Medical Technology Co., Ltd.		404377938	manufacture (74762-001)				

Revised: 4/2020 Hunan Cihui Medical Technology Co., Ltd.